







Canada-United States-Ontario-Michigan **Border Transportation Partnership**

Practical Alternatives Evaluation Assessment Report

Stormwater Management Plan



Preface

The Detroit River International Crossing (DRIC) Environmental Assessment Study is being conducted by a partnership of the federal, state and provincial governments in Canada and the United States in accordance with the requirements of the Canadian Environmental Assessment Act (CEAA), the Ontario Environmental Assessment Act (OEAA), and the U.S. National Environmental Policy Act (NEPA). In 2006, the Canadian and U.S. Study Teams completed an assessment of illustrative crossing, plaza and access road alternatives. This assessment is documented in two reports: *Generation and Assessment of Illustrative Alternatives Report - Draft November 2006*) (Canadian side) and *Evaluation of Illustrative Alternatives Report (December 2006*) (U.S. side). The results of this assessment led to the identification of an Area of Continued Analysis (ACA) as shown in Exhibit 1.

Within the ACA, practical alternatives were developed for the crossings, plazas and access routes alternatives. The evaluation of practical crossing, plaza and access road alternatives is based on the following seven factors:

- Changes to Air Quality
- Protection of Community and Neighbourhood Characteristics
- Consistency with Existing and Planned Land Use
- Protection of Cultural Resources
- Protection of the Natural Environment
- Improvements to Regional Mobility
- Cost and Constructability

This report pertains to the Cost and Constructability factor and is one of several reports that will be used in support of the evaluation of practical alternatives and the selection of the technically and environmentally preferred alternative. This report will form a part of the environmental assessment documentation for this study.

Additional documentation pertaining to the evaluation of practical alternatives is available for viewing/downloading at the study website (www.partnershipborderstudy.com).

Table of Contents

1.	Introd	duction	1
2.	Back	ground Review	3
3.	Existi	ing Storm Drainage Condition	5
4.	Storn	nwater Design Criteria	6
2	1.1.	Storm Drainage	6
2	1.2.	Stormwater Management	6
5.	Strea	m Crossing Impact Assessment	7
5	5.1.	Alternative 1A - At Grade	8
5	5.2.	Alternative 1B – Below Grade	10
5	5.3.	Alternative 2A – At Grade	12
5	5.4.	Alternative 2B – Below Grade	12
Ę	5.5.	Alternative 2B Revised – Modified Below Grade	13
5	5.6.	Alternative 3 - Tunnel	13
6.	Storm	nwater Management Plan	14
6	S.1.	Screening of Alternatives	14
6	5.2.	Fish Habitat	15
6	3.3.	Proposed Stormwater Management Plans – Roadway Design	16
6	5.3.1.	Alternative 1A – At Grade	17
6	5.3.2.	Alternative 1B – Below Grade	
6	5.3.3.	Alternative 2A – At Grade	
	5.3.4.	Alternative 2B – Below Grade	
	3.3.5.	Alternative 2B Revised – Modified Below Grade	
6	3.3.6.	Alternative 3 – Tunnel	24
7.	Plaza	a Options	27
7	'.1.	Stormwater Management Plan	27
7	'.1.1.	Plaza Option 'A"	28
7	'.1.2.	Plaza Option "B" and "B1"	29
7	'.1.3.	Plaza Option " C"	30

List of Figures

Figure 1-1: Study Limit	2
Figure 3-1: Existing Drainage Condition	
Figure 6-1: Alternative 1-A at Grade Stormwater Management Plan	
Figure 6-2: Profile of Highway 402 Extension Alt 1A to Plaza B - at Grade	
Figure 6-3: Alternative 1A at Grade - Typical Roadway Section	
Figure 6-4: Alternative 1B - Below Grade Stormwater Management Plan	
Figure 6-5: Profile of Highway 401 Extension Alt 1B to Plaza B - Below Grade	
Figure 6-6: Alternative 1B Below Grade - Typical Roadway Section	
Figure 6-7: Alternative 2A - at Grade Stormwater Management Plan	
Figure 6-8: Profile of Highway 401 Extension Alt 2A to Plaza B - at Grade	
Figure 6-9: Alternative 2A at Grade - Typical Roadway Section	
Figure 6-10: Alternative 2B - Below Grade Stormwater Management Plan	
Figure 6-11: Profile of Highway 401 Access Road Alt 2B to Plaza B - Below Grade	
Figure 6-12: Alternative 2B Below Creek - Typical Roadway Section	
Figure 6-13: Alternative 2B Revised Profiles Stormwater Management Plan	
Figure 6-14: Revised Profile of Highway 401 Extension Alt 2B to Plaza B - Below Creek	
Figure 6-15: Alternative 2B Revised Profile Below Creek - Typical Roadway Section	
Figure 6-16: Alternative 3 - Tunnel Stormwater Management Plan	
Figure 6-17: Profile of Highway 401 Extension Alt 3 to Plaza B - Tunnel	
Figure 6-18: Alternative 3 Tunnel - Typical Roadway Section	
Figure 7-1: Plaza Options – Location Plan	
Figure 7-2: Plaza Option "A" – Stormwater Management Plan	
Figure 7-3: Plaza Option "A" – Outlet Drainage System Alternatives	
Figure 7-4: Plaza Option "B" – Stormwater Management Plan	
Figure 7-5: Plaza Option "B1" – Stormwater Management Plan	
Figure 7-6: Plaza Option "C" – Stormwater Management Plan	

List of Tables

1 able 4.1:	Drainage Criteria	6
Table 5.1:	Summary of Stream Crossing Alternatives	8
Table 6.1:	Summary of Receiving Watercourse Fish Habitat	16
Table 6.2:	Alternative 1A – Stormwater Management Plan	18
Table 6.3:	Alternative 1A – Summary of Pumping Requirements	19
Table 6.4:	Alternative 1B – Stormwater Management Plan	20
Table 6.5:	Alternative 1B – Summary of Pumping Requirements	20
Table 6.6:	Alternative 2A – Stormwater Management Plan	21
Table 6.7:	Alternative 2A – Summary of Pumping Requirements	22
Table 6.8:	Alternative 2B – Summary of Stormwater Management Plan	23
Table 6.9:	Alternative 2B – Summary of Pumping Requirement	23
Table 6.10	: Alternative 2B Revised Profile – Summary of Stormwater Management Plan	24
Table 6.11	: Alternative 2B Revised – Pumping Requirements	24
Table 6.12	: Alternative 3 – Stormwater Management Plan	26
Table 6.13	: Alternative 3 – Summary of Pumping Requirements	26
Table 6.14	: Summary of Stormwater Management Plan	26

Appendices

Appendix A: Hydraulic Analysis Post Development Condition

Appendix A.1: Alternative 1A

- Titcombe Drain Crossing
- Basin Drain Crossing
- Lennon Drain Crossing
- · Cahill Drain Crossing
- Cahill / Wolfe Drainage Along Talbot Road

Appendix A.2: Alternative 1B

Appendix A.2.1: Titcombe Drain Crossing

Appendix A.2.2: Basin Drain Crossing

Appendix A.2.3: Cahill / Wolfe Drainage Along Talbot Road

Appendix A.2.4: Syphon Analysis

Appendix A.2.4.1: Turkey Creek

Appendix A.2.4.2: Lennon Drain

Appendix A.2.4.3: Cahill Drain

Appendix A.3: Alternative 2A

Cahill Drain Crossing

- Lennon Drain Crossing
- Basin Drain Crossing
- Titcombe Drain Crossing

Appendix A.4: Alternative 2B

Appendix A.4.1: Titcombe Drain Crossing

Appendix A.4.2: Basin Drain Crossing

Appendix A.5: Alternative 2B – Revised

Appendix A.5.1: Titcombe Drain Crossing

Appendix A.5.2: Basin Drain Crossing

Appendix A.5.3: Turkey Creek Hydraulic Analysis

Appendix A.5.3.1: Existing Condition

Appendix a.5.3.2: Proposed Condition

Appendix A.6: Alternative 3

Appendix B: Hydrologic Analysis Pre & Post Development Conditions

Appendix B.1: Pre-Development Condition

Appendix B.2: Post Development Condition

Appendix C: Stormwater Management Computations

Appendix C.1: Alternative 1A

Appendix C.2: Alternative 1B

Appendix C.3: Alternative 2A

Appendix C.4: Alternative 2B

Appendix C.5: Alternative 2B - Revised

Appendix C.6: Alternative 3 – Tunnel

Introduction

The Canada-U.S.-Ontario-Michigan Border Transportation Partnership (The Partnership) composed of Transport Canada (TC), the Ontario Ministry of Transportation (MTO), United States Federal Highway Administration (FHWA) and the Michigan Department of Transportation (MDOT) is undertaking an Environmental Assessment Study for the proposed Detroit River International Crossing (DRIC).


The Detroit River International Crossing (DRIC) study is a bi-national planning study that will lead to the identification of a single technically and environmentally preferred alternative for access roads, plazas and a new river crossing. The study is being conducted in accordance with the requirements of the Ontario Environmental Assessment Act (OEAA) and the Canadian Environmental Assessment Act (CEAA) in Canada and the U.S. National Environmental Policy Act (NEPA) in the United States.

The Ontario Ministry of Transportation (MTO) is leading the Canadian work program in coordination with Transport Canada (TC). The Michigan Department of Transportation (MDOT), in coordination with the United States Federal Highway Administration (FHWA) is leading the U.S. work program.

The Partnership retained URS Canada Inc. to assist the government in undertaking the Canadian side Environmental Assessment Study for the expanded Detroit River International Crossing. As part of the Environmental Assessment Study, a stormwater management analysis has been completed for the access road and plaza alternatives to address the highway drainage and potential impact of the proposed Highway 401 to the nearby watercourses and drainage crossings. This report identifies the stormwater management plan prepared for the various roadway alternatives extending from Ojibway Parkway to North Talbot Road and Canadian plaza alternatives. The study limit is shown on Figure 1-1. A stormwater management analysis for the International bridge crossing will be completed separately.

	:
	:
	-
	:

FIGURE 1-1: STUDY LIMIT



Background Review

Several studies have been previously conducted within the study area. These were reviewed to obtain information on the existing drainage condition and stormwater management practices within the study area. Relevant information obtained from these studies was used as input data to assist in the identification and analyses of stormwater management alternatives for the proposed Highway 401.

The following reports were reviewed as part of the preparatory investigations. The pertinent information extracted from each document is also identified.

Functional Design Report Lennon Drain - Talbot Road to Avon Drive

Prepared by La Fontaine, Cowie, Buratto & Associates Limited, March 1993

- Based on this report, Lennon Drain catchment area is approximately 1,200 acres (485 ha) that extends easterly from Talbot Road. It is bounded to the north by Cabana Road, to the east by Concession Line, to the south by Highway 401 and by Cousineau Road to the west.
- Lennon Drain within the study area is a trapezoidal channel with a 10 ft. wide low flow channel and was designed to provide online storage. The online storage has a total capacity of 23,500 m³ for the 100-year storm. The existing 100-year storm flow is conveyed within the improved channel.
- With the online storage the 100-year flow was restricted to 229.6 cubic feet per second (6.5 m³/s).

Stormwater Management Alternatives for the Turkey Creek Watershed within the City of Windsor Prepared by Maclaren Engineers – Lavalin, June 1989

- This report proposed two basic stormwater management strategies for the Turkey Creek watershed, namely: stormwater detention facilities to control future runoff from new development to present levels and channel improvements to contain the existing 100year flood.
- On-site detention was recommended for new industrial and commercial developments.
- The study identified peak flows at major intersections as follows:

Location	Drainage Area	100-year Peak Flows (m³/s)		
Location	(ha)	Present	Future	
Grand Marias Drain at Huron- Church Line	2837	39.5	62.6	
Outlet of Basin Drain	173	4.7	8.1	
Lennon Drain at Huron Church Line	353	8.3	11	
Cahill Drain at Huron Church Line	676	12.1	27.6	

The study also identified the requirement for further studies to recalculate flood levels
along the major watercourses based on the significantly revised flood flows determined
during the study.

Master Drainage Plan Township of Sandwich South

N.K. Becker and Associates Ltd., October 1986

- The plan identified present and future storm drainage problems and improvements to the drainage system to maintain storm runoff at pre-development levels. The plan also includes stormwater management policies for new developments.
- Included in the study area is a tributary of Wolfe Drain located east of Highway 401 and north of Highway 3 (Talbot Road). This tributary outlets to Cahill Drain and ultimately to Turkey Creek.
- Wolfe Drainage catchment is approximately 200 hectares, identified in the report as Subcatchment 201. The 100-year peak flow was computed to be 8.1 m³/s.
- The master plan recommended improvement to Wolfe Drain with on-site runoff controls.
 All new development is required to implement on-site stormwater management controls.

Based on the review of the previously published studies as summarized above, it is concluded that the peak flows as identified in the 1989 Mclarenn report would still be appropriate for use in the conceptual design of a stormwater management plan for the various alternative roadways. It is noted that the watershed studies would have to be updated at the preliminary design stage of the preferred roadway alternative.

3. Existing Storm Drainage Condition

Within the study area there are eight (8) recipient drainage systems that would receive runoff from the proposed Highway 401. They are identified as Titcombe Drain, Basin Drain, Marentette Mangin Drain, Turkey Creek, Lennon Drain, Cahill Drain West Tributary Drain and Wolfe Drain. The location of the streams relative to Highway 401 are shown on Figure 3-1. All of the drainage systems are part of the Turkey Creek which outlets to the Detroit River. Turkey Creek the Cahill Drain and the Wolfe Drains have been significantly altered as a result of urbanization. All of the existing drainage systems have been impacted upon by urbanization. Along Turkey Creek, as an example, sections of the channel have been concrete lined. A number of hydrologic and hydraulic investigations have been completed on the existing drainage systems however updates are required in order to refine the peak flows associated with each. The updated models would include the flow attenuation benefits associated with stormwater management plans that have been implemented in support of development. For the Practical Alternative phase of the DRIC study the previously computed and approved flows have been considered appropriate for use. New hydrologic analyses would be required at all stream crossings to confirm the sizing of required conveyance facilities. Fluvial geomorphologic investigations would also be required to confirm the sensitivity of the drainage systems to erosion and to establish target erosion flow rates for the use in design of future stormwater management plans.

Stormwater Design Criteria

4.1. Storm Drainage

The proposed Highway 401will be classified as a freeway with a design speed of 120 km/hr. Culverts over 6.0 m span, according to MTO Directive B-100, for the proposed Highway 401 are to be designed based on a 100-year design flow (refer to Table 4.1)

TABLE 4.1: DRAINAGE CRITERIA

	Bridges and Culverts					
Road Classification	Total span up to 6.0 m	Freeboard Requirement	Total span over 6.0 m	Freeboard Requirement		
Freeway	50-year	No overtopping	100-year	No overtopping		
Urban Arterial	50-year	1m freeboard from crown	100-year	1m freeboard from soffit		
Rural Arterial Collector Road	25-year	1m freeboard from crown	50 year	1m freeboard from soffit		
Local Road	10-уеаг	1m freeboard from crown	25 year	1m freeboard from soffit		

^{*} Source: MTC Design Flood Criteria, Ministry Directive B-100, Issued 80-10-16

The minor system associated with the new roadway would be designed to capture and convey the 10-year storm. Where the roadway is below grade, the new sewer system would be designed to capture the 100-year event. In areas where the major system cannot be maintained to a reasonable outlet, the minor system should convey the 100-year storm without flooding to the traveled four inside lanes.

For areas with a drainage area greater than 125 ha, structures are to be sized to convey the Regional Storm with no significant increase in the flood level from that of the existing condition. Based on discussions with the Essex Region Conservation Authority, the Regional Storm for the study area is equivalent to the 100-year event.

4.2. Stormwater Management

The MNR and the MOE have both published specific criteria regarding water quality and flood flow control. For this project, Level 1 protection would be provided for water quality.

Runoff to Turkey Creek and other adjacent watercourses would be controlled to the predevelopment levels for all storm events up to and including the 100-year return period.

5. Stream Crossing Impact Assessment

A total of six (6) alternative roadway alignments and profiles for Highway 401 have been established for consideration. They are identified as Alternatives 1A, 1B, 2A, 2B, 2B-Revised and 3. The details of each are described in the following section of this report. From a surface water resource perspective each alternative has a varying degree of impact on the existing flow conveyance features (i.e. watercourses, drains etc.). Where impacts are considered to be significant, those impacts must be mitigated by the implementation of appropriate flow conveyance improvement measures.

The proposed Highway 401 Alternatives consider three options for the roadway profile. They include the following:

- At Grade the proposed road profile follows that of the existing ground. New stream
 crossings would be sized based on MTO Directive B100.
- Below Grade the proposed road profile is below the existing ground. This would
 potentially result in the new roadways potentially obstructing the flow associated with the
 natural drainage systems that they cross.
- Tunnel the proposed road profile is below the invert of the existing stream systems.
 With this option the new roadway would have minimal impact on the existing drainage systems.

The following describes the impact assessments completed for each of the six roadway alternatives considered and details of the recommended mitigation plan. Table 5.1 provides a summary of the proposed drainage improvements.

TABLE 5.1: SUMMARY OF STREAM CROSSING ALTERNATIVES

		,	Roadway	/ Alternative		-	
	1A	1B	2A	2B	2B Revised	3	
Location	At Grade	Below Grade	Below Grade At Grade Below Grade		Modified Below Grade	Tunnel	
	Replace Exist	ing Roadways	Alignment C	Offset from Existin	ng Roadways		
Titcombe Drain	Storm Sewer or 1200 mmØ Culvert	Storm Sewer or 1200 mmØ Culvert	Storm Sewer or 1200 mmØ Culvert	Storm Sewer or 1200 mmØ Culvert	Storm Sewer or 1200 mmØ Culvert	Storm Sewer or 1200 mmØ Culvert	
Basin Drain	2.1 m x 1.5 m Box Culvert	2.1 m x 1.5 m Box Culvert	2.1 m x 1.5 m Box Culvert	2.1 m x 1.5 m Box Culvert	2.1 m x 1.5 m Box Culvert	2.1 m x 1.5 m Box Culvert	
Marentette Mangin Drain	Storm Sewer	Storm Sewer	Storm Sewer	Storm Sewer	Storm Sewer	There will be no long-term impacts	
Turkey Creek	Bridge Extension	Syphon 25 m x 2 m Box or Tunnel Roadway	New Bridge	Syphon 25 m x 2 m Box or Tunnel Roadway	New 3 Cell 10 m x 2 m Box or Equivalent	There will be no long-term impacts	
Lennon Drain	Extension of Existing 2.6 m x 1.2 m culvert	3 m x 1.5 m Syphon	Extension of Existing 2.6 m x 1.2 m culvert	3 m x 1.5 m Syphon	3 m x 1.5 m Syphon	There will be no long-term impacts	
Cahill West Tributary	1200 mmØ or Diversion to Cahill Drain	1200 mmØ or Diversion to Cahill Drain	1200 mmØ or Diversion to Cahill Drain	1200 mmØ or Diversion to Cahill Drain	1200 mmØ or Diversion to Cahill Drain	There will be no long-term impacts	
Cahill Drain Crossing	Replacement of Existing Culvert with a 4.5m x 1.5m Box Culvert	4.5 m x 1.5 m Syphon or Tunnel	New 4.5 m x 1.5 m Box Culvert	4.5 m x 1.5 m Syphon or Tunnel	4.5 m x 1.5 m Syphon or Tunnel	There will be no long-term impacts	
Cahill Drain/Wolfe Drainage	Re-aligned Open Drain or 4.5 m x 1.5 m Closed System	Re-aligned Open Drain or 4.5 m x 1.5 m Closed System	Retain Existing Channel	Retain Existing Channel	Retain Existing Channel	There will be no long-term impacts	

The following provides a summary of the options considered to mitigate potential impacts of the new roadway on the existing drainage system.

5.1. Alternative 1A - At Grade

With this alternative both the extension of flow conveyance facilities and the construction of new facilities would be required. All replacement / new structures would be designed in accordance with MTO Directive B-100. The following provides a description of the proposed modifications at each of the major watercourse crossings. A plan, profile and typical section of the new roadway are provided in Figures 6-1, 6-2 and 6-3 respectively.

i) Titcombe Drain

Runoff from the catchment area associated with Titcombe Drain would be picked up by the storm sewer system being constructed to accommodate runoff from the new Highway 401. This would allow for the potential quality treatment of all runoff from the Titcombe Drain upstream of the new roadway. If it is found that when more detailed topographic information is available that the grades do not permit the capture of flow within the new storm sewer, then a 1200 mmØ culvert would be provided for in the design of the new roadway to safely convey flow.

ii) Basin Drain

A new 2.1 m x 1.5 m concrete box culvert would be constructed to convey the 100-year flow from the Basin Drain catchment area. Given the close proximity of the new culvert with the existing structure under E.C. Row Expressway, consideration could be given to connecting both facilities. If the system is to remain open between the two culverts than realignment of Basin Drain should be considered to improve the hydraulic efficiency of the system at both the inlet and outlet Results of the hydraulic analysis are provided in Appendix A.1

iii) Marentette Mangin Drain

With Alternative 1A the proposed Highway 401 would be below in the area of the drain. As a result of this all flows upstream of the new roadway would have to be collected by the new storm sewer system and pumped downstream. Based on the available information there is very little catchment area associated with the drain upstream of the proposed Highway 401 which will have to be captured. By intercepting the upstream runoff there is the possibility of providing quality treatment for all of the flow as part of the Highway 401 stormwater management plan.

iv) Turkey Creek

Alternative 1A would utilize the existing Turkey Creek bridge structure. An extension of the existing structure would be required in order to accommodate the additional proposed lanes.

v) Lennon Drain

At the Lennon Drain crossing the proposed roadway would follow the alignment and profile of the existing structure. The existing 2.6 m x 1.2 m box culvert would have to be extended to accommodate the extra lanes. As previously noted, an update of the watershed model is required in order to confirm the design flows and the need for replacement. As a minimum, extension of the existing culvert would be required to accommodate the additional lanes. The hydraulic analysis associated with the new culvert design is included in Appendix A.1

vi) Cahill Drain West Tributary

The proposed road profile at the crossing is approximately 2 m above that of the existing roadway. Replacement of the existing culvert with a 1200 mmØ concrete pipe is proposed to provide an improved level of flow hazard protection. An alternative approach is to redirect the West Tributary in an easterly direction approximately 150 m to outlet to the Cahill Drain main channel. Both options are considered to be viable. The hydraulic analysis associated with the new culvert design is included in Appendix A.1.

vii) Cahill Drain

The proposed roadway at the existing Cahill Drain crossing will be below by approximately 6 m. As a result of this, the new roadway would impede surface runoff. The developed proposal is to relocate the crossing in a westerly direction by approximately 170 m. This would allow Cahill Drain to continue to flow by gravity past the new roadway. The new box culvert would have an opening size of approximately of 4.5 m x 1.5 m. If the Cahill Drain West Tributary is diverted to the new crossing the opening size would have to increased in order to handle the additional flow. As previously noted, the subject watershed model must be updated to confirm peak outflows and required culvert sizes. The hydraulic analysis associated with the proposed culvert alternative is included in Appendix A.1.

viii) Cahill / Wolfe Drain

With Alternative 1A Cahill / Wolfe Drain would be realigned in a northerly direction and run parallel to the new service road. The existing cross sectional area of the channel would be maintained in order to provide the required 100-year flow conveyance. It is noted that the new alignment of the Drain must also be adjusted to accommodate any stormwater management requirements (ponds).

An alternative to having an open drain is to provide a closed conveyance system located under the northbound service Road. To accommodate the 100-year flow a 4.5 m x 1.5 m box culvert is required. Providing a closed drainage system would have the least impact on the adjacent lands as it would continue to accommodate direct access to the residential lands to the north from the Northbound service road. With the open channel option each private driveway would require a culvert to cross the drain. A typical cross section of each option is given in Figure 6-3. Results of the detailed hydraulic analysis for the proposed enclosed conveyance system are provided in Appendix A.1.

5.2. Alternative 1B – Below Grade

Alternative 1B has a similar alignment to that of Option 1A, however the roadway is below grade for much of its length. This below roadway results in a number of the watercourse crossings potentially being obstructed. This would necessitate the introduction of syphons to convey flow below the new roadway or alternatively the roadway tunneled under the subject drainage systems. A plan, profile and typical roadway section of Alternative 1B are provided in Figures 6-4, 6-5 and 6-6 respectively. The following provides a description of the proposed improvements required at the major stream crossings.

i) Titcombe Drain

Runoff from the catchment area associated with Titcombe Drain would be picked up by the storm sewer system being constructed to accommodate runoff from the new Highway 401 right-of-way. This would allow for the potential quality treatment of all runoff from the Titcombe Drain catchment area. If grades do not permit the capture of flow within the new storm sewer, then a 1200 mmØ culvert would be provided for in the design of the new roadway. The Flow Master analysis output for the new structure is given in Appendix A.2.1.

ii) Basin Drain

A new 2.1 m x 1.5 m concrete box culvert would be constructed to convey the 100-year flow from the Basin Drain catchment area. Given the close proximity of the new culvert with the existing structure consideration could be given to connecting both facilities. If the system is to remain open between the two culverts than realignment of Basin Drain should be considered to improve the hydraulic efficiency of the system. The Culvert Master hydraulic analysis output is given in Appendix A.2.2.

iii) Marentette Mangin Drain

With Alternative 1A the proposed Highway 401 would be below in the area of the drain. As a result of this all flows upstream of the new roadway would have to be collected by the new storm sewer system and pumped downstream. Based on the available information there is very little catchment area associated with the drain upstream of the proposed Highway 401 which will have to be interrupted. By intercepting the upstream runoff there is the possibility of providing quality treatment, as part of the Highway 401 stormwater management plan.

iv) Turkey Creek

Two options were considered to convey flow past Highway 401. The first option would include the construction of a syphon that would capture and convey the 100-year flow below the new below roadway. Based on the use of the PCSWM model and assuming that there would be no significant increase in the 100-year flood level upstream of the roadway a 25 m wide by 2 m high structure would be required with its invert approximately 12 m below the existing invert of Turkey Creek. The sloped entrance and exit to this syphon would extend approximately 25 m upstream and downstream of the actual crossing. The inlet structure would be specially designed to address potential ice and debris jams that would affect the conveyance capacity of the structure. An emergency overflow structure would be included in the design to ensure that the required capture capacity is maintained with no increase in flood hazard potential upstream. With the syphon alternative the inlet would have to be maintained on a regular basis and all debris captured at the inlet grate removed. A detailed PCSWM support analysis output is provided in Appendix A.2.4.1.

An alternative to the construction of a syphon is a lowering of the proposed Highway 401 roadway profile at the stream crossing by an additional 4 m. This would allow the roadway to be tunneled under Turkey Creek. Although Turkey Creek would be affected initially as a result of the construction of the roadway there would be no long term impacts on the stream.

v) Lennon Drain

To convey flow past the new roadway a 3 m wide by 1.5 m high syphon is proposed. A separate flow control 2.6 m x 1.2 m concrete culvert would have to be constructed upstream in order to maintain the flood attenuation benefits associated with the existing online pond. As the lands immediately upstream of the roadway, west of the drain are developed special consideration must be given to the design of the inlet structure. Consideration must also be given to the effects of ice and debris jams upstream of the syphon inlet structure. The provision of floodproofing measures such as flood control berms etc. must be considered in the development of the overall strategy to safely convey flow past the below Highway 401 and provide appropriate flood proofing benefits to the upstream urbanized area. The detailed PCSWM syphon analysis output is given in Appendix A.2.4.2.

vi) Cahill Drain West Tributary

The diversion of this tributary in an easterly direction to Cahill Drain is proposed. Detailed topographic surveys are required to confirm the feasibility of this approach. Alternatively the system could be syphoned below the new roadway.

vii) Cahill Drain

Cahill Drain is the second largest drainage system that crosses the new highway. With the below roadway two options are being considered. They include construction of a syphon to take the channel below the roadway or lowering the roadway profile below that of the existing drainage system. If a syphon is to be constructed, it will require a 4.5 m x 1.5 m opening. Results of PCSWM syphon analysis for Cahill Drain crossing is provided in Appendix A.2.4.3.5 Urbanization has significantly encroached onto Cahill Drain. Any changes to how the system functions may as a result have a significant impact on the efficiency of the upstream collection system. Of the two options considered, tunnelling under the watercourse would have the least impact on the flow conveyance of the system. This is of particular importance as consideration is being given to the potential enclosing of Wolfe Drain.

viii) Cahill Drain / Wolfe Drain

As proposed for Alternative 1A there are two options available, realignment of the channel or the construction of a new $4.5 \text{ m} \times 1.5 \text{ m}$ closed system. The Flow Master was used to establish the preliminary size of the new closed system. Its output is included in Appendix A.2.3. Of the two options considered, construction of an enclosed system would have the least impact on the existing landuse.

5.3. Alternative 2A – At Grade

Alternative 2A has similar characteristics to that of Alternative 1A. The new roadway however would run south of and parallel to the existing Highway 3, Huron Church Road and E.C. Row Expressway, as opposed to utilizing the existing road right of ways. By offsetting the new roadway, the existing Northbound service road would continue to be used to service the existing development. Plan, profile and typical roadway section are provided in Figures 6-7, 6-8 and 6-9 respectively.

The primary differences between Alternative 2A and 1A are summarized as follows:

- New bridge provided at Turkey Creek crossing with similar characteristics to that of the existing structure.
- Existing Cahill / Wolfe Drain is left as an open channel following its existing alignment.

The hydraulic analysis output for all stream crossings and drainage associated with Alternative 2A is given in Appendix A.3.

5.4. Alternative 2B – Below Grade

Alternative 2B has an alignment similar to that of Alternative 2A but with the roadway now being below. The primary difference in stream crossing improvements between Alternative 2B and 2A is the potential realignment of Wolfe Drain in a northerly direction to accommodate

a stormwater management facility (see Section 6.0). A plan, profile and typical cross section of the proposed roadway are provided in Figures 6-10, 6-11 and 6-12 respectively.

As discussed in Section 5.3, there are two options being considered for the crossing of Cahill Drain, they include the construction of a syphon and tunneling. The hydraulic analysis output for Alternative 2B is given in Appendix A.4. The syphon analysis output for Cahill Drain is included in Appendix A.2.4.3

5.5. Alternative 2B Revised – Modified Below Grade

Alternative 2B Revised is a modified Alternative 2B. A plan, profile and typical roadway section are provided in Figures 6-13, 6-14 and 6-15 respectively. As opposed to a syphon or tunnel being constructed at the Turkey Creek crossing, this alternative recommends raising the road profile above the channel. A new three cell 10 m x 2.0 m box culvert or equivalent would be constructed to maintain the existing 100-year flood hazard condition. With this alternative, the new roadway would have minimal impact on either the form or function of Turkey Creek.

The hydraulic analysis output for Titcombe and Basin Drain crossings is given in Appendix A.5.1 and A.5.2 respectively. The PCSWM syphon analysis output for Lennon Drain and Cahill crossing are provided in Appendix A.2.4.2 and Appendix A.2.4.3 respectively. The detailed HEC-RAS analysis output for Turkey Creek for the pre and post development conditions are provided in Appendices A.5.3.1 and A.5.3.2 respectively.

5.6. Alternative 3 - Tunnel

Alternative 3 has the least impact on the existing drainage systems as the new roadway would be constructed below the existing natural drainage features. Any impacts would be short term, related to the construction technique. A plan, profile and typical roadway section are provided in Figures 6-16, 6-17 and 6-18 respectively.

A complete summary of the stream crossing options for each of the Roadway Alternative is given in Table 5.1.

6. Stormwater Management Plan

6.1. Screening of Alternatives

A list of stormwater management practices (SWMP's) was screened, along with the "do nothing" alternative, with consideration of the general advantages and disadvantages, experience, and practical feasibility for the site-specific conditions, such as:

- Integration with the standard type of drainage (storm sewers and outside ditches);
- Space available (within the proposed right-of-way), and practical outlet points;
- Impact to existing landuse.

Although the "do nothing" alternative was initially considered, it was determined that this is not an acceptable course of action. The proposed increase in pavement area and the associated potential increase in pollutant loading to the receiving watercourses would result in negative effects such as reduced stream water quality, degraded aquatic habitat, flooding, and instream erosion, which necessitates provision of appropriate mitigation measures.

The list of SWMP's reviewed for appropriateness included:

- Storage SWMP's such as wet ponds, dry ponds, constructed wetlands and underground storage tanks;
- 2) Infiltration SWMP's such as infiltration basins, infiltration trenches, sand filters and porous pavement;
- 3) Vegetative SWMP's such as buffer strips, grassed swales and filter strips;
- 4) Soft SWMP's such as conservation/restoration and source controls; and
- 5) Special purpose SWMP's such as oil/grit separators and filter devices.

Based on an initial screening of SWMP's, it was concluded that:

- Storage SWMP's (e.g. ponds) can be effective in providing combined quality/quantity control where drainage areas are sufficient and space is available.
- SWMP's based on infiltration can be effective in treating stormwater runoff, but their
 effectiveness is limited with respect to flooding and erosion control. Disadvantages
 include the high level of maintenance required and the potential for clogging. It should
 also be noted that the relatively high salt concentration associated with a highway would
 be infiltrated directly into the groundwater, which is not considered acceptable.
- Vegetative SWMP's such as grassed swales provide water quality treatment primarily by filtering out fine sediments and promoting infiltration, but can also be used to provide secondary erosion control. Filtering of highway runoff can also be accomplished with vegetative buffers and filter strips. Grassed swales are primarily designed to provide water quality control by limiting flow velocities and increasing the wetted perimeter, while enhanced grass swales have permanent rock check dams to detain water during small events and/or flat bottoms to increase storage and contact. Vegetative SWMP's can be readily applied to highway situations, and are relatively inexpensive and particularly

effective for small catchment areas. Given the limited availability of land this option was not considered appropriate.

- The implementation of soft SWMP's such as conservation/restoration and source control
 of pollutants such as de-icing salt are beyond the scope of this study and are addressed
 through MTO's policies and guidelines for roadway maintenance.
- Oil/grit separators are used to trap and retain oil and/or sediment in detention chambers, usually located below ground. They are often used as spill controls, pre-treatment devices or end of pipe controls as part of a multi-component approach for water quality control. They are usually used for small sites.

Based on the results of the screening process and the site conditions, the solutions retained for further analysis were storage SWMP's and oil/grit separators. The storage SWMP's will provide quality treatment, erosion control and quantity control for the upstream catchment area. Storage SWMP's will be utilized to match existing peak flow conditions to the receiving watercourses in an effort to emulate existing conditions within the watersheds. Oil/grit separators will provide quality treatment to the upstream catchment areas, and will be utilized only for small catchment areas such as highway ramps.

For future studies, it is recommended that continued research and analysis be conducted toward utilizing a treatment train approach for providing quality treatment. This would consist of using multiple SWMP's in series, such as vegetated SWMP's in addition to oil/grit separators or storage SWMP's.

6.2. Fish Habitat

As part of the overall Detroit River International Crossing Study, a report entitled "Practical Alternatives Evaluation Working Paper, Natural Heritage" dated July 2007, was conducted to determine potential impacts the proposed development will have on the area. The report includes potential impacts on vegetation, wildlife, and fish habitat, as well as fishery habitat classification. Information on fish habitat for the receiving watercourses is integrated with the design of stormwater management facilities, as adequate stormwater quality treatment from the proposed development will be required for watercourses with sensitive fishery habitat.

From this report, all watercourses within the Study Area are classified as warmwater fishery habitat, either supporting sportfish communities or baitfish communities. The only exception is the Detroit River, which supports coldwater fishery habitat, in addition to warmwater fish habitat. Table 6.1 provides a summary of the Natural Heritage Study findings with regards to fish habitat classification of the receiving watercourses.

Receiving Watercourse *	Fishery Habitat	Fishery Classification
Detroit River	Coldwater/Warmwater	Important Fish Habitat
McKee Drain	Warmwater	Important Fish Habitat
Titcombe Drain	Warmwater	Important Fish Habitat
Basin Drain	Warmwater	Marginal Fish Habitat
Marentette Mangin Drain	No Fish Habitat	No Fish Habitat
Turkey Creek	Warmwater	Marginal Fish Habitat
Lennon Drain	Warmwater	Important Fish Habitat
Cahill Drain	Warmwater	Important Fish Habitat
Wolfe Drain	Warmwater	Marginal Fish Habitat

TABLE 6.1: SUMMARY OF RECEIVING WATERCOURSE FISH HABITAT

6.3. Proposed Stormwater Management Plans – Roadway Design

The proposed stormwater management strategy developed for Alternative 1A, 1B, 2A, 2B, 2B Revised and 3 consists of utilizing oil/grit separators and stormwater management facilities to provide quality and quantity control. Plan, profiles and typical roadway sections for each Alternative are included in Figures 6-1 to 6-8 inclusive.

It is noted that because of the terrain and the consideration of using below roadways, pumping stations will be required in order to maintain drainage to the existing natural features. The developed stormwater management plan is based on the premise that the existing flow characteristics and water balance will be maintained.

Based on the established road profiles for each roadway alternative, catchment areas were identified and peak flows determined using the Rational Method. The existing condition was modeled as completely undeveloped with an assumed runoff coefficient of 0.30. The proposed condition was considered to be completely impervious, therefore a runoff coefficient of 0.90 was assumed. Preliminary storm sewer profiles were established in order to confirm the potential need for pumping stations. The conceptual storm sewer profiles are shown on the previously referenced drawings. Once the preferred roadway alternative has been established, then a detailed hydrologic and hydraulic analyses will be completed to confirm catchment areas, sewer design details, pond area requirements etc. Where possible the number of proposed stormwater management facilities and pumping stations and land area requirements will be minimized.

In order to achieve the quality treatment required for the receiving watercourses, Enhanced Protection Level quality treatment will be provided. Stormwater management wet ponds located upstream of the receiving watercourses will provide the highest quality treatment to overland runoff, while providing quantity control to prevent downstream erosion and flooding. Wetponds have been designed following the MOE Stormwater Management Planning and Design Manual (2003) to provide quality protection level as well as quantity control for up to the 100-year design storm. The permanent pool requirements for the wetponds were sized based on the Enhanced Protection Level criteria, providing 80% long-term suspended solids

^{*} Refer to Figure 3-1 for location

removal, as provided in Table 3.2 of the MOE Stormwater Management Planning and Design Manual (2003), for 85% Imperviousness. In the case of the Proposed Highway 401, the required permanent pool storage volume would be 210 m³/ha (250 m³/ha for 85% Imperviousness minus 40m³/ha for extended detention). For determining the permanent pool storage requirements, the upstream drainage area considered for each pond consisted of the proposed Highway Extension ROW only.

Extended detention for the wet ponds was determined based on the greater of the extended detention requirements as set by the MOE Stormwater Management Planning and Design Manual (2003), or the 25 mm erosion storm released over 24 hours. The 25 mm erosion storm storage requirements were calculated using the runoff from the 25 mm storm over the proposed Highway Extension ROW area. The release rate for the erosion storm storage volume was based on an average release over 24 hours. In all cases, requirements for the 25 mm erosion storm were greater than the MOE extended detention requirements. In addition, providing a steady release of the erosion storm over an extended period of time will provide a net-benefit to the baseflow of the receiving watercourses. This will be particularly beneficial to watercourses that have fishery habitat, but experience intermittent baseflow.

Quantity requirements for the stormwater management wet ponds were determined to able to provide storage for the 2-year through 100-year storms. Release rates for the wet ponds within the site were based on matching the existing conditions peak flows from the proposed Highway Extension ROW area. Specific details of the pond designs will be provided in the Preliminary design.

The following provides a description of the stormwater management plan prepared for each of the Highway 401 alternatives.

6.3.1. Alternative 1A – At Grade

The proposed Highway 401 – Alternative 1A Preliminary Stormwater Management Plan is identified in Figure 6-1. A typical roadway and sewer profile is given in Figure 6-2. The total drainage area for this alternative is in the order of 41 ha. Runoff from the proposed development will drain to Cahill drain, Lennon Drain, Marintette Mangin Drain, Basin Drain and Titcombe Drain, all tributaries of the Turkey Creek Watershed.

The proposed approach to providing quality and quantity control for Alternative 1A is to construct a Stormwater Management Facility downstream of each of the drainage catchments. The SWM facilities will provide Enhanced Level quality treatment as well as quantity control from the 25mm erosion storm up to the 100-year storm to pre-development conditions.

In addition to these facilities, the feasibility of utilizing onsite controls such as enhanced swales and oil grit separators were also investigated. The suitability of using enhanced swales as a conveyance control will be examined in more detail when a Highway option is chosen. The oil/grit separator for Drainage Area 107 was considered as an alternate approach along with underground storage.

As discussed in Section 5.1, two possible options are being considered for the handling of runoff along Cahill and Wolfe Drains. Under Option 1, Cahill and Wolfe Drains would be realigned north of the new 2-lane service road. From Drainage Area 107 (refer to Figure 6-1

will have to be directed first to SWM Pond 1A-P8 treated and then released to Wolfe Drain. Under Option 2, replacement of the existing trapezoidal channel by a 4.5 m x 1.50 m reinforced concrete box culvert under the proposed northbound service road, there is no opportunity to construct a Stormwater Management Facility in the existing residential area. An alternative to the pond would be to construct an underground storage facility below the northbound service road and discharge to Wolfe Drain. This structure would be designed to control all outflows up to the 100-year event to the pre-development condition. Oil/grit separators would also be required for quality control. With this option Wolfe Drain would not have to be realigned. The new underground storage facility would be constructed immediately south of the enclosed Wolfe Drain and would outlet to Wolfe Drain.

Table 6.2 provides a summary of the preliminary stormwater management plan prepared for Alternative 1A. Figure 6-1 identifies the Stormwater Management Plan showing the possible location of stormwater management facilities. The existing and proposed condition hydrologic analysis output for Alternative 1A drainage areas are provided in Appendix B.1 and B.2 respectively. Stormwater management computations associated with pond sizing are given in Appendix C.1

TABLE 6.2: ALTERNATIVE 1A - STORMWATER MANAGEMENT PLAN

Drainage	Drainage	· ·	Peak Flow	Stormwater Management Facility Req't				Recipient
Area ID	Area (ha)	<u> </u>	n³/s)	Facility	Storage V	olume (m³)	Pond	Drainage
	(/	Existing	Proposed	ID	Quality	Quantity	Area (m²)	System
100	6.36	0.37	2.40	1A-P1	1,590	2,400	6,100	Titcombe Drain
101	2.53	0.16	0.99	1A-P2	633	1,000	4,700	Basin Drain
102	5.60	0.68	2.12	1A-P3	1,400	1,400	5,700	Marentette Mangin Drain
103	2.60	0.16	1.02	1A-P4	650	1,000	4,300	Turkey Creek
104	2.50	0.21	1.14	1A-P5	625	800	4,200	Lennon Drain
105	2.50	0.18	1.06	1A-P6	625	900	4,200	Lennon Drain
106	5.60	0.34	2.17	1A-P7	1,400	2,100	5,700	Cahill Drain
*107	3.10	0.18	1.16	1A-P8	775	1,200	4,500	Wolfe Drain
108	3.96	0.23	1.50	1A-P9	990	1,500	5,000	Wolfe Drain
109	6.60	0.27	1.91	1A-P9	1,650	2,900	6,100	Wolfe Drain

^{*} Alternate stormwater management measure, underground storage and oil-grit separator

More specific details of the proposed stormwater management facilities will be provided at the preliminary design stage. It is noted that lowest points of Drainage Areas 102, 104, 106, and 108 as identified on Figure 6-1 are located approximately 7m below the existing grade. Pumping of stormwater runoff to the proposed Stormwater Management Facility is required. Table 6.3 summarizes the pumping station locations and requirements for Alternative 1A. Preliminary storm sewer profiles are provided in Figure 6-2.

Drainage ID	Pumping Station	100-year Peak Flow (m³/s)	Drainage Outlet
102	13+746	2.12	SWM Pond 1A-P3
104	10+085	1.14	SWM Pond 1A-P5
106	11+733	2.17	SWM Pond 1A-P7
108	10+030	1.50	SWM Pond 1A-P9

TABLE 6.3: ALTERNATIVE 1A - SUMMARY OF PUMPING REQUIREMENTS

6.3.2. Alternative 1B – Below Grade

The proposed Highway 401 – Alternative 1B Preliminary Stormwater Management Plan is identified in Figure 6-4. The total drainage area for this alternative is in the order of 41 ha. Runoff from the proposed development will drain to Cahill Drain, Lennon Drain, Marentette Mangin Drain, Basin Drain and Titcombe Drain, all tributaries of the Turkey Creek Watershed.

The proposed approach to providing quality and quantity control for Alternative 1B is to construct a Stormwater Management Facility downstream of each of the drainage catchment as shown on Drawing 6-4. The SWM facilities will provide Enhanced Level quality treatment as well as quantity control from the 25mm erosion storm up to the 100-year storm to predevelopment conditions. An alternate approach was considered for Drainage Area 107, utilizing underground storage to provide quantity control and an oil/grit separator to provide quality treatment.

An alternate option for Drainage Areas 102 and 103 is to direct the flow into one stormwater management facility (SWM Pond 1BP3 and 1BP4 combined) and drain the treated and controlled flow to Turkey Creek as shown in Figure 6-4. The feasibility of this option would be dependent on the alternative selected for the roadway profile below Turkey Creek.

As with Alternative 1A, there will be two alternate stormwater management measures for Drainage Area 106, depending on which of the Cahill and Wolfe Drain drainage options are selected. Under Option 1, Cahill and Wolfe Drain would be realigned north of the new 2-lane service road, runoff from Catchment 106 will be directed first to SWM Pond 1A-P7 and the controlled outflow released to Wolfe Drain. Under Option 2, replacement of the existing trapezoidal channel by a 4.5 m x 1.50 m reinforced concrete box culvert under the proposed northbound service road, there is no opportunity to construct a Stormwater Management Facility in the existing residential area. Underground storage is necessary to control the 100-year peak flows to predevelopment level and treat the outflows via oil/grit separator. Figure 6-6 gives a typical roadway section that shows the two flow conveyance options for Wolfe Drain.

Table 6.4 provides a summary of the preliminary stormwater management plan for Alternative 1B – Below Grade with pond area requirements. Figure 6-4 identifies the Stormwater Management Plan showing the possible location of stormwater management facilities.

^{*} Refer to Figure 6-1 for location

**Drainage	Drainage	100-year	Peak Flow	Sto	rmwater Mana	gement Facility	/ Req't	Recipient
Area ID	Area (ha)	(n	n³/s)	Facility	Storage V	olume (m³)	Pond	Drainage
	,	Existing	Proposed	1D	Quality	Quantity	Area (m²)	System
100	6.36	0.36	2.37	IA-P1	1,600	2,400	6,100	Titcombe Drain
101	2.70	0.20	1.18	1A-P2	700	900	4,400	Basin Drain
102	5.38	0.34	2.16	1A-P3	1,400	2,000	5,600	Marentette Mangin Drain
103	4.50	0.26	1.70	1A-P4	1,200	1,700	5,200	Turkey Creek
104	2.74	0.21	1.20	1A-P5	700	900	4,400	Lenon Drain
105	7.21	0.38	2.57	1A-P6	1,800	2,800	6,400	Cahill Drain
*106	6.17	0.27	1.90	1A-P7	1,600	2,600	5,600	Wolfe Drain
107	6.56	0.27	1.90	1A-P8	1,700	2,900	6,100	Wolfe Drain

TABLE 6.4: ALTERNATIVE 1B - STORMWATER MANAGEMENT PLAN

Details of the proposed stormwater management facilities will be provided at the preliminary design stage. Stormwater Management Computations for pond sizing are provided in Appendix C.2. Rational Method calculations for existing and proposed conditions are provided in Appendix B.1 and B.2 respectively.

It is noted that Drainage Areas 102 to 106 of the proposed Highway 401 will be located approximately 15 m below the existing ground elevation. As a result, pumping of stormwater runoff to the proposed Stormwater Management Facilities will be required. Preliminary profiles of the storm sewer systems are given in Figure 6-5. Table 6.5 summarizes the pumping station locations and requirements for Alternative 1B.

Table 6.5: Alternative 1B – Summary of Pumping Requir	QUIREMENTS
---	------------

Drainage ID	Pumping Station	100-year Peak Flow (m ³ /s)	Drainage Outlet
102	13+752	2.16	SWM Pond 1B-P3
103	15+112	1.70	SWM Pond 1B-P4
104	10+650	1.20	SWM Pond 1B-P5
105	11+420	2.57	SWM Pond 1B-P6
106	13+165	1.90	SWM Pond 1B-P7

6.3.3. Alternative 2A – At Grade

The proposed stormwater management plan for Alternative 2A is shown on Figure 6-7. A preliminary storm sewer profile required to service the area and a typical roadway section are provided in Figures 6-8 and 6-9 respectively.

Based on the established road profile as provided in Figure 6-8, eight drainage areas have been defined. Their limits are shown in Figure 6-7. The estimated 100-year peak flows from each of these areas under existing and proposed conditions are summarized in Table 6.6. The Rational Method computations for the pre and post development conditions are given in

^{*} Alternate stormwater management measure, underground storage and oil/grit separator

^{**} Refer to Figure 6-4 for location

Appendices B.1 and B.2 respectively.

The proposed approach to providing quality and quantity control for Alternative 2A is to construct a Stormwater Management Facility downstream of each of the drainage catchments.

TABLE 6.6: ALTERNATIVE 2A - STORMWATER MANAGEMENT PLAN

*Drainage Drainage		100-year	Peak Flow	Stormwater Management Facility Req't				Recipient
Area ID	Area (ha)	(n	n³/s)	Facility	Storage V	olume (m³)	Pond	Drainage
,	7 0 (1.1.2)	Existing	Proposed	ID	Quality	Quantity	Area (m²)	System
100	6.36	0.36	2.37	2A – P1	1700	3700	6700	Titcombe Drain
101	1.69	0.13	0.73	2A – P2	540	1000	4000	Basin Drain
102	5.19	0.30	1.96	2A – P3	1400	3000	5600	Marentette Mangin Drain
103	3.31	0.21	1.30	2A P4	840	1900	4600	Turkey Creek
104	4.93	0.34	2.07	2A – P5	1100	2800	5000	Lennon Drain
105	2.61	0.19	1.11	2A – P6	450	1500	3700	Cahill Drain
106	5.30	0.29	1.92	2A – P7	1600	3100	5900	Cahill Drain
107	7.06	0.38	2.53	2A – P8	1800	4100	6200	Wolfe Drain

^{*} Refer to Figure 6-7 for location

As shown in Table 6.6, eight wet ponds are required in order to address the stormwater management requirements. Their locations are shown on Figure 6-7. Runoff from Drainage Areas 100, 101, 103 and 105 will discharge directly to the ponds via storm sewer. The stormwater from Drainage Areas 101, 104, 106, and 107 will have to be pumped to the ponds. Table 6.7 summarizes the pumping requirements associated with this alternative.

The estimated pond areas associated with the new facilities are summarized in Table 6.6. The SWM facilities will provide Enhanced Level quality treatment as well as quantity control from the 25mm erosion storm up to the 100-year storm to pre-development conditions. The stormwater management pond computations are provided in Appendix C. The suitability of using enhanced swales in conjunction with the stormwater management facilities will be examined in more detail when a Highway option is chosen.

Drainage ID	Pumping Station	100-year Peak Flow (m³/s)	Drainage Outlet
100	11+500	2.37	SWM Pond 2A – P1
101	12+693	0.73	SWM Pond 2A – P2
102	13+727	1.96	SWM Pond 2A – P3
103	14+300	1.30	SWM Pond 2A – P4
104	10+367	2.07	SWM Pond 2A – P5
105	11+150	1.11	SWM Pond 2A – P6
106	12+150	1.92	SWM Pond 2A – P7
107	10+000	2.53	SWM Pond 2A – P8

TABLE 6.7: ALTERNATIVE 2A - SUMMARY OF PUMPING REQUIREMENTS

6.3.4. Alternative 2B – Below Grade

The proposed stormwater management plan for Alternative 2B is shown in Figure 6-10. A Preliminary storm sewer required to service the area and a typical roadway section are provided in Figures 6-11 and 6-12 respectively.

Based on the established road profile as given in Figure 6-11, seven drainage areas have been defined. Their limits are shown on Figure 6-10. The estimated 100-year peak flows from these areas under existing and proposed conditions are summarized in Table 6.8. The Rational Method output for the pre and post development con is included in Appendices B.1 and B.2 respectively.

As summarized in Table 6.8, seven wet ponds are being proposed to address the stormwater management requirements of the site. The stormwater from Drainage Areas 100 and 101 will be discharged to the proposed ponds via storm sewer directly. The stormwater from Drainage Areas 102, 103, 104, 105, and 106 will have to be pumped to the ponds. Table 6.9 summarizes the pumping requirements associated with this alternative. All stormwater from the wet ponds will be drained to the watercourse by the gravity.

The required pond areas and storage volumes to address quality and quantity requirements are summarized in Table 6.8. The SWM facilities will provide Enhanced Level quality treatment as well as quantity control from the 25mm erosion storm up to the 100-year storm to pre-development conditions. The stormwater management computations associated with the pond sizing are included in Appendix C.

^{*} Refer to Figure 6-7 for location

*Drainage	Drainage	100-year	Peak Flow	Stormwater Management Facility Req't				Recipient
Area ID Area (ha)	(n	n³/s)	Facility				Drainage	
	, ,	Existing	Proposed	1D	Quality	Quantity	Area (m²)	System
100	6.36	0.36	2.37	28 – P1	1,700	3,700	6,700	Titcombe Drain
101	2.13	0.16	0.92	2B – P2	500	1,200	4,000	Basin Drain
102	6.54	0.37	2.44	2B – P3	1,700	3,800	6,100	Pump to Marentette Mangin Drain
103	7.21	0.32	2.25	2B – P4	2,100	4,300	6,700	Pump to Turkey Creek
104	2.34	0.18	1.04	2B – P5	700	1,300	4,200	Pump to Lennon Drain
105	5.77	0.27	1.84	2B – P6	1,500	3,400	5,800	Pump to Cahill Drain
106	9.32	0.49	3.32	2B – P7	2,400	5,400	7,200	Pump to Wolfe Drain

TABLE 6.8: ALTERNATIVE 2B -- SUMMARY OF STORMWATER MANAGEMENT PLAN

TABLE 6.9: ALTERNATIVE 2B - SUMMARY OF PUMPING REQUIREMENT

Drainage ID	Pumping Station	100-year Peak Flow (m3/s)	Drainage Outlet
100	11+450	2.37	SWM Pond 2B - P1
101	12+693	0.92	SWM Pond 2B – P2
102	14+000	2.44	SWM Pond 2B – P3
103	14+264	2.25	SWM Pond 2B – P4
104	10+500	1.04	SWM Pond 2B – P5
105	11+500	1.84	SWM Pond 2B - P6
106	10+000	3.32	SWM Pond 2B – P7

6.3.5. Alternative 2B Revised – Modified Below Grade

Alternative 2B Revised has a similar alignment to that of Alternative 2B. The road profile however has now been revised to include a minimum slope of 0.5% as opposed to 0.3%. At Turkey Creek the Highway 401 proposed profile now goes overtop of the watercourse as opposed to going underneath. With this alternative the number of potential stormwater management facilities has also been minimized. This, however, has resulted in the storm sewer system being lower than that required for Alternative 2B. At the final design stage, economic and social impact assessments will have to be completed to confirm which approach is the preferred. A plan, profile and typical road section for Alternative 2B – Revised is given in Figures 6-13, 6-14 and 6-15 respectively.

Based on the new road profile, four drainage areas have been defined. They are identified on Figure 6-13. For each area the 100-year peak outflow has been computed for the pre and

^{*} Refer to Figure 6-10 for location

post development condition based on the use of the Rational Method. For the post development condition the computed peak flows were based on the preliminary profile of the storm sewer system as given in Figure 6-14. Results of the Rational Method analyses are summarized in Table 6.10. The Rational method output for the pre and post development conditions are included in Appendices B.1 and B.2 respectively.

As shown in Table 6.10, four wet ponds are being proposed to address the stormwater management requirements. Their locations are identified on Figure 6-13. The stormwater from Drainage Area 100 will be discharged directly to the pond via a storm sewer. The stormwater from Drainage Area 101, 102, and 103 will have to be pumped to the ponds. Table 6.11 summarizes the pumping requirements. All stormwater from the wet ponds will be drained to the adjacent watercourse by gravity. The SWM facilities will provide Enhanced Level quality treatment as well as quantity control from the 25mm erosion storm up to the 100-year storm to pre-development conditions.

The required pond areas and quality and quantity storage volume requirements are summarized in Table 6.10. The stormwater management computations associated with the pond sizing are included in Appendix C.5.

TABLE 6.10: ALTERNATIVE 2B REVISED PROFILE – SUMMARY OF STORMWATER MANAGEMENT PLAN

*Drainage Drainage		100-year	Peak Flow	Stormwater Management Facility Req't				Recipient
Area ID	Area (ha)	[(n	n³/s)	Facility	Storage V	olume (m³)	Pond	Drainage
		Existing	Proposed	1D	Quality	Quantity	Area (m²)	System
100	6.36	0.37	2.54	2BR-P4	2100	3700	6700	Drain to Titcombe Drain
101	8.67	0.42	3.12	2BR-P3	2200	5100	6900	Pump to Basin Drain
102	6.22	0.32	1.55	2BR-P2	1600	3600	5900	Pump to Lennon Drain
103	19.43	0.57	4.89	2BR-P1	4900	12000	10000	Pump to Cahill Drain

^{*} Refer to Figure 6-13 for location

TABLE 6.11: ALTERNATIVE 2B REVISED - PUMPING REQUIREMENTS

Drainage ID	Pumping Station	100-year Peak Flow (m ³ /s)	Drainage Outlet
100	11+470	2.54	SWM Pond 2BR – P4
101	13÷000	3.12	SWM Pond 2BR – P3
102	15+100	1.55	SWM Pond 2BR - P2
103	11+580	4.89	SWM Pond 2BR – P1

6.3.6. Alternative 3 – Tunnel

This alternative would involve the construction of a tunnel along a significant length (approximately 6.75 km) of the new roadway. A plan, profile and typical section of the tunnel alternative is given in Figures 6-16, 6-17 and 6-18 respectively.

A preliminary stormwater management plan was prepared for this alternative and is given in Figure 6-16. The proposed approach is to provide three wetpond facilities for the larger catchments which includes Drainage Areas 100, 101, 108 and 109. They are identified as facilities 3-P1, 3-P2 and 3-P3 on Figure 6-16 respectively. The quality and quantity storage volumes to be provided by each facility are summarized in Table 6.12. The SWM facilities will provide Enhanced Level quality treatment as well as quantity control from the 25mm erosion storm up to the 100-year storm to pre-development conditions. The stormwater management computations associated with the pond sizing are included in Appendix C.

There are a number of smaller catchment areas within the study area, associated with the ramps, that would drain to the new tunnel. Those areas are identified as Drainage Areas 102, 103, 104, 105, 106 and 107 on Figure 6-16. It is anticipated that the 100-year flow from these areas would be accommodated by the storm sewer system that will service the length of roadway within the tunnel. A profile of the new sewers is given in Figure 6-17. Based on the conceptual storm sewer design there would be two pumping stations required within the tunnel, one to discharge to Cahill Drain and the second to Turkey Creek. Two oil/grit separators would be required to treat all flow pumped from the tunnel. The oil/grit separators should also take into consideration the treatment of any spill conditions. The 100-year flow from Drainage Areas 102 and 103 would drain to the pumping station located at Chainage 14+300 located within the tunnel. The 100-year flow from Drainage Areas 104, 105, 106 and 107 would drain to the pumping station located at Chainage 11+500.

The computed pre and post development 100-year peak flows for all catchments drainage to the tunnel are summarized in Table 6.12. The Rational Method output is included in Appendices B.1 and B.2 respectively.

Alternative 3 also includes the requirement for the pumping of the 100-year runoff from Drainage Areas 101 to SWM Pond 3-P2 and Drainage Area 108 to SWM Pond 3-P3. A complete summary of the pumping requirements associated with Alternative 3 is given in Table 6.13.

TABLE 6.12: ALTERNATIVE 3 - STORMWATER MANAGEMENT PLAN

Drainage Drainage			Peak Flow	Stormwater Management Facility Req't				Recipient
Area ID	•		n³/s)	Facility Storage Volume (m³) Pond			Drainage	
	, ,	Existing	Proposed	DI D	Quality	Quantity	Area (m²)	System
100	6.36	0.37	2.40	3-P1	1,600	2,400	6,100	Titcombe Drain
101	2.80	0.17	1.08	3-P2	700	1,100	4,500	Titcombe Drain
102	0.34	0.03	0.16	Oil/Grit	•	-	-	Tunnel Storm Sewer Outfall
103	0.34	0.03	0.16	Separator	-	-	-	Station 14+300, Turkey Creek
104	0.14	0.02	0.07		-	-	-	Tunnel Storm
105	0.19	0.02	0.10	Oil/Grit	•	-	-	Sewer Outfall
106	0.17	0.02	0.09	Separator	-	-	-	Station 11+500,
107	0.19	0.02	0.09] [-	-	-	Cahill Drain
108	2.16	0.13	0.84	3-P3	600	800	10 200	Malfa Dania
109	6.56	0.27	1.90	3-P3	1,700	2,900	10,200	Wolfe Drain

TABLE 6.13: ALTERNATIVE 3 - SUMMARY OF PUMPING REQUIREMENTS

Drainage ID	Pumping Station	100-year Peak Flow (m³/s)	Drainage Outlet
101	13+000	1.08	Pond 3 – P2
108	10+095	0.84	Pond 3 – P3
Tunnel Storm Sewer Outfall	11+500	0.35	Oil / grit separator to Cahill Drain
Tunnel Storm Sewer Outfall	14+300	0.32	Oil / grit separator to Turkey Creek

A comparison of the stormwater management requirements associated with each of the roadway alternatives is given in Table 6.14.

TABLE 6.14: SUMMARY OF STORMWATER MANAGEMENT PLAN

Roadway Alternative	No. of Stormwater Management Facilities	Estimated No. of Pumping Stations
1A – At Grade	10	4
1B – Below Grade	8	5
2A – At Grade	8	4
2B - Below Grade	7	5
2B Revised – Below Grade	4	3
3 - Tunnel	3	4

7. Plaza Options

7.1. Stormwater Management Plan

Several Plaza options have been designed to provide primary and secondary inspection and toll collection along with associated queuing lanes, parking, and buildings. There are three potential sites identified for the construction of the Plaza to service the international bridge. Their locations are shown on Figure 7.1. Each of the Plaza options are between 33 ha to 43 ha in size, consisting mostly of asphalt pavement and building rooftops. The principle concern for large sites with a high imperviousness and vehicular traffic is providing stormwater treatment for frequent vehicular pollutants (oil, coolant, gasoline, etc), roadside grit and garbage (gravel, sand, cigarette butts), infrequent pollutant spills, and controlling the increase of overland runoff to the receiving watercourses. In addition, Enhanced Quality treatment will be required in accordance to the MOE document "Stormwater Management Planning and Design Guidelines", dated 2003, which states removal of a minimum of 80% total suspended solids (TSS), as well as quantity control to the 100-year storm, where appropriate.

Therefore, due to the overall size of the project sites and treatment required, stormwater management for each of the Plaza Options will consist primarily of stormwater management ponds and/or oil grit separators. Preliminary stormwater management block sizes are identified on the prepared conceptual plans for each of the Plaza Options. The established size, location and configuration of the blocks for each of the options will be refined at the preliminary design stage once specific details of the site plans associated with each of the Plaza Options have been refined. Where proposed stormwater management facilities outlet to natural features, downstream constraints will have to be assessed, the results of which used to confirm the operational characteristics of the stormwater management plan. Although conceptual in detail, careful consideration has been given to establishing approaches in design that addresses the grading constraints that are inherent with the existing natural attributes of the subject sites. It is noted that because of the flat topography and potential distance from the proposed facilities to a suitable outlet, significant fill maybe required in order to service the site. Alternatively, consideration could be given to the possibility of providing a pumping station to control the water level within the proposed stormwater management facilities. For each site a stormwater management plan has been prepared based on a review of the topographical features, environmental and urban constraints and the requirements for providing quality and quantity control.

There may be opportunities to incorporate alternative stormwater solutions, including permeable pavers, perforated storm sewer pipes, Green Roof systems, and infiltration basins into the Plaza designs. Permeable Pavers provide quantity treatment through storing and infiltrating stormwater runoff under the Plaza, however quality treatment requirements cannot be accurately measured. In addition, a study will be required to determine the extent of infiltration within the native soils receiving the runoff to ensure full effectiveness. Green Roof systems provide quality treatment in addition to a natural water balance through infiltration and evapotranspiration of stormwater runoff on building rooftops. Many alternative stormwater solutions will be explored further in the preliminary design stage, as increased data on the preferred Plaza Option will be available. Once the preferred Plaza Option is selected, the best and most current SWM practices will be utilized to provide quality

treatment, including on-site treatments and source control treatments.

Selection of the preferred Plaza Option is dependent on a number of considerations, the most significant of which is the location of the new Detroit River crossing. The three identified crossing sites are shown on Figure 7.1. Once the river crossing location has been established than the preferred location of the Plaza associated with that alternative can be confirmed and a comparative assessment of the technical and environmental merits associated with each can be completed.

The following provides conceptual details of the preferred stormwater management plan prepared for each of the Plaza Options considered.

7.1.1. Plaza Option 'A"

The Plaza Option "A" as shown on Figure 7.2 is located in the southeast corner of the intersection of the Ojibway Parkway and the Essex Terminal Railway. The site is rectangular in shape, has an area of approximately 37 hectares and parallels the E.C.ROW Expressway for a distance of approximately 1500m. The easterly limit of the site is Malden Road. At the west limit of the site the new Plaza would intercept Matchette Road. That roadway would have to be terminated at the E.C.ROW Expressway to accommodate the Plaza.

Runoff from the site is accommodated by three drainage systems, the most significant one being Titcombe Drain. That system traverses the site approximately 300m west of Plaza Option "A's easterly boundary. All of the subject property east of Matchette Road drains in a southerly direction eventually out letting to Titcombe Drain. West of Matchette Road a small area drains northerly towards the Objibway Parkway. The remaining lands drain southerly approximately 800m following the Ojibway Parkway to a manmade drain. That drain intercepts the overland flow and directs it in a westerly direction to the Detroit River.

With the subject site having very little topographic relief from east to west and the site being in excess of 1500m in length, servicing the property without the requirement for significant fill will be a challenge. The development stormwater management plan as shown on Figure 7.2 includes the construction of a linear wetpond feature that parallels the south boundary of the site. With this type of facility the invert of the storm outfalls required to service the development area would be the same at the west limit of the site as at the east limit. This would significantly reduce the fill requirements of the site associated with its servicing needs. The proposed sewer system, a conceptual layout of which is given in Figure 7.2, includes a series of lateral trunks that would outlet to the proposed stormwater management facility at various locations along its length. At each of the outlets a forebay would be provided to capture the sediment being carried by the sewer flow. An access road would be provided to each of the forebays to facilitate cleanout. Between each forebay the wetpond feature would narrow to encourage sediment deposition within the constructed forebay but would still be wide enough to function as a flow conveyance facility. A conceptual plan of the facility is given in Figure 7.2. Outflow from the Plaza Option "A" can be directed either to Titcombe Drain that traverses the subject site or alternatively a new outlet provided to the Detroit River. With either alternative, flow would still have to be maintained to Titcombe Drain in order to ensure that the proposed works do not negatively impact the ecological condition of the recipient drainage system. If the primary outflow from the Plaza Option "A" is to the Titcombe Drain, the release rates would be based on matching the predevelopment condition.

If the primary outflow is to the Detroit River than there are two potential options, they include a new storm sewer following Broadway Street or alternatively enhancement of an existing drainage system that currently conveys flow form the Ojibway Parkway to the Detroit River. The potential locations of the outlet conveyance facilities are shown on Figure 7.3. Based on a review of the potential technical and environmental impacts associated with the outlet options the preferred approach is to direct flow from Plaza "A" directly to Titcombe Drain.

The proposed wetpond facility would provide both quality and quantity control. In the event of a contaminant spill (ie. Oil, chemical, etc.) within the Plaza, a shut-off valve or alternative damming procedure will be required within the pond. This will be determined during the detailed design stage, but must be considered throughout the design process.

A secondary location for a stormwater management facility is proposed immediately north of the Plaza, as shown on Figure 7.2. This location provides adequate land area to accommodate a stormwater management facility to provide treatment for the Plaza, and is located immediately adjacent to the Titcombe Drain, providing access to an outfall location. In addition, as the Titcombe Drain is a sensitive fish habitat, the alternate location for the stormwater management facility will help minimize the proposed impact on the watercourse. However, this location is not preferred due to the grading requirements attributed with a single facility, previously discussed. In addition to the additional fill required for the storm sewer grading requirements, the pond location is at the upstream portion of the Titcombe Drain, increasing the stormwater management permanent pool elevation, therefore increasing the initial grades of the storm sewers.

7.1.2. Plaza Option "B" and "B1"

The Plaza Option "B" is approximately 35 ha, consisting primarily of pavement and commercial buildings. The proposed Highway 401 enters from the east, with the roadway to the new bridge extending to the north. Stormwater management for the Plaza Option "B" requires quality, quantity and erosion controls for the peak flows from the Plaza, as the increase in impervious area will increase the overall peak flows from the site, as well as the overall pollutant loading. This would lead to erosion issues downstream of the site, as well as impacts to the ecological condition of the Detroit River.

Stormwater management for the Plaza Option "B" can be provided in the lands directly west of the proposed site. Currently, the lands are open space adjacent to the Detroit River, as shown in Figure 7.4. Stormwater management options for this open space could consist of a single wetpond or wetland to provide quality, quantity, and erosion treatment for the Plaza; or create a wetland system to provide quality and erosion control, with peak flows from rare events discharging directly to the Detroit River. Providing limited quantity control is not considered to be an unreasonable approach from the technical perspective given the close proximity of the wetpond facility to the Detroit River.

The proposed stormwater management plan as shown on Figure 7.4 includes drainage corridors along both the north and south boundaries of the proposed wetland facility. These corridors would convey the overland flow in excess of the 5 year storm event around the facility. This would minimize the potential for resuspension of the deposited sediment and ensure that the facility continues to function as designed. In the event of a contaminant spill (ie. Oil, chemical, etc.) within the Plaza, a shut-off valve or alternative damming procedure will be required within the pond. This will be determined during the detailed design stage, but

must be considered throughout the design process.

For the Plaza Option "B", it is our recommendation to explore using a stormwater management facility to provide only quality and erosion treatment, with higher peak events discharging directly to the Detroit River using an engineered channel and outlet structure.

The Plaza Option "B1" is approximately 33 ha, consisting primarily of pavement and commercial buildings. The proposed Highway 401 enters from the east, with the roadway to the new bridge exiting to the north. Stormwater management for the Plaza Option "B1" will require quality, quantity and erosion controls for the peak flows from the Plaza, as the increase in impervious area will increase the overall peak flows from the site, as well as the overall pollutant loading. This would lead to erosion issues downstream of the site, as well as impacts to the ecological condition of the Detroit River.

There are two alternative approaches for stormwater management for the Plaza Option "B1". Stormwater management Alternative 1 consists of creating two ponds in the green spaces south of the proposed plaza, as shown in Figure 7.5. These green spaces can be converted to stormwater management facilities utilizing the existing drain to connect the facilities, discharging to the Detroit River via an outlet channel. The two pond system provides closer outlets for the sewer system, lowering the overall grading requirements of the Plaza. The two major ponds would be connected by a linear wetland/wetpond feature. The linear feature would be designed such that there would always be an open portion to ensure that there is no restriction to the conveyance of flow from one pond to the other. The two pond system would function as one with one outlet structure that would control the release rate to the Detroit River. In the event of a contaminant spill (ie. Oil, chemical, etc.) within the Plaza, a shut-off valve or alternative damming procedure will be required within the pond. This will be determined during the detailed design stage, but must be considered throughout the design process.

Stormwater management Alternative 2 consists of a single stormwater management pond located at the southwest comer of the site, adjacent to the tollbooths, to provide quality, quantity, and erosion treatment to the Plaza Option "B1". This facility will have a shorter easement to the Detroit River; as well require less land for construction. However, as the overall length of the Plaza Option "B1" is approximately 1000m, the storm sewer system collecting overland runoff will require a considerable grade difference to service the entire site (a grade difference of approximately 6m). This would greatly increase the construction cost due to fill requirements, as well as present geotechnical complications in order to provide structural support for the additional fill load.

For the Plaza Option "B1", the preferred stormwater management plan, based on engineering considerations would be associated with Alternative 1. This alternative helps to minimize the fill requirements of the site, needed to service the property. In addition by reducing the amount of surcharging associated with the placement of fill on the site, the geotechnical issues and timing for proper compaction would be greatly reduced.

7.1.3. Plaza Option "C"

The Plaza Option "C" is approximately 43 hectares in area and is bounded by Sandwich Street to the east, the Detroit River to the west and the Windsor Salt Property to the north. Of the various Plaza options considered Plaza Option "C" is one of the closest to the Detroit


River. A conceptual plan of the Plaza and its relative location to the Detroit River is given in Figure 7.6.

Although it is recognized that current stormwater management guidelines as adopted by the approval agencies includes both quality and quantity control the close proximity of the subject Plaza to a significant drainage system (Detroit River) would suggest that quantity control would not be a component of the design. The safe conveyance of the flow to the Detroit River for all storms up to and including the 100 year event would be the primary quantity control objective associated with the stormwater management plan. Public safety as it relates to flood hazard condition would also be an issue to be addressed by the design.

As shown on Figure 7.6 the minor system flows from the subject site would be accommodated by storm sewer systems that would outlet to a stormwater management facility located north of Prospect Ave. Although the storm sewers would be designed to accommodate the 5-year flow, the proposed stormwater management plan would not include provision for any significant flow attenuation. Potential discharge locations to the Detroit River for the major system flows would follow Prospect Ave, and are shown in Figure 7.6. Depending on the final grades of the site and the fill requirements to provide positive overland drainage, consideration could be given to designing the new storm sewer system to accommodate the 100-year peak flow. Uncontrolled outflows from the proposed facilities would be conveyed directly to the Detroit River via storm sewer system (see Figure 7.6).


Quality control would be provided by the proposed wetpond facility, providing an enhanced level of quality treatment. However, due to the grading requirements associated with a single wetpond location, alternative outlets may be required. In an effort to decrease the overall grading, the southern portion of the Plaza may have to outlet directly to the Detroit River, with quality treatment provided by alternative best management practices such as oil/grit separators. However, it should be noted that mechanical measures to provide quality treatment, such as oil/grit separators, would require regular maintenance in the form of vacuum truck clean-outs. Maintenance would occur approximately twice each year, or based on overall pollutant loading.

In the event of a contaminant spill (i.e. Oil, chemical, etc.) within the Plaza, a shut-off valve or alternative damming procedure will be required upstream of all outlets to the Detroit River. This will be determined during the detailed design stage, but must be considered throughout the design process.




DETROIT RIVER INTERNATIONAL CROSSING FIGURE 3-1b STORMWATER MANAGEMENT STUDY
HIGHWAY 3/ TALBOT ROAD/ HURON CHURCH ROAD CORRIDOR
EXISTING DRAINAGE CONDITION NOVEMBER 2007 SCALE 1:10000 Canada O Ontario O Ontario URS


EXISTING TYPICAL SECTION - TALBOT ROAD




EXISTING TYPICAL SECTION - TALBOT ROAD





EXISTING TYPICAL SECTION - HURON CHURCH ROAD




Canada Prederal Highway Ontario MDOT











PROFILE OF HWY 401 EXTENSION ALT 1A TO PLAZA B

- AT GRADE

Canada O Ontario O Ontario

FILENAME: O:\DRIC\19_WaterResources\Cadd\SWM_Hwy401 - Access Road Alt 1A.dwg
PLOTTED BY: Christian_chopite






SEE FIGURE 6-2c 240 2366 HIGH POINT ELEV = 186.846 HIGH POINT STA = 13+280.899 232 LOW POINT ELEV = 178.701 PVI STA = 10+493.146 PVI STA = 13+442.899 228 LOW POINT STA = 10+027.422 PVI ELEV = 186.815 PVI ELEV = 187.386 PVI STA = 13+792.394 A.D. = -1.700224 A.D. = -3.300PVI ELEV = 176.901 K = 200.000K = 120.000220 A.D. = 5.000 340.0m VC 396.0m VC 216 K = 60.000212 300.0m VC EVCS: 10+663.146 BVCS: 13+244.899 BVCE: 186.792 EVCE: 187.325 208 EVCS: 13+640.899 EVCE: 181.446 BVCS: 13+642.394 BVCE: 181.401 204 EVCS: 10+147.422 200 1196 1192 1188 0.300% 184 2.000% 180 0.300% 0.300% 1176 172 SWM POND 1A-P9 168 1164 STA BACK: 13+794.972 STA AHD: 10+000 SWM POND 1A-P9 160 1156 152 1148 1144 179.138 13+500 10+000 10+500 11+500 12+000 11+000 SEE FIGURE 6-2c FIGURE 6 - 2d PROFILE OF HWY 401 EXTENSION ALT 1A TO PLAZA B **NOVEMBER 2007** - AT GRADE SCALE 1:7500/750 FILENAME: O:\DRIC\19_WaterResources\Cadd\SWM_Hwy401 - Access Road Alt 1A.dwg PLOTTED BY: Christian_chopite

Canada Ontario Ontario


URS

DETROIT RIVER INTERNATIONAL CROSSING HIGHWAY 3/TALBOT ROAD/HURON CHURCH ROAD CORRIDOR

TYPICAL 6-LANE URBAN FREEWAY SECTION WITH 2-LANE SERVICE ROADS ON BOTH SIDES



TYPICAL 6-LANE URBAN FREEWAY SECTION WITH 2-LANE SERVICE ROADS ON BOTH SIDES WITH MUNICIPAL DRAIN




POTENTIAL UNDERGROUND STORAGE-


CONCEPTUAL


DETROIT RIVER INTERNATIONAL CROSSING FIGURE 6-3 STORMWATER MANAGEMENT STUDY **NOVEMBER 2007** HIGHWAY 3/TALBOT ROAD/CHURCH ROAD CORRIDOR
ALTERNATIVE 1A AT GRADE - TYPICAL ROADWAY SECTION NOT TO SCALE


Canada Canada () Cana


UES



















DETROIT RIVER INTERNATIONAL CROSSING HIGHWAY 3/TALBOT ROAD/HURON CHURCH ROAD CORRIDOR

TYPICAL BELOW-GRADE 6-LANE URBAN FREEWAY SECTION WITH ONE-WAY SERVICE ROADS




TYPICAL BELOW-GRADE 6-LANE URBAN FREEWAY SECTION WITH ONE-WAY SERVICE ROADS AND MUNICIPAL DRAIN





DETROIT RIVER INTERNATIONAL CROSSING
STORMWATER MANAGEMENT STUDY
HIGHWAY 3/TALBOT ROAD/CHURCH ROAD CORRIDOR
ALTERNATIVE 1B BELOW GRADE - TYPICAL ROADWAY SECTION

Canada On the state of th

FILENAME: 0: \DRIC\19_WaterResources\Cadd\DRIC-TypSect-Practical.dwg PLOTDATE: Nov 15, 2007 - 11:20am PLOTTED BY: Christian chaotle














SEE FIGURE 6-8b

PROFILE OF HWY 401 EXTENSION ALT 2A TO PLAZA B - AT GRADE

NOVEMBER 2007


SCALE 1:7500/750


FIGURE 6 - 8a












SEE FIGURE 6-8c 240 HIGH POINT ELEV = 186.941 236 HIGH POINT STA = 13+264.549232 LOW POINT ELEV = 178.701PVI STA = 10+501.862PVI STA = 13+426.549228 LOW POINT STA = 10+030PVI ELEV = 186.938PVI ELEV = 187.481 A.D. = -1.700PVI STA = 10+000224 A.D. = -3.300K = 200.000PVI ELEV = 176.901K = 120.000220 A.D. = 5.000340.0m VC 396.0m VC 216 K = 60.00010+671.862 13+228.549 212 300.0m VC EVCE: 187.448 EVCS: 13+624.549 EVCE: 181.541 BVCS: 13+629.206 BVCE: 181.401 10+331.862 208 204 10+150 200 BVCE: EVCS: BVCS: 196 BVCS: EVCE: EVCS: 192 188 0.300% 184 180 176 172 168 STA BACK: 13+779.2 STA AHD: 10+000 HOWARD AVENUE 164 RAMP BULLNOSE NORTH TALBOT ROAD -E BULLNOSE EXIT -W BULLNOSE EXIT SWM POND 2A-P8 160 W BULLNOSE 152 993 186.194 187.682 184.631 181.901 188.432 178.9 13+500 10+000 10 + 50011 + 00011 + 50012+000 SEE FIGURE 6-8c FIGURE 6 - 8d PROFILE OF HWY 401 EXTENSION ALT 2A TO PLAZA B **NOVEMBER 2007** - AT GRADE SCALE 1:7500/750


Canada Ontario Ontario Ontario

URS


FILENAME: 0:\DRIC\19_WaterResources\Cadd\SWM_Hwy401 - Access Road Alt 2A-Opt2.dwg PLOTDATE: Nov 13, 2007 - 1:55pm PLOTTED BY: Christian_chopite



TYPICAL 6-LANE URBAN FREEWAY SECTION ADJACENT TO TALBOT ROAD NOISE BARRIER ON NORTH SIDE WITH NO SERVICE ROAD ON SOUTH SIDE OF URBAN FREEWAY



TYPICAL 6-LANE URBAN FREEWAY SECTION ADJACENT TO HURON CHURCH ROAD NOISE BARRIER ON NORTH SIDE WITH NO SERVICE ROAD ON SOUTH SIDE OF URBAN FREEWAY




DETROIT RIVER INTERNATIONAL CROSSING STORMWATER MANAGEMENT STUDY HIGHWAY 3/TALBOT ROAD/CHURCH ROAD CORRIDOR ALTERNATIVE 2A AT GRADE - TYPICAL ROADWAY SECTION


URS


NOVEMBER 2007

NOT TO SCALE









PROFILE OF HWY 401 ACCESS ROAD ALT 2B TO PLAZA B -**BELOW GRADE**

FIGURE 6 - 11a

NOVEMBER 2007


SEE FIGURE 6-11b


SCALE 1:7500/750






URS







PROFILE OF HWY 401 ACCESS ROAD ALT 2B TO PLAZA B -**BELOW GRADE**


NOVEMBER 2007


SCALE 1:7500/750





















REVISED PROFILE OF HWY 401 EXTENSION ALT 2B TO PLAZA B - BELOW GRADE

FIGURE 6 - 14a

NOVEMBER 2007


SCALE 1:7500/750








URS


SEE FIGURE 6-14b



















SEE FIGURE 6-17b

PROFILE OF HWY 401 EXTENSION ALT 3 TO PLAZA B - TUNNEL

FIGURE 6 - 17a **NOVEMBER 2007**


SCALE 1:7500/750



















FILENAME: 0:\DRIC\19_WaterResources\Cadd\SWM_Hwy401 - Access Road Alt 3.dwg PLOTDATE: Nov 14, 2007 - 9:48am PLOTTED BY: Christian_chopite

SCALE 1:7500/750

URS

CUT AND COVER TUNNEL SECTION







DETROIT RIVER INTERNATIONAL CROSSING STORMWATER MANAGEMENT STUDY HIGHWAY 3/TALBOT ROAD/CHURCH ROAD CORRIDOR ALTERNATIVE 3 TUNNEL - TYPICAL ROADWAY SECTION


NOVEMBER 2007 NOT TO SCALE URS


FIGURE 6-18


Canada Canada O Ontario O Ontario












Canada O Supportment of Transportation Federal Highway Administration Ontario O Ontario

URS











Canada-United States-Ontario-Michigan Border Transportation Partnership

Practical Alternatives Evaluation Assessment Report

Stormwater Management Plan Appendices



July 2007 Revised December 2007

Appendices

Appendix A

Hydraulic Analysis Post Development Condition

Appendix A.1

Alternative 1A

Titcombe Drain Crossing
Basin Drain Crossing
Cahill Drain Crossing
Cahill / Wolfe Drainage Along Talbot Road

Titcombe Drain Worksheet for Circular Channel

Project Description	
Worksheet	Titcome_prelimin
Flow Element	Circular Channel
Method	Manning's Formu
Soive For	Full Flow Diamete

Input Data		
Mannings Coeffic	0.013	
Channel Slope	005000	m/m
Discharge	3.2000	m³/s

Results		
Depth	1.27	m
Diameter	1,269.0	mm
Flow Area	1.3	m²
Wetted Perimet	4.30	m
Top Width	0.00	m
Critical Depth	0.97	m
Percent Full	100.0	%
Critical Slope	005735	m/m
Velocity	2.53	m/s
Velocity Head	0.33	m
Specific Energy	1.60	m
Froude Number	0.00	
Maximum Disch	3.4423	m³/s
Discharge Full	3.2000	m³/s
Slope Full	005000	m/m
Flow Type	N/A	

Notes: Discharge of 3.2 m3/s was taken from taking 50% of the 100 year flow of subcatchment 140 of turkey creek watershed.

Drainage area D/S of Titcombe is approximately 274 ha, 55% of the entire subcatch #140. Drainage area therefore U/S Titcombe crossing is app. 50% of the entire subcatch.

From 1989 Madaren report:

Catch # 140 DA = 496 Ha.

100 yr existing = 6.4 m3/s

100 yr efuture = 16.7 m3/s

Culvert Calculator Report Basin Drain -All Alternatives - Reg Check

Solve For: Headwater Elevation

Culvert Summary					···-
Allowable HW Elevation	181.40	m	Headwater Depth/Height	1.20	
Computed Headwater Elevat	180.32	m	Discharge	8.1000	
Inlet Control HW Elev.	180.32	m	Tailwater Elevation	179.70	m
Outlet Control HW Elev.	180.32	m	Control Type	Inlet Control	
Grades					
Upstream Invert	178.50	m	Downstream Invert	178.20	m
Length	58.00	m	Constructed Slope	0.005172	m/m
Hydraulic Profile	· · · · · ·				
Profile Comp	oositeS1S2	. –	Depth, Downstream	1.05	m
Slope Type	Steep		Normal Depth	1.05	
Flow Regime	N/A		Critical Depth	1.14	
Velocity Downstream	3.62	m/s	Critical Slope	0.004178	m/m
Section					
Section Shape	Box		Mannings Coefficient	0.013	
Section Material	Concrete		Span	2.13	m
Section Size 2130	x 1520 mm		Rise	1.52	m
Number Sections	1				
Outlet Control Properties					
Outlet Control HW Elev.	180.32	m	Upstream Velocity Head	0.57	
Ke	0.20		Entrance Loss	0.11	m
Inlet Control Properties					
Inlet Control HW Elev.	180.32	m	Flow Control	Transition	
Inlet Type 90° headwall w	45° bevels		Area Full	3.3	m²
K	0.49500		HDS 5 Chart	10)
M	0.66700		HDS 5 Scale	2	2
С	0.03140		Equation Form	2	2
Y	0.82000				

Culvert Calculator Report Lennon Drain - Alt1A-100yr-Existing

Solve For: Headwater Elevation

Culvert Summary					
Allowable HW Elevation	182.00	m	Headwater Depth/Height	1.40	
Computed Headwater Eleva	181.91	m	Discharge	8.3000	m³/s
Inlet Control HW Elev.	181.91	m	Tailwater Elevation	180.85	m
Outlet Control HW Elev.	181.82	m	Control Type	Inlet Control	
Grades					
Upstream Invert	180.20	m	Downstream Invert	179.30	m
Length	138.00	m	Constructed Slope	0.006522	m/m
Hydraulic Profile					
Profile CompositePressurePr	ofileS1S2		Depth, Downstream	0.82	m
Slope Type	N/A		Normal Depth	0.82	m
Flow Regime	N/A		Critical Depth	1.02	m
Velocity Downstream	3.92	m/s	Critical Slope	0.003567	m/m
Section					
Section Shape	Box		Mannings Coefficient	0.013	
Section Material	Concrete		Span	2.59	m
Section Size 1219 mm x : Number Sections	2591 mm 1		Rise	1.22	m
Outlet Control Properties					
Outlet Control HW Elev.	181.82	m	Upstream Velocity Head	0.51	m
Ke	0.20		Entrance Loss	0.10	m
Inlet Control Properties					
Inlet Control HW Elev.	181.91	m	Flow Control	N/A	
Inlet Type 90° headwall w 4	5° bevels		Area Fuil	3.2	m²
K	0.49500		HDS 5 Chart	10	
M	0.66700		HDS 5 Scale	2	
С	0.03140		Equation Form	2	

Culvert Calculator Report Cahill Alt 1A-Future

Comments: Unknown Flow

Solve For: Headwater Elevation

Culvert Summary					
Allowable HW Elevation	183.50	m	Headwater Depth/Height	1.97	
Computed Headwater Elevat	183.26	m	Discharge	27.6000	m³/s
Inlet Control HW Elev.	183.26	m	Tailwater Elevation	180.23	m
Outlet Control HW Elev.	183.02	m	Control Type	Inlet Control	
Grades					
Upstream Invert	180.31	m	Downstream Invert	179.33	m
Length	192.00	m	Constructed Slope	0.005104	m/m
Hydraulic Profile	-				
Profile Press	ureProfile		Depth, Downstream	1.50	m
Slope Type	N/A		Normal Depth	N/A	m
Flow Regime	N/A		Critical Depth	1.50	m
Velocity Downstream	4.09	m/s	Critical Slope	0.006085	m/m
Section					
Section Shape	Вох		Mannings Coefficient	0.013	
Section Material	Concrete		Span	4.50	m
Section Size 4500 x	1500 mm		Rise	1.50	m
Number Sections	1				
Outlet Control Properties			-		
Outlet Control HW Elev.	183.02	m	Upstream Velocity Head	0.85	
Ke	0.20		Entrance Loss	0.17	m
Inlet Control Properties					
Inlet Control HW Elev.	183.26	m	Flow Control	Submerged	
Inlet Type 90° headwall w 4	5° bevels		Area Full	6.8	m²
K	0.49500		HDS 5 Chart	10	
М	0.66700		HDS 5 Scale	2	
C	0.03140		Equation Form	2	
Y	0.82000				

Cahill/Wolfe Drain Along Talbot Roac **Worksheet for Rectangular Channel**

Project Description	on		
Worksheet	Red	tangul	ar Channel - Cahill Drain (4.5 >
Flow Element	Rec	tangul	ar Channel
Method	Mai	nning's	Formula
Solve For	Cha	annel D	Depth
Input Data			_
Mannings Coeffi	ci 0.013		
Channel Slope	002400	m/m	
Bottom Width	4.50	m	
Discharge	12.1000	m³/s	_
			_
Results			
Depth	0.94	m	
Flow Area	4.2	m²	
Wetted Perime	6.38	m	
Top Width	4.50	m	
Critical Depth	0.90	m	
Critical Slope	0.002689	m/rr	
Velocity	2.86	m/s	
Velocity Head	0.42	m	
Specific Energ	1.36	m	
Froude Numb€	0.94		
Flow Type S	Subcritical		

Cahill/Wolfe Drain Along Talbot Roac Worksheet for Rectangular Channel

Project Description	
Worksheet	Rectangular Channel - Cahill Drain (4.5)
Flow Element	Rectangular Channel
Method	Manning's Formula
Solve For	Channel Depth

Input Data		
Mannings Coeffici	0.013	
Channel Slope	002400	m/m
Bottom Width	4.50	m
Discharge	12.1000	m³/s

m
m²
m
m
m
m/rr
m/s
m
m

Appendix A.2

Alternative 1B

Appendix A.2.1 Titcombe Drain Crossing

Titcombe Drain Worksheet for Circular Channel

Project Description	
Worksheet	Titcome_prelimin
Flow Element	Circular Channel
Method	Manning's Formu
Soive For	Full Flow Diamete

Input Data		
Mannings Coeffic	i 0.013	
Channel Slope	005000	m/m
Discharge	3.2000	m³/s

Results		
Depth	1.27	m
Diameter	1,269.0	mm
Flow Area	1.3	m²
Wetted Perimet	4.30	m
Top Width	0.00	m
Critical Depth	0.97	m
Percent Full	100.0	%
Critical Slope	005735	m/m
Velocity	2.53	m/s
Velocity Head	0.33	m
Specific Energy	1.60	m
Froude Number	0.00	
Maximum Disch	3.4423	m³/s
Discharge Full	3.2000	m³/s
Slope Full	005000	m/m
Flow Type	N/A	

Notes: Discharge of 3.2 m3/s was taken from taking 50% of the 100 year flow of subcatchment 140 of turkey creek watershed. Drainage area D/S of Titcombe is approximately 274 ha, 55% of the entire subcatch #140. Drainage area therefore U/S Titcombe crossing is app. 50% of the entire subcatch.

From 1989 Maclaren report:

Catch # 140

DA = 496 Ha.

100 yr existing = 6.4 m3/s

100 yr efuture = 16.7 m3/s

Appendix A.2.2

Basin Drain Crossing

Culvert Calculator Report Basin Drain -All Alternatives - Reg Check

Solve For: Headwater Elevation

Culvert Summary					
Allowable HW Elevation	181.40	m	Headwater Depth/Height	1.20	
Computed Headwater Elevat	180.32	m	Discharge	8.1000	m³/s
Inlet Control HW Elev.	180.32	m	Tailwater Elevation	179.70	m
Outlet Control HW Elev.	180.32	m	Control Type	Inlet Control	
Grades		· · · · · · · · · · · · · · · · · · ·			
Upstream Invert	178.50	m	Downstream Invert	178.20	m
Length	58.00	m	Constructed Slope	0.005172	m/m
Hydraulic Profile					
Profile Compo	siteS1S2		Depth, Downstream	1.05	m
Slope Type	Steep		Normal Depth	1.05	m
Flow Regime	N/A		Critical Depth	1.14	m
Velocity Downstream	3.62	m/s	Critical Slope	0.004178	m/m
Section					
Section Shape	Box		Mannings Coefficient	0.013	
Section Material	Concrete		Span	2.13	m
Section Size 2130 x	1520 mm		Rise	1.52	m
Number Sections	1				
Outlet Control Properties					
Outlet Control HW Elev.	180.32	m	Upstream Velocity Head	0.57	m
Ke	0.20		Entrance Loss	0.11	m
Inlet Control Properties					
Inlet Control HW Elev.	180.32	m	Flow Control	Transition	
Inlet Type 90° headwall w 4	5° bevels		Area Full	3.3	m²
К	0.49500		HDS 5 Chart	10	
M	0.66700		HDS 5 Scale	2	
C	0.03140		Equation Form	2	
Υ	0.82000				

Appendix A.2.3

Cahill / Wolfe Drainage Along Talbot Road

Cahill/Wolfe Drain Along Talbot Roac Worksheet for Rectangular Channel

Project Description	
Worksheet Rec	tangular Channel - Cahill Drain (4.5 >
Flow Element Rec	tangular Channel
Method Mar	nning's Formula
Solve For Cha	nnel Depth
Input Data	
Mannings Coeffici 0.013	
Channel Slope 002400	m/m
Bottom Width 4.50	m
Discharge 12.1000	m³/s
Results	
Depth 0.94	m
Flow Area 4.2	m²
Wetted Perime 6.38	m
Top Width 4.50	m
Critical Depth 0.90	m
Critical Slope 0.002689	m/n
Velocity 2.86	m/s
Velocity Head 0.42	m
Specific Energ 1.36	m
Froude Numbe 0.94	
Flow Type Subcritical	

Appendix A.2.4
Syphon Analysis

Appendix A.2.4.1

Turkey Creek

* U.S. Environmental Protection Agency * Storm Water Management Model (SWMM) * Version 4.4GU * * CDM/OSU Beta * * * * * * * * * * * * * * * * * * *	Release Date - November 23, 1999 Dresser & McKee and Oregon State Univ. Chuck Moore and Wayne Huber	Compiled using Digital Visual Fortran 6.0
U.S. Enviro	Release Camp Dresser & Chuck	Compiled using
* * * * * *	+ + + +	•

Developed by

* * * * * * * * * * * * * * * * * * *	*	*	*	*	•	****
*******************	Hetcalf & Eddy, Inc.	University of Florida	Water Resources Engineers, Inc.	(Now Camp, Dresser and McKee, Inc.)	September 1970	
† †	*	*	*	+	+	*

Distributed and Maintained by

† † †	******************
+	U.S. Environmental Protection Agency
ر د	Center for Exposure Assessment Modeling (CEAM)*
*	Athens Environmental Research Laboratory *
,	960 College Station Road
+	Athens, GA 30605-2720 +
* * *	******************
* * *	*++++++++++++++++++++++++++++++++++++++
*	This is a new release of SWMM. If any
+	problems occur executing this model
+	system, contact Mr. Frank Stancil,
*	U.S. Environmental Protection Agency.
,	706/355-8328 (voice)
,	e-mail: stancil@athens.ath.epa.gov
+	Or contact Mayne C. Huber at Oregon St. U.*
+	541/737-6150 or wayne,huber@orst.edu
7	Or Michael F. Schmidt at Camp Dresser & .
+ .	McKee (904) 281-0170 SCHMIDTMF@CDM.COM

This is an implementation of EPA SWMM 4.4GU

- "Nature is full of infinite causes which
- have never occurred in experience" da Vinci *

-> Input to a Block File names by SWMM Block JIN

-> Output from a Block JOUT

PCTmp1.int JIM.UF 1 File # 1 File # JIN for Block # JOUT for Block

Scratch file names for this simulation. #

SCRT1.UF SCRT2.UF SCRT3.UF SCRT4.UF SCRT5.UF SCRT6.UF SCRI7.UF SCRT8.UF 24 25 56 1 File # File # 5 File # 6 File # 7 File # 2 File 4 File File NSCRAT NSCRAT NSCRAT NSCRAT NSCRAT NSCRAT NSCRAT NSCRAT

***************** Parameter Values on the Tapes Common Block

100 500 100 500 500 Number of Subcatchments in the Runoff Block (NW)..... 1000 Number of Channel/Pipes in the Runoff Block (NG)..... 1000 20 1000 Number of Transport interface input locations (NTHI).. Number of Groundwater Subcatchments in Runoff (MGW) ... Number of Interface Locations for all Blocks (NIE) Number of Transport interface output locations (NTHO). Number of Connections to Runoff Channels/Inlets (NCP). Number of Elements in the Transport Block (NET)..... Number of Storage Junctions in Transport (NTSE)..... Number of Water Quality Constituents (MQUAL)..... Number of Runoff Land Uses per Subcatchment (NLU)....

Number of Transport input locations on R lines (WTHR).

Number of Elements in the Extran Block (NEE) 4000
of Pumps in Extran (NEP)
Number of Orifices in Extran (NEO) 200
Number of Tide Gates/Free Outfalls in Extran (NTG) 200
Number of Extran Weirs (NEW) 400
Number of Extran Printout Locations (NPO) 150
Number of Tide Elements in Extran (MTE) 50
Number of Watural Channels (NNC)1200
Number of Storage Junctions in Extran (NVSE) 1000
Number of Time History Data Points in Extran (NTVAL) 500
Number of Data Points for Variable Storage Elements
the Extran Block (NVST)
Number of Input Hydrographs in Extran (NEH) 500
Mumber of Allowable Channel Connections to
Junctions in the Extran Block (NCHN)
Number Rain Gages in Rain and Runoff (MAXRG) 200
Number PRATE/VRATE Points for Extran Pump
Input (MAXPRA)10
Number of Variable Orifices in Extran (WVORF) 50
Number of Variable Orifice Data Points (NVOTIM) 50
Number of Allowable Precip, Values/yr in Rain (LIMRN), 5000
Number of Storm Events for Rain Analysis (LSTORH)20000
Number of Plugs for Plug-flow in S/T (NPLUG) 3000
Number Conduits for Extran Results to ASCII
ile (MXFLOW)

- * developed 1973 by Camp, Dresser and McKee (CDM) with * Entry made to the EXTENDED TRANSPORT MODEL (EXTRAN)
- * modifications 1977-1991 by the University of Florida.
- * Most recent update: March 1999 by CDM, Oregon
- * State University, and XP Software, Inc.
- * "Smooth runs the water where the brook is deep."
- Shakespeare, Henry VI, II, III, 1

-
₹
ō
$\overline{}$
C
=
- Existin
×
ш
.,
7
č
Ξ
Creek
٠,
2
×
=
Turkey
_
1
×
ě
2
οĪ

CAMP DRESSER & MCKEE INC.	AIMANDALE, VIRGINIA	
	* * *	
	ANALYSIS MODULE	
 •		
WASHINGTON, D.C.		

Turkey Creek Existing Condition - 100-Year Flow Detroit River International Crossing

Control information for simulation

1440	5.00 seconds 2.00 hours	0	п		1 cycles 0.08 minutes	l cycles 0.08 minutes
Integration cycles	Length of integration step is	Do not create equiv. pipes(NEQUAL).	Use metric units for I/O	Printing starts in cycle	Intermediate printout intervals of. Intermediate printout intervals of.	Summary printout intervals of Summary printout time interval of

0 Hot start file parameter (JREDO)...

0.00 hours Initial time (TZERO)......

This is time displacement from JIN interface file starting date/time when

interface file is used.

This also describes starting hour in K3 line hydrograph input when K3 lines are used.

Initial date (IDAT2)...... 19060714 (yr/mo/day)

NOTE: Initial date from JIN interface file will be used, if accessed, unless IDATZ is negative.

0.0500 SURTOL Iteration variables: ITMAX.....

30

Default surface area of junctions.. 1.22 square meters.

EXTRAM VERSION 3.3 SOLUTION. (ISOL = 0).

Sum of junction flow is zero during surcharge.

NJSW INPUT HYDROGRAPH JUNCTIONS.... 0

INTERMEDIATE HEADER LINES ARE PRINTED AS IN ORIGINAL PROGRAM

IDS ARE WRITTEN AS IN ORIGINAL PROGRAM

CONDUIT LENGTHS ON C1 LINE MUST EQUAL IRREGULAR SECTION LENGTH ENTERED ON THE C3 OR X1 LINES (IMLEN = 0)

JELEV = 0 (DEFAULT). STANDARD INPUTS ARE DEPTHS NOT ELEVATIONS

JDOWN = 0 - Minimum of normal or critical depth will be used at free outfalls (I1).

Characteristic depth for M2 and S2 water surface profiles will be computed as in previous versions of EXTRAN (IM2 = 0).

SEDIMENT DEPTHS WILL NOT BE READ FROM C1 LINES

Intermediate continuity output will not be created

,;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		:	
ENVIRONMENTAL PROTECTION AGENCY	* * * *	EXTENDED TRANSPORT PROGRAM ****	* * *	WATER RESOURCES DIVISION
WASHINGTON, D.C.	* * *		* * *	CAMP DRESSER & MCKEE INC.
	* * *	ANALYSIS MODULE	+ + + +	ANNANDALE, VIRGINIA

Detroit River International Crossing Turkey Creek Existing Condition - 100-Year Flow

			_	2	1	6	C3	2	7	C
			INVERT HEIGHT	ABOVE JUNCTIONS						
			ONS	ENDS	1 1 1 1 1	2	٣	4	3	9
			JUNCTIONS	AT THE ENDS	1 1 1 1 1	1	2	е	4	S
			DEPTH	(H)]]]]	4.64	4.64	4.64	4.64	4.64
			AX WIDTH	(E)	 	9.75	9.75	9.75	9.75	9.75
* * * * * * * * * * * * * * * * * * *	*	* * * * * * * * * * * * * * * * * * *	MANNING MAX WIDTH	COEF.		0.01500	0.01500	0.01500	0.01500	96.91 0.01500
* * * * * * * * * * * * * * * * * * * *		* * * * * * * * * * * * * * * * * * *	AREA	(SQ M)	1 1 1	96.91	96.91	96.91	96.91	96.91
+++++++++++++++++++++++++++++++++++++++	Conduit Data	*************************	CONDUIT	CLASS]	100. TRAPEZOID	100. TRAPEZOID	100. TRAPEZOID	TRAPEZOID	O. TRAPEZOID
* * * * * * * * * * * * * * * * * * * *	G G		LENGTH	(E)	 	100.	100.	100.	. 09	40.
******		**************	CONDUIT	MUMBER	1 1 1	7	2	e	Ţ.	5
* * * * * *	•	+ + + + +	INP	NOM		~	2	m	4	ស

TRAPEZOID SIDE SLOPES

2.40 2.40 2.40

2.40

2.40

2.40

	9	100.	100. TRAPEZOID	96.91	0.01500	9.75	4.64	9	٢	2.40	2.40
	٢	100.	100. TRAPEZOID	96.91	0.01500	9.75	4.64	7	ထ	2.40	2.40
8	ထ	100.	100. TRAPEZOID	96,91	0.01500	9.75	4.64	Φ	6	2.40	2.40
~	σ	100.	100, TRAPEZOID	96.91	0.01500	9.75	4.64	σ	10	2.40	2.40
10	10	100.	100, TRAPEZOID	96.91	0.01500	9.75	4.64	10	11	2.40	2.40

Prolix - Turkey Creek - Existing.out

+ Conduit Volume +

Input full depth volume...... 8.7220E+04 cubic meters

CAMP DRESSER & MCKEE INC. WATER RESOURCES DIVISION ANNANDALE, VIRGINIA * + + + EXTENDED TRANSPORT PROGRAM ANALYSIS MODULE ÷ ÷ ÷ , , , † † † ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C.

Detroit River International Crossing Turkey Creek Existing Condition - 100-Year Flow

CONNECTING CONDUITS		, m l	1 2	2 3	3 4	4 5	5 6	6 7	7 8	6	9 10	10
INITIAL DEPTH(M)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	0.00	00.00
QINST CMS		62.60	00.00	00.00	00.00	00.00	00.00	00.0	00.00	00.00	0.00	00.00
INVERT ELEV.		176.04	176.00	175.96	175.92	175.90	175.88	175.84	175.80	175.76	175.72	175.68
CROWN ELEV.	1 1 1 1 1 1 1	180.68	180.64	180.60	180.56	180.54	180.52	180.48	180.44	180.40	180.36	180.32
GROUND ELEV.	t t t t t	182.00	182.00	182.00	182.00	182.00	182.00	182.00	182.00	182.00	182.00	182.00
JUNCTION NUMBER	1 1 1 1		2	m	4	S	9	7	œ	σ	10	11
INP	1	1	2	ო	4	2	9	7	89	თ	10	17

•	*	+++++++++++++++++++++++++++++++++++++++
		÷
		+
1)	J	+
Н	JЪ	÷
Δ	õ	*
FREE OUTFALL DATA (DATA GROUP II)	BOUNDARY CONDITION ON DATA GROUP J1	,
GB	Æ	*
_	Ţ	+
Ė	ã	*
ā	꾩	÷
_	0	+
Ę.	ö	*
Č	Ţ	+
	ĭ	٠
Ξ	불	+
Ŀ	8	+
Ę	5-4	+
ō	Ϋ́	*
ы	2	Ť
ŭ	5	+
ī	BO	+
		*
		÷
		÷
		+
		+
+ .	*	+

OUTFALL AT JUNCTION.... 11 HAS BOUNDARY COMDITION NUMBER....

	WATER RESOURCES DIVISION	CAMP DRESSER & MCKEE INC.	ANNANDALE, VIRGINIA	
ļ	* * *	* + + +	* * * * * * * * * * * * * * * * * * *	
	EXTENDED TRANSPORT PROGRAM ****		ANALYSIS MODULE	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	* * * * * * * * * * * * * * * * * * *	+ + +	* + +	
	ENVIRONMENTAL PROFECTION AGENCY	WASHINGTON, D.C.		

Detroit River International Crossing Turkey Creek Existing Condition - 100-Year Flow

+ + + + +	. * * * * * * * * * * * * * *	* , * * , , , , * * , , , , , ,	************
+	INTERNAL (INTERNAL CONNECTIVITY INFORMATION	NFORMATION *
* + + * *	* * * * * * * * * * * * *	* * * * * * * * * * * * *	***************************************
	CONDUIT	JUNCTION	JUNCTION
	1 1 1 1 1	1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	90011	11	0
1			
+ + + +	* + + + + + + + + + + + +	*********	*****************
,	BOUNDARY (BOUNDARY CONDITON INFORMATION	* NOI TAM
+		DATA GROUPS J1-J4	+ + + + + + + + + + + + + + + + + + +

BC NUMBER., 1 CONTROL WATER SURFACE ELEVATION IS., 178.80 METERS. TZERO = 1906195 0.00000000E+00

175.88 175.96 175.76 0.00 / 0.00 / 0.00 / /6 /9 ===> "+" JUNCTION IS SURCHARGED. 175.90 175.80 175.68 176.00 / 00.0 0.00 / / 00.0 0.00 / 2/ 5/ 8/ 11/ 1/ 0.00 / 176.04 4/ 0.00 / 175.92 7/ 0.00 / 175.84 10/ 0.00 / 175.72 JUNCTION / DEPTH / ELEVATION

CONDUIT/	FLON	A	"+" CONDUIT USES THE NORMAL FLOW OPTION.	HE NORMAL F.	LOW OPTION.		
1/	00.00	2/	00.0	3/	00.0	4/	00.00
2/	00.00		00.00	1/	00.00	/8	00.00
16	00.00	10/	00.00	90011/	00.00		
CONDUIT/	VELOCITY						
1/	00.00		00.00	3/	00.0	4/	00.00
5/	00.00	/9	00.00	11	00.0	/8	00.00
16	00.00	10/	00.00				
/TIUGNO	CONDUIT/ CROSS SECTIONAL AREA	IONAL AREA					
1/	00.00		00.00	3/	00.0	4/	00.00
5/	00.00		0.00	11	00.00	/8	00.00
16	00.00	10/	00.00				
/LINGNO	CONDUIT/ HYDRAULIC RADIUS	RADIUS					
1/	00.00		00.00	3/	00.00	4/	00.00
5/	00.00	/9	0.00	11	00.00	/8	00.00
16	00.00		0.00				
/TIUGNO	UPSTREAM/ [CONDUIT/ UPSTREAM/ DOWNSTREAM ELEVATION	ATION				
1/	176.04/	176.00	2/ 176.00/	00/ 175.96	9/	175.96/	175.92
4/	175.92/	175.90	5/ 175.90/	90/ 175.88	/9 8	175.88/	175.84
11	175.84/	175.80	8/ 175.80/	80/ 175.76	/6 9	175.76/	175.72
10/	175.72/	175.68					

* FINAL MODEL CONDITION

2.00 HOURS * * FINAL TIME =

>>> ENDING DATE AND TIME OF EXTRAN RUN ARE:

JULIAN DATE: 1906195

YR/MO/DA: 1906/ 7/14

TIME OF DAY: 2.000 HRS

JUNCTION /	рертн	_	JUNCTION / DEPTH / ELEVATION	11 11	" JUNCTIO	===> "+" JUNCTION IS SURCHARGED.	ċ		
1/	2.86	`	1/ 2.86 / 178.90	27	2/ 2.89 / 178.89	178.89	3/	2.92 /	178.88
4/	1/ 2.95 / 1	_	178.87	2/	5/ 2.96 / 178.86	178.86	/9	2.97 /	178.85
11	7 3.00 /	/	178.84	/8	8/ 3.03 /	178.83	16	3.06 /	178.82
10/		_	3.09 / 178.81	11/	11/ 3.12 / 178.80	178.80			

	62.60
	47
NORMAL FLOW OPTION.	62.61
HOPFIAL	3/
THE 11	
USES	.59
"." CONDUIT	2/ 62
\ 	
FLOW	62.60
COMDUIT/	1/

5/	62.59		/9	62.60	0	17	62.60	8/	62.59
9	62.60	10	10/	62.59		90011/	62.59		
VELC	VELOCITY								
	1.31	•	27	1.29	o,	3/	1.27	4/	1.26
	1.25		/9	1.24	4	11	1.22	/8	1.20
	1.19		10/	1.17	۲				
CROSS	SECTI	CONDUIT/ CROSS SECTIONAL AREA							
4	47.94	.,	27	48.57	7	3/	49.22	47	49.69
5	50.02	_	/9	50.55	5	11	51.24	/8	51.95
S	52.67		10/	53.41	т				
FINAL	FINAL VOLUME	JME							
479	4793.90	.,	2/	4856.83	3	3/	4921.51	4/	2981.39
200	2000.85		/9	5055.19	σ	11	5124.48	/8	5195.12
526	5267.39	Ä	10/	5340.97	7				
CONDUIT/ HYDRAULIC RADIUS	LIC F	SADIUS							
	1.94		2/	1.95	ε S	37	1.97	4/	1.98
	1.99		/9	2.00	0	11	2.01	/8	2.03
	2.05		10/	2.06	9				
JPSTRE	AM/ L	CONDUIT/ UPSTREAM/ DOWNSTREAM ELEVATION	ELEV	ATION					
178.90/	/06	178.89		2/	178.89/	178.88	3/	178.88/	178.87
178.87/	1/8	178.86		2/	178.86/	178.85	/9	178.85/	178.84
178.84/	84/	178.83		/8	178.83/	178.82	/6	178.82/	178.81
178.81/	81/	178.80							

. 22	3151	2.19	. 271	. 4.73E+00 cms	1440
Maximum number of iterations in a time step	Total number of iterations in the simulation	Average number of iterations per time step	Surcharge iterations during the simulation	Maximum surcharge flow error during simulation., 4.73E+00 cms	Total number of time steps during simulation

Page 9

,	•	* * * * * * * * * * * * * * * * * * * *
CONDUIT COURANT CONDITION SUMMARY	* TIME IN MINUTES DELT > COURANT TIME STEP	***************************************
*	+	÷

* SEE BELOW FOR EXPLANATION OF COURANT TIME STEP. *

3 (MM)		00.0	00.00	
IT # TIME(MM)		4	89	
TIME (MN) CONDUIT #		00.00	00.00	
CONDUIT #		е	7	
TIME (MN)	 	00.00	00.0	00.00
CONDUIT # TIME(MN)	1 1 1 1 1 1 1 1 1	2	9	10
# TIME(MN)	1 1 1 1 1 1	00.0	0.33	00.00
CONDUIT #		1	5	Ø.

CONDUIT COURANT CONDITION SUMMARY

****************** CONDUIT LENGTH * COURANT

* TIME STEP = -----VELOCITY + SORT (GRVT + AREA/WIDTH) * AVERAGE COURANT CONDITION TIME STEP(SECONDS) *

		29	80	
IE (SEC)		12.67	17.08	
TIŀ		4	œ	
CONDUIT # TIME(SEC) CONDUIT # TIME(SEC) CONDUIT # TIME(SEC)CONDUIT # TIME(SEC)		17.91	17.08	
COMDUIT #	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	m	7	
TIME (SEC)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	17.25	22.33	16.96
CONDUIT #		2	9	10
TIME(SEC)	1 1 1 1	17.23	8.85	17,08
CONDUIT #	1 1 1 1 1 1 1	П	5	O

* EXTRAN CONTINUITY BALANCE AT THE LAST TIME STEP *

* JUNCTION INFLOW, OUTFLOW OR STREET FLOODING * *******************

INFLOW, CU M JUNCTION

4.5072E+05

JUNCTION OUTFLOW, CU H

2.6693E+03

5.6062E+02	2.0810E+02	1.8592E+03	5.6534E+03	1.3183E+03	9.4449E+02	2.9801E+03	1.3814E+03	1.5085E+03	3,9284E+05
2	٣	4	5	9	7	ω	6	10	11

* INITIAL SYSTEM VOLUME][9.0000E-03 CU M	
* TOTAL SYSTEM INFLOW VOLUME	ļi	4.5072E+05 CU M	÷
* INFLOW + INITIAL VOLUME	EI.	4.5072E+05 CU M	•
*********************	* * * * * * .	*****	÷ +
* TOTAL SYSTEM OUTFLOW	Įį.	4.1192E+05 CU M	
* VOLUME LEFT IN SYSTEM	l1	4.5538E+04 CU M	.
* OUTFLOW + FINAL VOLUME	Į.	4.5746E+05 CU M	+
*******************************	* * * * * * *	***********	;
* ERROR IN CONTINUITY, PERCENT	ŀ	-1.50	+
*************************	* * * * * *	* * * * * * * * * * * * * * * * * * * *	÷

TEST WRITE OF ALTERNATIVE CONTINUITY ERROR CALCULATION VOLUME LEFT IN SYSTEM = 6.7482E+04 CU. FT. ERROR IN CONTINUITY PERCENT = -63.64

" " " " " " - - - - - - - - SUMMARY OF FULL FLOW CHANNEL WARNINGS - - -

TIME OF LAST OCCURRENCE (HOURS)	0.12	0.11	0.11	0.11	0.10	0.10	0.10	0.08	0.08	0.08
TIME STEP OF LAST OCCURRENCE	84	82	81	81	7.4	7.0	7.0	59	61	61
TIME OF FIRST OCCURRENCE (HOURS)	0.00	0.05	0.04	0.04	0.04	0.03	0.03	0.02	0.02	0.02
TIME STEP OF FIRST OCCURRENCE		38	31	27	26	24	20	1.7	15	15
OPEN CHANNEL NUMBER		2	ю	V	τŷ	9	7	8	đì	10

PARABOLIC/POWER FUNCTION CONDUIT WHEN THE COMPUTED DEPTHS EXCEED MAXIMUM DEPTH. THIS WILL AFFECT THE MAXIMUM COMPUTED HEAD AND FLOWS IN THE MODEL. IT IS HIGHLY RECOMMENDED THAT THE MODELED CROSS SECTIONS BE EXTENDED THE PROGRAM USES FULL DEPTH CHANNEL CHARACTERISTICS TO COMPUTE FLOW THROUGH THE TRAPEZOIDAL, IRREGULAR, OR TO ELIMINATE THESE FULL FLOW CHANNEL WARNINGS

JUNCTION SUMMARY STATISTICS

Detroit River International Crossing Turkey Creek Existing Condition - 100-Year Flow

		UPPERMOST	MEAN		MAXIMUM	TIME	METERS OF	METERS MAX.	LENGTH	LENGTH	MAXIMUM
GROUND PIPE CROWN JUNCTIC	PIPE CROWN JUNCTI	JUNCTIC	NOJ	JUNCTION JUNCTION	JUNCTION	OF	SURCHARGE	DEPTH IS	OF	OF.	JUNCTION
JUNCTION ELEVATION ELEVATION ELEVATION	ELEVATION ELEVATION	ELEVATION		AVERAGE	ELEV.	OCCURENCE	E AT MAX	BELOW GROUND	SURCHARGE	FLOODING	S AREA
(M) (M) (M)		(M)		8 CHANGE	(H)	HR. MIN.	ELEVATION	ELEVATION	(MIM)	(MIN)	(SQ.MET)
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1			
182.00 180.68 178.96		178.96		0.3566	182.00	0 3	1.32	00.00	0.8	0.3	0.3 3.522E+04
182.00 180.64 178.94	178.94		_	0.3323	182.00	0 3	1.36	00.00	0.5	0.1	6.990E+04
182.00 180.60 178.91 0	178.91		0	0.2984	182.00	0 5	1.40	00.00	0.4	0.1	5.033E+04
182.00 180.56 178.89 0	178.89		0	0.3581	182.00	0 2	1.44	00.00	6.0	0.2	4.026E+04
182.00 180.54 178.88 0.	178.88		o.	0.3984	182.00	0 2	1.46	00.00	0.7	0.3	3.403E+04
182.00 180.52 178.87 0.	178.87		0	0.3937	182.00	0 2	1.48	00.00	0.3	0.3 4	4.789E+04
182.00 180.48 178.85 0.	178.85		0	0.3333	182.00	0 2	1.52	00.00	0.3	0.2	3.544E+04
182.00 180.44 178.84 0.	178.84		0	0.3701	182.00	0 1	1.56	00.00	0.7	0.3	2.120E+04
182.00 180.40 178.83 0	178.83		0	0.3194	182,00	0 1	1.60	00.00	0.3	0.2 4	4.340E+04
182.00 180.36 178.82 0	178.82		0	0.3523	182.00	0 1	1.64	00.00	0.3	0 3	3.099E+04
182.00 180.32 178.81 0	178.81		0	0960.0	180.32	0 1	00.00	1.68	0.4	0.0	1.458E+04

CONDUIT SUMMARY STATISTICS

Detroit River International Crossing Turkey Creek Existing Condition - 100-Year Flow

TINDMC	SLOPE	
LENGTH C	OF NORM	FLOW
MAXIMUM DEPTH ABOVE LENGTH COMDUIT	INV. AT CONDUIT ENDS OF HORM	DOWNSTREAM
MAXIMUE	INV. AT	DESIGN UPSTREAM
RATIO OF	MAX. TO	DESIGN
TIME	OF	OCCURRENCE
MAXIMUM	COMPUTED	VELOCITY
TIME	OF	OCCURRENCE
MAKIMUN	COMPUTED	FLOW
CONDUIT MAK	VERTICAL	DEPTH
	DESIGN	VELOCITY DEPTH
	DESIGN	FLOW
		CONDUIT

(H/H)	0.00040	0.00040	0.00040	0.00033	0.00050	0.00040	0.00040	0.00040	0.00040	0.00040	
(MIM)	0.5	0.3	0.3	0.3	0.1	0.2	0.3	0.2	0.3	0.2	
(M)	5.53	6.04	6.08	6.10	6.12	6.08	6.20	6.24	6.28	4.64	
(M)	5.96	5.53	6.04	6.08	6.10	6.12	6.08	6.20	6.24	6.28	
FLOW	-0.75	-0.88	-0.95	-1.78	-2.60	-2.22	-2.76	-2.83	-2.80	-2.94	
MIN.	0	-	Н	C3	2	CI	2	-	1	7	
HR.	0	0	0	0	0	0	0	0	0	0	
(MPS)	4.06	4.15	4.14	-4.77	-8.07	-6.64	-8.32	-8.37	-7.76	-7.96	
MIN.	т	٣	m	7	2	2	П	П	1	1	1
HR. Þ	0	0	0	0	0	0	0	0	0	0	0
(CMS)	-1.95E+02	-2.28E+02	-2.47E+02	-4.24E+02	-7.58E+02	-5.79E+02	-7.19E+02	-7.36E+02	-7.29E+02	-7.66E+02	-7.66E+02
(M)	4.640 -1,	4.640 -2	4.640 -2	4.640 -4.	4.640 -7.	4.640 -5.	4.640 -7.	4.640 -7.	4.640 -7.	4.640 -7.	UNDEF -7.
(8/W)	2.69	2.69	2.69	2.45	3.00	2.69	2.69	2.69	2.69	2.69	UNDEF
(CMS)	1 2.60E+02	2 2.60E+02	3 2.60E+02	4 2.38E+02	5 2.91E+02	6 2.60E+02	7 2,60E+02	8 2.60E+02	9 2.60E+02	10 2.60E+02	UNDEF
NUMBER	1 2	2 2	3	4 2	5 2	2 9	7 2	8 2	6	10 2	90011

**************** * SUBCRITICAL AND CRITICAL FLOW ASSUMPTIONS FROM * * SUBROUTINE HEAD. SEE FIGURE 5-4 IN THE EXTRAN * ******************************* MANUAL FOR FURTHER INFORMATION.

MAXIMUM	CROSS SECT	AREA (SQ.M)	!!!!!!!!!!!!	96.9110	95.0900	96.9110	96.2355	96.9110	91,0556	93,3605	87,9453	93,9603	96.9110	
MAXIMUM	HYDRAULIC	RADIUS (MET)	1 1 1 1 1 1 1	2.8606	2.8317	2.8606	2.8499	2.8606	2.7665	2.8039	2.7152	2.8136	2.8606	
TOTAL	FLOW	CUBIC MET	1 1 1 1 1 1 1	4.4914E+05	4.4315E+05	4.3772E+05	4.3419E+05	4.2664E+05	4.2108E+05	4.1280E+05	4.0839E+05	4,0092E+05	3.9284E+05	3.9284E+05
	AVERAGE	% CHANGE	1 1 1 1 1 1 1 1	0.4018	0.4045	0.5007	0.7906	0.7936	0.6124	0.7272	0.7770	0.6837	0.6524	
MEAN	FLOW	(CMS)	1 1 1 1 1	62.38	61.55	60.79	60.30	59.26	58.48	57.33	56.72	55.68	54.56	54.56
LENGTH OF DOWNSTR.	CRITICAL	FLOW (MIN)	1 1 1 1 1 1 1	00.00	00.00	00.00	00.00	00.0	00.00	00.00	00.00	00.00	00.00	UNDEFINED
LENGTH OF UPSTR. (CRITICAL	FLOW (MIN)	1 1 1 1 1 1 1 1 1	00.00	00.00	00.0	00.00	00.00	00.00	00.00	00.0	00.00	00.00	UNDEFINED
LENGTH OF	SUBCRITICAL	FLOW(MIN)		120.00	119.92	119.92	119.75	119.42	119.08	119.00	119.42	119.83	120.00	UNDEFINED
LENGTH OF	DRY	FLOW (MIN) FLOW (MIN)	,	00.00	0.08	0.08	0.25	0.58	0.92	1.00	0.58	0.17	00.00	UNDEFINED
	CONDUIT	NUMBER] 	1	2	m	4	ស	9	7	ω	Q	10	90011

^{*} AVERAGE % CHANGE IN JUNCTION OR CONDUIT IS DEFINED AS:

^{*} CONDUIT % CHANGE \Rightarrow 100.0 (Q(n+1) - Q(n)) / Qfull

⁺ JUNCTION % CHANGE ==> 100.0 (Y(n+1) - Y(n)) / Yfull

0,398 percent 5 had

===> Extended Transport model simulation ended normally.

===> SWWM 4.4GU simulation ended normally.

Always check output file for possible warning messages.

===> Your input file was named : PCTmpl.dat

===> Your output file was named: PCTmpl.out

SWMM 4.4GU Simulation Date and Time Summary

16:24:48.900 * Starting Date... November 16, 2006 Time...

Ending Date... November 16, 2006

16:24:53.510 Time...

0.077 minutes. 4.611 seconds. * Elapsed Time... * Elapsed Time...

* U.S. Environmental Protection Agency
* Storm Water Management Model (SWMM)
* Version 4.4GU
* CDM/OSU Beta
* Release Date - November 23, 1999
* Camp Dresser & McKee and Oregon State Univ.
* Chuck Moore and Wayne Huber
* Compiled using Digital Visual Fortran 6.0
*

Developed by

Distributed and Maintained by

U.S. Environmental Protection Agency
Center for Exposure Assessment Modeling (CEAM)
Athens Environmental Research Laboratory
960 College Station Road
Athens, GA 30605-2720

This is a new release of SWHM. If any problems occur executing this model system, contact Mr. Frank Stancil, U.S. Environmental Protection Agency. 706/355-8328 (voice) e-mail: stancil@athens.ath.epa.gov Or contact Wayne C. Huber at Oregon St. U. 541/737-6150 or wayne.huber@orst.edu Or Michael F. Schmidt at Camp Dresser & McKee (904) 281-0170 SCHMIDTWF@CDM.COM **

- - "Nature is full of infinite causes which
- have never occurred in experience" da Vinci *

++++*+**

File names by SWMM Block

-> Input to a Block JIN JOUT

-> Output from a Block

9 PCTmpl.int JIN UF 1 File # 1 File # JIN for Block # JOUT for Block

Scratch file names for this simulation. #

SCRT1.UF SCRI3.UF SCRT2.UF SCRT4.UF SCRT5.UF SCRT6.UF SCRT7.UF SCRT8.UF 24 25 26 File # 4 File # 5 File # 6 File # 7 File # File # File File NSCRAT NSCRAT NSCRAT NSCRAT NSCRAT NSCRAT NSCRAT SCRAT

************************* Parameter Values on the Tapes Common Block

20 100 1000 500 100 500 500 Number of Subcatchments in the Runoff Block (NW)..... 1000 Number of Channel/Pipes in the Runoff Block (NG)..... 1000 Number of Interface Locations for all Blocks (NIE).... Number of Connections to Runoff Channels/Inlets (NCP). Number of Mater Quality Constituents (MQUAL)..... Number of Groundwater Subcatchments in Runoff (NGW) ... Number of Elements in the Transport Block (WET)...... Number of Transport interface input locations (NTHI).. Number of Transport interface output locations (NTHO). Number of Transport input locations on R lines (NTHR). Number of Storage Junctions in Transport (NTSE)..... Number of Runoff Land Uses per Subcatchment (NLU)....

- * "Smooth runs the water where the brook is deep."

************************* Shakespeare, Henry VI, II, III, 1

++++

1B,2B Syphon.out
2B
1
Creek
 Y - Turkey Creek
Prolix

**** CAMP DRESSER & MCKEE INC.	**** ANALYSIS MODULE **** ANNANDALE, VIRGINIA	
,		

Turkey Creek Alternative 1B,2B Syphon - 100-Year Flow Detroit River International Crossing

Control information for simulation

1440	5.00 seconds 2.00 hours	0	1	1	1 cycles 0.08 minutes	1 cycles 0.08 minutes
Integration cycles	Length of integration step is	Do not create equiv. pipes(NEQUAL).	Use metric units for I/O	Printing starts in cycle	Intermediate printout intervals of. Intermediate printout intervals of.	Summary printout intervals of Summary printout time interval of

0

Hot start file parameter (JREDO)...

This also describes starting hour in K3 line hydrograph input when K3

lines are used.

interface file is used.

Initial date (IDATZ)...... 19060714 (yr/mo/day)

NOTE; Initial date from JIN interface file will be used, if accessed, unless IDATZ is negative.

0.0500 SURTOL Iteration variables: ITMAX.....

Default surface area of junctions.. 1.22 square meters.

EXTRAN VERSION 3.3 SOLUTION. (ISOL = 0).

Sum of junction flow is zero during surcharge.

NJSW INPUT HYDROGRAPH JUNCTIONS.... 0

INTERMEDIATE HEADER LINES ARE PRINTED AS IN ORIGINAL PROGRAM

IDS ARE WRITTEN AS IN ORIGINAL PROGRAM

CONDUIT LENGTHS ON C1 LINE MUST EQUAL IRREGULAR SECTION LENGTH ENTERED ON THE C3 OR X1 LINES (IMLEN = 0)

JELEV = 0 (DEFAULT). STANDARD INPUTS ARE DEPTHS NOT ELEVATIONS

JDOWN = 0 - Minimum of normal or critical depth will be used at free outfalls (I1).

Characteristic depth for M2 and S2 water surface profiles will be computed as in previous versions of EXTRAN (IM2 = 0).

SEDIMENT DEPTHS WILL NOT BE READ FROM C1 LINES

Intermediate continuity output will not be created

WATER RESOURCES DIVISION	CAMP DRESSER & MCKEE INC.	ANNANDALE, VIRGINIA	
* * *	* * *	* * *	
EXTENDED TRANSPORT PROGRAM ****		ANALYSIS MODULE	
+ + + +	* * *	+ + +	
I ENVIRONMENTAL PROTECTION AGENCY	WASHINGTON, D.C.		

Detroit River International Crossing Turkey Creek Alternative 1B,2B Syphon - 100-Year Flow

*********	+	* * * * * * * * * * * * *
***************************************	Conduit Data	
* * * * * * * * * * * * * * * *	*	***

۲

TRAPEZOID SIDE SLOPES		2.40 2.40	2.40 2.40	2.40 2.40	2.40 2.40	,
INVERT HEIGHT ABOVE JUNCTIONS			(4		(4	
SMS	1 1 1 1 1 1	(4	ы	7	ഹ	20
JUNCTIONS AT THE ENDS		1	63	М	4	5
DEPTH (M)	1 1 1	4.64	4.64	4.64	4.64	4.00
AX WIDTH (M)		9.75	9.75	9.75	9.75	15.00
MANNING MAX WIDTH COEF. (M)	1 1 1 1 1	0.01500	0.01500	0.01500	0.01500	0.01300
AREA (SQ M)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	96.91	96.91	96.91	16.96	60.00
CONDUIT	1 1 1 1 1	TRAPEZOID	TRAPEZOID	TRAPEZOID	100, TRAPEZOID	15. RECTANGLE
LENGTH (M)		100.	100.	100.	100.	15.
CONDUIT	1 1		2	m	4	S
INP	1	1	2	e	Φ	ß

==
ō
Ç
င္က
Ğ.
ŝ
B,2B
W
<u>m</u>
30
(2)
×
O
<u></u>
-32
=
F
1
\times
~
<u>_</u>
_

				2.4	2.4	2.4	2.4	2.4
				2.40	2.40	2,40	2.40	2.40
51	55	56	9	7	ထ	σι	10	11
5.0	51	55	56	9	7	8	O	10
2.00	2.00	2.00	4.00	4.64	4.64	4.64	4.64	4.64
25.00	25.00	25.00	20.00	9.75	9.75	9.75	9.75	9.75
0.01300	0.01300	0.01300	0.01300	0.01500	0.01500	0.01500	0.01500	0.01500
50.00	50.00	50.00	80.00	96.91	96.91	96.91	96.91	96.91
RECTANGLE	RECTANGLE	RECTANGLE	RECTANGLE	TRAPEZOID	TRAPEZOID	TRAPEZOID	TRAPEZOID	TRAPEZOID
23.	40.	23.	15.	100.	100.	100.	100.	100.
50	51	52	56	ø	7	æ	σ	10
9	7	æ	σ	10	11	12	13	14

40 40 40 40

> ===> WARNING !!! (C*DELT/LEN) IN CONDUIT 5 IS ===> WARNING !!! (C*DELT/LEN) IN CONDUIT 56 IS

5 IS 2.1 AT FULL DEPTH.
56 IS 2.1 AT FULL DEPTH.

Conduit Volume

51 has zero slope. 0.001 feet added to upstream invert. 9.3620E+04 cubic meters Input full depth volume...... Conduit #...

have been reversed to correspond to the positive flow and decreasing slope EXTRAN convention. A negative flow in the output thus means the flow was from your original upstream junction to your original downstream junction. Any initial flow has been multiplied by -1. ===> Warning !! The upstream and downstream junctions for the following conduits

1. Conduit #... 55 has been changed.

CAMP DRESSER & MCKEE INC. WATER RESOURCES DIVISION ANNANDALE, VIRGINIA + + + ÷ • • + + + EXTENDED TRANSPORT PROGRAM ANALYSIS MODULE * * * * + + + + + + ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C.

Detroit River International Crossing Turkey Creek Alternative 1B,2B Syphon - 100-Year Flow

г

Junction Data

INP JUNCTION GROUND CROWN INVERT NUM NUMBER ELEV. ELEV. ELEV.

INITIAL CONNECTING CONDUITS

DEPTH (H)

CHS

QINST

•																			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2	m	4	ស	50	51	55	56	9	7	œ	σ	10					
	1	1	2	m	4	5	50	51	55	56	9	7	8	6	10				
1	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.0	00.00	00.00	00.0	00.00				
1 1 1 1 1 1 1 1	62.60	00.0	00.0	00.00	00.0	00.00	00.00	00.00	00.00	00.00	00.0	00.0	00.0	00.0	00.0	÷ ÷ ÷	•	+	
1	176.07	176.03	175.99	175.95	175.91	175.90	164.30	164.30	175.87	175.86	175.82	175.78	175.74	175.70	175.66	++++**+*******************************	SROUP II)	A GROUP J1	
	180.71	180.67	180.63	180.59	180.55	179.90	166.31	166.30	179.87	180.50	180.46	180.42	180.38	180.34	180.30	* * * * * * * * * * * * * * * * * * * *	FREE OUTFALL DATA (DATA GROUP II)	BOUNDARY CONDITION ON DATA GROUP JI	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	182.00	182.00	182.00	182,00	182.00	182.00	182.00	182.00	182.00	182.00	182.00	182.00	182.00	182.00	182.00	+ * + + + + + + + + + +	OUTFALL D	ARY CONDIT	
!!!!!!	1	2	m	v	S	90	51	55	56	9	٦	80	σ	10	11	* * * * * + + + + +	FREE	BOUND	
1 1 1	m	2	m	₽	5	9	7	æ	o	10	11	12	13	14	15	* * * * * * *	+	+	

CAMP DRESSER & MCKEE INC. WATER RESOURCES DIVISION ANNANDALE, VIRGINIA * * * + + + + + + + EXTENDED TRANSPORT PROGRAM + + + + + + + + + + + ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C.

11 HAS BOUNDARY CONDITION NUMBER...

OUTFALL AT JUNCTION....

ANALYSIS MODULE

Turkey Creek Alternative 1B,2B Syphon - 100-Year Flow Detroit River International Crossing

******************* INTERNAL CONNECTIVITY INFORMATION JUNCTION 0 JUNCTION 11 CONDUIT 90015

BOUNDARY CONDITON INFORMATION

BC NUMBER.. 1 COMTROL WATER SURFACE ELEVATION IS.. 178.80 METERS. TZERO = 1906195 0.00000000E+00

* INITIAL MODEL CONDITION *

* INITIAL TIME = 0.00 HOURS *

* INITIAL TIME = 0.00 HOURS *

	175.99	175.90	175.87	175.78	175.66		00.00	00.00	00.00			00.0	00.00	00.00			00.00	00.0	00.00			00.00	00.0	00.0	
	0.00 / 1	0.00 / 1	0.00 / 1	0.00 / 1	0.00 / 1		4/	55/	/8			4/	55/	/8			47	25/	/8			10	55/	/8	
HARGED.	3/	20/	/95	/8	11/	OW OPTION.	00.00	00.00	00.00	00.00		00.00	00.00	00.00			00.00	00.00	00.00			00.00	00.00	00.00	
"+" JUNCTION IS SURCHARGED.	176.03	175.91	164.30	175.82	175,70	THE NORMAL FLOW OPTION	3/	51/	1/	90015/		3/	51/	11			3/	51/	1/			3/	51/	11	
"+" JUNCTI	0.00 /	/ 00.0	0.00 /	0.00 /	0.00 /	T USES THE	0.00	0.00	0.00	00.00		0.00	0.00	0.00	00.00		0.00	00.00	0.00	00.00		0.00	00.0	0.00	00.00
\ 	27	15/	25/	11	10/	"*" CONDUIT USES	2/	/05	/9	10/		2/	20/	/9	10/	EA	2/	20/	/9	10/		2/	20/	/9	10/
ELEVATION	176.07	175.95	164.30	175.86	175.74		00	00	00	0(*	00	00	0(00	SECTIONAL AREA	00	00	00	00	RADIUS	0(00	00	0(
DEPTH /	0.00 /	0.00 /	0.00 /	0.00 /	00.00	FLOW	00.00	00.00	00.00	00.00	VELOCITY	00.00	00.00	00.00	00.00	CROSS SEC	00.00	00.00	00.00	00.00	HYDRAULIC RADIUS	00.00	00.00	00.00	00.00
JUNCTION /	1/	4/	51/	/9	/6	CONDUIT/	1/	5/	26/	16	CONDUIT/	1/	19	26/	16	CONDUIT/ CROSS	1/	12	26/	16	CONDUIT/	1/	19	26/	/6

175.95	164.30	175.86	175.74	
175.99/	175.90/	175.87/	175.78/	
3/	20/	26/	/8	
175.99	175.90	164.30	175.78	175.66
176.03/	175.91/	175.87/	175.82/	175.70/
27	19	25/	1/	10/
176.03	175.91	164.30	175.82	175.70
176.07/	175.95/	164.31/	175.86/	175.74/
1/	4/	51/	/9	/6

FINAL MODEL CONDITION

* FINAL TIME = 2.00 HOURS *

>>> ENDING DATE AND TIME OF EXTRAN RUN ARE:

JULIAN DATE: 1906195

YR/MO/DA: 1906/ 7/14

TIME OF DAY: 2.000 HRS

	_	_			_		62.59	-60.48	62.68			1.26	-1.21	1.20			19.77	50.00	52.43			1977.36	1150 00
	178.90	178.88	178.85	178.83	178.80		w	9	Ψ				i				7	ഗ	ហ			197	-
	2.91 /	2.98 /	2.98 /	3.05 /	3.14 /		4/	55/	/8			4/	55/	8/			4/	55/	8/			4/	u
SURCHARGED.	3/	20/	/95	/8	11/	OW OPTION.	62.59	63.09	62.58	62.60		1.27	1.26	1.21			49.12	50.00	51.69			4912.26	0000
N IS SURC	178.92	178.88	178.86	178.84	178.81	NORMAL FL	3/	51/	11	90015/		3/	51/	11			3/	51/	11			3/	, 12
"*" JUNCTION IS	7 68.2	2.97 /	14.56*/	3.02 /	3.11 /	"." CONDUIT USES THE NORMAL FLOW OPTION	62.61	62.89	62.31	62.60		1.29	1.26	1.22	1.16		48.47	50.00	51.03	53.90		4847.46	0
* <===	27	5/	25/	11	10/	CONDUIT	9	9	9	9							ਚਾ	5	Ŋ	S		484	
							27	20/	/9	10/		2/	207	/9	10/	REA	27	207	/9	10/		77	
ELEVATION	178.93	178.89	178.87	178.86	178.82	1!										IONAL A					ME		
DEPTH / EI	2.86 /	2.94 /	14.56*/	3.00 /	3.08 /	FLOW	62.57	62.18	66.50	62.48	VELOCITY	1.31	1,39	1.11	1.18	CROSS SECTIONAL AREA	47,85	44.61	59.73	53,15	FINAL VOLUME	4785.28	
JUNCTION / 1	1/	47	51/	/9	/6	CONDUIT/	1/	5/	195	/6	CONDUIT/	1/	15	26/	16	CONDUIT/ C	1/	15	795	/6	CONDUIT/	7	,

	-									
5243.20	1.98	0.93	2.04			178.89	178.87	178.86	178.82	
/8	74	25/	/8			178.90/	178.88/	178.85/	178.83/	
5169.46	1.97	0.93	2.02			3/	/09	195	/8	
1/	3/	51/	11			178.90	178.88	178.86	178.83	178.80
61 59	1.95	0.93	2.01	2.07		178.92/	178.88/	178.85/	178.84/	178.81/
5102.61 5389.59	1.	0.	2	2	VATION	2/	15	25/	17	10/
10/	RADIUS 2/	20/	/9	10/	CONDUIT/ UPSTREAM/ DOWNSTREAM ELEVATION	178.92	178.88	178.86	178.84	178.81
895.95	CONDUIT/ HYDRAULIC RADIUS 1/ 1.94	2.13	2.30	2.06	UPSTREAM/ I	178.93/	178.89/	178.87/	178.86/	178.82/
76/	CONDUIT/ 1/	19	795	/6	CONDUIT/	1/	14	51/	/9	16

				cms	
31	4109	2,85	1229	6.92E+01	1440
Maximum number of iterations in a time step	Total number of iterations in the simulation	Average number of iterations per time step	Surcharge iterations during the simulation	Maximum surcharge flow error during simulation 6.92E+01 cms	Total number of time steps during simulation

CONDUIT COURANT CONDITION SUMMARY

* SEE BELOW FOR EXPLANATION OF COURANT TIME STEP. *

CONDUIT # TIME(MM) CONDUIT # TIME(MM)CONDUIT # TIME(MM)		4 0.00	55 117.92	8 0.00	
TIME (MM) COM		00.00	117.75	00.0	
COMPUIT	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	٣	51	7	
TIME (MM)	1 1 1 1 1 1	00.00	118.25	00.00	00.00
CONDUIT #	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8	50	9	10
CONDUIT # TIME (MN)	1 1 1 1	00.00	118.58	118.08	00.00
CONDUIT #	1 1 1 1 1	1	S	56	6

***************************	CONDUIT COURANT CONDITION SUMMARY +	*************	= CONDUIT LENGTH	* : # di	VELOCITY + SORT(GRVT+AREA/WIDTH) +	***************	AVERAGE COURANT CONDITION TIME STEP(SECONDS) *	· * * * * * * * * * * * * * * * * * * *
******	+ COND	*****	+ COURANT =	* TIME STEP =	+	+++++++	* AVERAGE COUR	++++++++

(SEC)		21.36	1.82	17.09	
UIT # TIME		4	55	8	
CONDUIT # TIME (SEC) CONDUIT # TIME (SEC)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	17.95	3.16	17.09	
CONDUIT #	1 1 1 1 1 1 1 1	3	51	7	
TIME(SEC)	1 1 1 1 1	17.25	2.16	17.12	17.02
CONDUIT # TIME(SEC)		2	50	9	10
CONDUIT # TIME(SEC)	1 1 1 1	17.24	2.74	2.35	17.11
CONDUIT #		Т	Ŋ	56	6

* EXTRAN CONTINUITY BALANCE AT THE LAST TIME STEP * ********************************

+ JUNCTION INFLOW, OUTFLOW OR STREET FLOODING +

INFLOW, CU M		4.5072E+05
JUNCTION	1 1 1 1 1 1	, 4

JUNCTION OUTFLOW, CU M

	9.2710E+02	2.9048E+02	5.0193E+01	4.3016E+02	7.5294E+02	7.3184E+01	7.2493E+03	4,5054E+02	1.6235E+03	1.2573E+03	3.8129E+02	3.8971E+05
1 1 1 1 1 1 1	 1	٣	4	S	50	56	Q	7	ω	σ	10	11

+	***************************************	* * * * * * * * * * * * * * * * * * * *	****	*		
*	INITIAL SYSTEM VOLUME	ļ s	1.0160E-02 CU M	CUE	-	
+	TOTAL SYSTEM INFLOW VOLUME	11	4.5072E+05 CU M	CUF	-	,
7	INFLOW + INITIAL VOLUME	li	4.5072E+05 CU M	CUE	_	
÷	**************************************	* * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * *	+	
+	TOTAL SYSTEM OUTFLOW	1	4.0319E+05 CU M	CUR		
+	VOLUME LEFT IN SYSTEM	lì	5.1608E+04 CU N	CO F		
) .	OUTFLOW + FINAL VOLUME	IS	4.5480E+05 CU M	CO	_	
*	************************************	* * * * * *	* * * * * * * * * * * * * * * * * * * *	*	•	
+	ERROR IN CONTINUITY, PERCENT	10	-0.91		•	

TEST WRITE OF ALTERNATIVE CONTINUITY ERROR CALCULATION 9.8749E+04 CU. FT. -113.64li ERROR IN CONTINUITY PERCENT = VOLUME LEFT IN SYSTEM

- - - SUMMARY OF FULL FLOW CHANNEL WARNINGS - -

TIME OF LAST OCCURRENCE	(HOURS)	0.13	0.13	0.13	0.13	0.11	0.03	0.08	0.09	0.09
TIME STEP OF LAST OCCURRENCE		91	91	36	92	82	25	57	63	63
TIME OF FIRST OCCURRENCE	(HOURS)	00.0	0.10	0.10	0.10	0.03	0.03	0.02	0.02	0.02
TIME STEP OF FIRST OCCURRENCE			74	74	74	24	20	1.7	15	15
OPEN CHANNEL NUMBER		H	2	m	4	Q	7	ω	თ	10

PARABOLIC/POWER FUNCTION CONDUIT WHEN THE COMPUTED DEPTHS EXCEED MAXIMUM DEPTH. THIS WILL AFFECT THE MAXIMUM COMPUTED HEAD AND FLOWS IN THE MODEL. IT IS HIGHLY RECOMMENDED THAT THE MODELED CROSS SECTIONS BE EXTENDED THE PROGRAM USES FULL DEPTH CHANNEL CHARACTERISTICS TO COMPUTE FLOW THROUGH THE TRAPEZOIDAL, IRREGULAR, OR TO ELIMINATE THESE FULL FLOW CHANNEL WARNINGS

STATISTICS SUMBARY JUNCTION

Detroit River International Crossing Turkey Creek Alternative 1B,2B Syphon - 100-Year Flow

N de (·															
MAXIMUM JUNCTION AREA (SQ.MET)	4.880E+04	9.721E+04	9.732E+04	9.882E+04	5.312E+04	1.240E+04	2.441E+04	2.441E+04	1.356E+04	5.323E+04	4.803E+04	1.597E+04	4.363E+04	9,404E+04	4.259E+04
LENGTH OF FLOODING (MIN)	0.3 4	0.0	0.1 9	0.1 9	0.1 5	0.1 1	0.0 2	0.0	0.1 1	0.3 5	0.1 4	0.2 1	0.1 4	0.2 9	0.0 4
LENGTH OF SURCHARGE (MIN)	0.8	0.3	0.3	0.2	0.3	2.8	117.9	117.9	2.4	9.0	0.2	0.2	0.5	0.2	0.3
METERS MAX. DEPTH IS BELOW GROUND ELEVATION	00.0	0.07	00.00	00.00	00.00	00.00	0.59	1.04	00.00	00.0	00.00	00.00	00.00	00.00	1.70
METERS OF SURCHARGE AT MAX ELEVATION	1.29	1.26	1.37	1.41	1.45	2.10	15.11	14.65	2.13	1.50	1.54	1.58	1.62	1.66	00.00
TIME OF OCCURENCE HR. MIN.	0 5	7 0	0 7	9 0	9 0	0 2	0 2	9 0	0 2	0 2	0 2	0 1	0 1	0 1	0 1
	182.00	181.93	182.00	182.00	182.00	182.00	181.41	180.96	182.00	182.00	182.00	182.00	182.00	182.00	180.30
HAXIMUM JUNCTION JUNCTION AVERAGE ELEV. S CHANGE (M)		0.2199	0.2144	0.2467	0.3865	0.6565	1.6342	2.0175	0.6963	0.4825	0.3419	0.3371	0.3148	0.3738	0.0957
HEAN JUNCTION ELEVATION (M)	178.98	178.95	178.92	178.90	178.88	178.87	178.66	178.65	178.85	178.86	178.84	178.83	178.82	178.81	178.81
UPPERMOST MEAN PIPE CROWN JUNCTION ELEVATION ELEVATION (M) (M)	180.71	180.67	180.63	180,59	180.55	179.90	166.31	166.30	179.87	180.50	180.46	180.42	180.38	180.34	180.30
	182.00	182.00	182.00	182.00	182.00	182.00	182.00	182.00	182.00	182.00	182.00	182.00	182.00	182.00	182.00
GROUND JUNCTION ELEVATION NUMBER (M)		2	m	4	ъ	50	51	55	56	9	٢	8	đ	10	11

CONDUIT SUMMARY STATISTICS

Detroit River International Crossing Turkey Creek Alternative 1B,2B Syphon - 100-Year Flow

CONDUIT	SLOPE		(M/M)	1 1 1 1 1 1	0.8 0.00040	0.5 0.00040	0.00040	0.00040	0.00067
LENGTH CONDUIT	OF NORM SLOPE	FLOW	(MIM)	1	8.0	0.5	0.4	0.3	0.1
RATIO OF MAXIMUM DEPTH ABOVE	INV. AT CONDUIT ENDS	DOWNSTREAM	(H)	1 1 1 1 1	5.88	6.01	6.05	60.9	6.10
MAXIMUM	INV. AT	UPSTREAM	(M)	1 1 1 1 1 1 1 1	5.93	5.88	6.01	6.05	60.9
RATIO OF	MAX. TO	DESIGN	FLOW	1	0.64	0.55	0.56	09.0	1.24
		ENCE	iin.	1 1 1	0	1	ст	г	7
TIME	OF	OCCURRENCE	HR. MIN.	1	0	0	0	0	0
MAXIMUM	COMPUTED	VELOCITY	(MPS)	!	4.06	4.15	3.94	3.72	6.76
된	fo.	SNCE	IIN.	1	0	2	o)	œ	7
TIME	OF	OCCURRENCE	HR. MIN.	1	0	0	0	0	0
МАХІМОМ	COMPUTED	FLOW	(CHS)	1 1 1 1	1.67E+02	1.42E+02	1.46E+02	1.56E+02	2.00E+02
CONDUIT	VERTICAL	DEPTH	(₩)	1 1 1 1 1 1	4.640	4.640	4.640	4.640	4.000
	DESIGN	VELOCITY	(H/S)	1 1 1 1 1 1 1	2.69	2.69	2.69	2.69	2.69
	DESIGN	FLOW	(CMS)	1 1	1 2.60E+02	2 2.60E+02	2.60E+02	4 2.60E+02	5 1.62E+02
		CONDUIT	NUMBER	1 1 1 1	П	2	m	4	5

0.50413	0.00003				0.00040	0.00040	0.00040	0,00040	
9.0	0.1	0.5	0.1	0.0	0.1	0.2	0.2	0.3	
17.09	16.65	16.65	6.14	6,10	6.22	5.85	6.30	4.64	
6.10	17.09	6.12	6.12	6.14	6.10	6.22	5.85	6.30	
0.27	-12.55	0.26	-3.09	-2.43	-2.81	-2.72	-3.02	-2.91	
1	2	2	2	2	2	~			
0	0	0	0	0	0	0	0	0	
8.03	-4.60	6.23	-8.61	-7,33	-8.48	-7.30	-8.37	-7.86	
2	7	2	2	2	1	1	1	1	1
0	0	0	0	0	0	0	0	0	0
2.000 7.04E+02	2.000 -2.30E+02	2,000 6,77E+02	4.000 -6.89E+02	4.640 -6.33E+02	4.640 -7.32E+02	4.640 -7.07E+02	4.640 -7.86E+02	4.640 -7.57E+02	UNDEF -7.57E+02
51.89	0.37	51,82	2.79	2.69	2.69	2.69	2.69	2.69	UNDEF
50 2.59E+03	51 1.83E+01	55 2.59E+03	56 2.23E+02	6 2,60E+02	7 2.60E+02	8 2.60E+02	9 2.60E+02	10 2,60E+02	90015 UNDEF

* SUBCRITICAL AND CRITICAL FLOW ASSUMPTIONS FROM *

* SUBROUTINE HEAD, SEE FIGURE 5-4 IN THE EXTRAN *

MANUAL FOR FURTHER INFORMATION.

MAXIMUM CROSS SECT	AREA (SQ.M)		96.9110	96.9110	94.3929	96.9110	60.0000	50.0000	50.0000	50.0000	80.0000	87.6460	86.3271	96.9110	93.9603	96.9110	
MAXIMUM HYDRAULIC	RADIUS (MET)	****	2.8606	2.8606	2.8205	2.8606	2.4111	1.0787	0.9660	1.4793	2.6418	2.7102	2.6881	2.8606	2.8136	2.8606	
TOTAL			4.5074E+05	4.4592E+05	4.4067E+05	4.3537E+05	4.3180E+05	4.3261E+05	4.2765E+05	-4.2326E+05	4.2321E+05	4.1440E+05	4.0769E+05	4.0084E+05	3.9673E+05	3.8971E+05	3.8971E+05
AVERAGE	\$ CHANGE	 	0.3486	0.3652	0.3023	0.4788	1.8271	0.1324	10.9593	0.1639	3.8133	0.9117	0.7945	0.7054	0.7921	0.6719	
MEAN	(CMS)	1 1 1 1 1 1 1 1	62.60	61.93	61.20	60.47	59.97	60.08	59.40	-58.79	58.78	57.56	56.62	55.67	55.10	54.13	54.13
LENGTH OF DOWNSTR. CRITICAL	FLOW (MIN)		00.00	00.00	00.00	00.0	00.00	00.0	00.00	00.00	00.0	00.00	00.00	00.00	00.00	00.00	UNDEFINED
LENGTH OF UPSTR. CRITICAL	FLOW (MIN)	1 1 1 1 1	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	UNDEFINED
LENGTH OF SUBCRITICAL	ELOW (MIN)		120.00	119.92	119.92	119.75	119.42	118.92	118.75	118.33	118.42	118.67	119.00	119.42	119.83	120.00	UNDEFINED
LENGTH OF DRY	FLOW (MIN)	1 1 1 1 1 1 1 1	00.00	0.08	0.08	0.25	0.58	1.08	1.25	1.67	1.58	1.33	1.00	0.58	0.17	00.00	UNDEFINED
CONDUIT	NUMBER]	1	2	m	4	ľΩ	50	51	55	56	Q	7	Φ	თ	10	90015

* AVERAGE % CHANGE IN JUNCTION OR CONDUIT IS DEFINED AS:

* CONDUIT % CHANGE ==> 100.0 (Q(n+1) - Q(n)) / Qfull

* JUNCTION % CHANGE ==> 100.0 (Y(n+1) - Y(n)) / Yfull

===> Extended Transport model simulation ended normally.

===> SWAM 4.4GU simulation ended normally.

Always check output file for possible warning messages.

===> Your input file was named : PCTmpl.dat ===> Your output file was named: PCTmpl.out

* SWMM 4.4GU Simulation Date and Time Summary *

* Starting Date... November 17, 2006

* Time... 9:34: 9.480

* Ending Date... November 17, 2006

* Elapsed Time... 0.099 minutes. *

* Elapsed Time... 5.941 seconds. *

Appendix A.2.4.2

Lennon Drain

Or contact Wayne C. Huber at Oregon St. U.*

e-mail: stancil@athens.ath.epa.gov

706/355-8328 (voice)

U.S. Environmental Protection Agency.

system, contact Mr. Frank Stancil,

McKee (904) 281-0170 SCHMIDTMF@CDM.COM

Or Michael F. Schmidt at Camp Dresser &

541/737-6150 or wayne.huber@orst.edu

* Center for Exposure Assessment Modeling (CEAM)* ***************** ************************ ******************* ************ Athens Environmental Research Laboratory * Camp Dresser & McKee and Oregon State Univ. * Compiled using Digital Visual Fortran 6.0 This is a new release of SWMM. If any U.S. Environmental Protection Agency U.S. Environmental Protection Agency problems occur executing this model (SWEEL) (Now Camp, Dresser and McKee, Inc.) Release Date - November 23, 1999 Water Resources Engineers, Inc. Chuck Moore and Wayne Huber Distributed and Maintained by 960 College Station Road 30605-2720 University of Florida Storm Water Management Model Metcalf & Eddy, Inc. Version 4.4GU CDM/OSU Beta ************ September 1970 Developed by Athens, GA

Prefix - Lennon Drain - Existing.out

This is an implementation of EPA SWMW 4.4GU

"Nature is full of infinite causes which

have never occurred in experience" da Vinci *

********** File names by SWMM Block

JOUT -> Output from a Block JIN -> Input to a Block

PCTmp1.int JIN. UF 0 1 File # 1 File # JIN for Block # JOUT for Block #

************** # Scratch file names for this simulation. #

SCRT2.UF SCRT1.UF SCRT3.UF SCRT4.UF SCRT5.UF SCRT6.UF SCRT7.UF SCRT8.UF 24 26 27 l File # 7 File # 2 File # 3 File # 4 File # File # 6 File # 8 File NSCRAT # NSCRAT #

Parameter Values on the Tapes Common Block

100 100 500 500 500 Number of Subcatchments in the Runoff Block (NW)..... 1000 Number of Channel/Pipes in the Runoff Block (NG)..... 1000 Number of Interface Locations for all Blocks (NIE)..., 1000 Number of Groundwater Subcatchments in Runoff (NGW)... Number of Elements in the Transport Block (NET)...... Number of Storage Junctions in Transport (NTSE)..... Number of Transport interface input locations (NTHI).. Number of Transport interface output locations (NTHO). Number of Transport input locations on R lines (NTHR). Number of Connections to Runoff Channels/Inlets (NCP). Number of Water Quality Constituents (MQUAL)..... Number of Runoff Land Uses per Subcatchment (NLU)....

Number of Transport printed output locations (NTOA)	80
Number of Tabular Flow Splitters in Transport (NTSP)	50
Number of Elements in the Extran Block (NEE) 40	000
Number of Pumps in Extran (NEP)	75
Number of Orifices in Extran (NEO)	200
Number of Tide Gates/Free Outfalls in Extran (NTG) 2	200
Number of Extran Weirs (NEW)	400
Number of Extran Printout Locations (NPO)	150
Number of Tide Elements in Extran (NTE)	20
Number of Matural Channels (NNC)	200
Number of Storage Junctions in Extran (NVSE) 10	1000
Number of Time History Data Points in Extran (NTVAL) 5	200
Number of Data Points for Variable Storage Elements	-
in the Extran Block (NVST)	25
Number of Input Hydrographs in Extran (NEH) 5	200
Number of Allowable Channel Connections to	
Junctions in the Extran Block (NCHN)	15
Number Rain Gages in Rain and Runoff (MAXRG) 2	200
Number PRATE/VRATE Points for Extran Pump	
Input (MAXPRA),	10
Number of Variable Orifices in Extran (NVORF)	50
Number of Variable Orifice Data Points (NVOTIM)	50
Number of Allowable Precip, Values/yr in Rain (LIMRN), 50	2000
Number of Storm Events for Rain Analysis (LSTORM)200	20000
Number of Plugs for Plug-flow in S/T (NPLUG) 30	000
Number Conduits for Extran Results to ASCII	
File (MXFLOW) 4	400

- * Entry made to the EXTENDED TRANSPORT MODEL (EXTRAN) *
 - * developed 1973 by Camp, Dresser and McKee (CDM) with
- * modifications 1977-1991 by the University of Florida. *
- * Most recent update: March 1999 by CDM, Oregon
- * State University, and XP Software, Inc.
- * "Smooth runs the water where the brook is deep,"
- Shakespeare, Henry VI, II, II', 1

Existing out	٩
_	٠
,	
_	7
Ē	5
Drain)
Connan	
Connan	
Connan	
Connan	
unduce .	
Connan	

CAMP DRESSER & MCKEE INC.	ANNANDALE, VIRGINIA
* * * * * * * * * * * * * * * * * * * *	* * * *
	ANALYSIS MODULE
* * * *	+ + + +
WASHINGTON, D.C.	

Detroit River International Crossing Lennon Drain Existing Condition - 100-Year Flow

Control information for simulation

 Length of integration step is..... 15.00 seconds Simulation length...... 16.67 hours

Do not create equiv. pipes(NEQUAL).

Use metric units for I/O...... 1

Printing starts in cycle......

Intermediate printout intervals of. 1 cycles Intermediate printout intervals of. 0.25 minutes

Summary printout intervals of..... 1 cycles Summary printout time interval of.. 0.25 minutes

Hot start file parameter (JREDO)... 0

Initial time (TZERO)..... 0.00 hours

This is time displacement from JIM interface file starting date/time when interface file is used.

This also describes starting hour in K3 line hydrograph input when K3

lines are used.

Initial date (IDAT2)...... 19060714 (yr/mo/day)

NOTE: Initial date from JIN interface file will be used, if accessed,

unless IDATZ is negative.

Iteration variables: ITHAX...... 30 SURTOL..... 0.0500

Default surface area of junctions.. 1.22 square meters.

EXTRAN VERSION 3.3 SOLUTION. (ISOL = 0).

Sum of junction flow is zero during surcharge.

NJSW INPUT HYDROGRAPH JUNCTIONS.... 0

INTERMEDIATE HEADER LINES ARE PRINTED AS IN ORIGINAL PROGRAM

IDS ARE WRITTEN AS IN ORIGINAL PROGRAM

CONDUIT LENGTHS ON C1 LINE MUST EQUAL IRREGULAR SECTION LENGTH ENTERED ON THE C3 OR X1 LINES (IMLEN = 0)

JELEV = 0 (DEFAULT). STANDARD INPUTS ARE DEPTHS NOT ELEVATIONS

JDOWN = 0 - Minimum of normal or critical depth will be used at free outfalls (11).

Characteristic depth for M2 and S2 water surface profiles will be computed as in previous versions of EXTRAN (IM2 = 0).

SEDIMENT DEPTHS WILL NOT BE READ FROM C1 LINES

Intermediate continuity output will not be created

			1	
ENVIRONMENTAL PROTECTION AGENCY	* * * * *	EXTENDED TRANSPORT PROGRAM	* * *	WATER RESOURCES DIVISION
WASHINGTON, D.C.	* * *		* * * * *	CAMP DRESSER & MCKEE INC.
	* * *	ANALYSIS MODULE	* * *	ANNANDALE, VIRGINIA

Detroit River International Crossing Lennon Drain Existing Condition - 100-Year Flow

	*************	Conduit Data
1	÷	+

TRAPEZOID SIDE SLOPES	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8.70	8.70	8.70	8.70	8.70
TR	!	5.20	5.20	5.20	5.20	6.60
INVERT HEIGHT ABOVE JUNCTIONS						
JUNCTIONS THE ENDS	! ! ! !	2	m	4	. 2	9
JUNCTIONS AT THE ENDS	;		2	M	4	5
DEPTH (M)		2.20	2.20	2.20	2.20	2.30
AANNING MAX WIDTH COEF. (M)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	350.00	350.00	350.00	350.00	2.50
MANNING COEF.	1 1 1 1	0.03500	0.03500	0.03500	0.03500	0.03500
AREA (SQ M)	1 1 1 1 1	803.64	803.64	803.64	803.64	46.22
CONDUIT	1 1 1 1 1 1	70. TRAPEZOID	70. TRAPEZOID	TRAPEZOID	100. TRAPEZOID	60. TRAPEZOID
LENGTH (M)	!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!	70.	70.	100.	100.	.09
CONDUIT	1 1 1 1	1	2	m	4	ηĵ
INP	!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!	М	2	m	TT.	2

2 3 4 4 7 7 8 8 9

1 1 2 3 3 4 4 4 7 7 7 7 7 9 9 9

180.27 180.13 179.93 179.61 179.46 179.38 179.23 179.23

182.47 182.33 182.13 182.03 181.91 181.46 181.38 181.38 181.03

183.00 183.00 183.00 183.00 183.00 183.00 183.00 183.00

1 2 3 4 4 7 7 10 110

180.41

Prolix - Lennon Drain - Exísting.out	rain - Exísting	out.							
9	6 75.	. RECTANGLE	3.17	0.01500	2.60	1.22	9	7	
	7 40.	. TRAPEZOID	21.80	0.03500	2.30	2.00	7	8 2.90	5.70
8	8 75.	. TRAPEZOID	18.18	0.03500	2.00	1.80	8	9 4.30	4.70
6	9 75.	. TRAPEZOID	18.18	0.03500	2.00	1.80	σ	10 4.30	4.70
10 10	0 75.	. TRAPEZOID	18.18	0.03500	2.00	1.80	10	11 4.30	4.70
===> WARNING	(G+DE)	===> WARNING !!! (C*DELT/LEN) IN CONDUIT	NDUIT	7 15	1.2 AT FULL DEPTH.	, оветн.			
****	* * * * * * * * * * * * * * * * * * * *								
* Conduit Volume	olume +								
Input full depth volume	epth volum		2.8121	.8121E+05 cubic meters	c meters				
1ENVIRONMENTAL PROTECTION AGENCY		ON AGENCY	1 7	TX3 +++	EXTENDED TRANSPORT PROGRAM	ORT PROGRAM	* * * * * * * * * * * * * * * * * * *	WATER RESOURCES DIVISION	
WASHINGTON, D.C.	D.C.		•	· · · · · · · · · · · · · · · · · · ·			* * *	CAMP DRESSER & MCKEE INC.	
			•	* * *	ANALYSIS MODULE	MODULE	+ + +	ANNANDALE, VIRGINIA	
Detroit 1	River Intel	Detroit River International Crossing	ssing						
Lennon D.	rain Exist.	Lennon Drain Existing Condition - 100-Year	- 100-Yea	r Flow					
,									
⊶ 1									
****	* * * * * * * * * * *	**+**+*****************************		*********					
*	June	Junction Data		+					
* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *					
INP JUNCTION NUM NUMBER	N GROUND R ELEV.	CROWN ELEV.	INVERT ELEV.	QINST	INITIAL DEPTH(H)	CONNECTING CONDUITS	CONDUITS		

Detroit River International Crossing Lennon Drain Existing Condition - 100-Year Flow

WATER RESOURCES DIVISION CAMP DRESSER & MCKEE INC.

ANNANDALE, VIRGINIA

* * * * * *

ANALYSIS MODULE

* * * *

CONDUIT JUNCTION JUNCTION

90011 11 0

BOUNDARY COMDITON INFORMATION

*

BC NUMBER.. 1 HAS NO CONTROL WATER SURFACE. TZERO = 1906195 0.00000006+00

DATA GROUPS J1-J4

* INITIAL MODEL CONDITION
* INITIAL TIME = 0.00 HOURS

JUNCTION / DEPTH / ELEVATION ===> "+" JUNCTION IS SURCHARGED.

1/ 0.00 / 180.41 2/ 0.00 / 180.27

180.13 179.61 179.23 00.0 0.00 / / 00.0 16 3/ 179.73 179.38 178.93 0.00 / 0.00 / 0.00 / 5/ /8 11/ 179.93 179.46 179.08 0.00 / 0.00 / 0.00 / 4/ 11 10/

	00.00	00.00			00.00	00.00			00.00	00.00			00.00	00.00			179.93	179.46	179.08	
	4/	/8			4/	/8			4/	8/			4/	/8			180.13/	179.61/	179.23/	
OPTION.	00.00	00.00	00.00		00.00	00.00			00.00	0.00			0.00	00.00			3/	/9	/6	
ORMAL FLOW	3/	11	90011/		3/	11			3/	11			3/	11		•	180.13	179.61	179.23	
===> "+" CONDUIT USES THE NORMAL FLOW OPTION.	00.00	0.00	00.0		00.00	00.00	00.00		0.00	0.00	00.00		0.00	0.00	0.00		180.27/	179.73/	179.38/	
" CONDUIT	2/ 0	0 /9	10/ 0			0 /9	10/ 0		2/ 0	0 /9	10/ 0		2/ 0		10/ 0	FLEVATION	2/	19	/8	
*			1				Ī	ONAL AREA			Ä	ADTUS			10	NASTREAM	180.27	179.73	179.38	178.93
FLOW	00.00	00.00	00.00	VELOCITY	00.00	00.00	00.00	CROSS SECTIONAL AREA	00.00	00.00	00.00	CONDUIT/ HYDRAULIC RADIUS	0.00	0.00	00.00	CONDIIT/ HPSTREAM/ DOWNSTREAM ELEVATION	180.41/	179.93/	179.46/	179.08/
CONDUIT/	1/	5/	16	CONDUIT/	1/	2/	/6	CONDUIT/ C	1/	5/	/6	CONDUIT/ H	1/	2/	/6	CONDITT' U	1/	4/	11	10/

FINAL MODEL CONDITION

16.67 HOURS * * FINAL TIME =

>>> ENDING DATE AND TIME OF EXTRAN RUN ARE:

JULIAN DATE: 1906195

TIME OF DAY: 16.667 HRS YR/MO/DA: 1906/ 7/14

===> "+" JUNCTION IS SURCHARGED. 1.25 / 181.52 1.79 / 181.52 JUNCTION / DEPTH / ELEVATION

181.52 181.51 180.55

1.39 / 1.90 / 1.32 /

3/ 6/

180.71 179.79 1.33 / 0.86 / 2/ 5/ 8/ 11/ 180.80 1/ 1.11 / 181.52 4/ 1.59 / 181.52 180.38 1.34 / 4/ 7/ 10/ FLOW ===> "+" CONDUIT USES THE NORMAL FLOW OPTION.

CONDUIT/

11.54	0.02	610.78	61078.38	1.63	181.52 180.80 180.38
4/8/	4/8	4 / 8 / 8	/ 8	4 / 8 / 8	181.52/ 181.51/ 180.55/
11.61	0.02	.536.38	53638.02 429.35	1.45	.1 6/ .5 9/
3/ 7/ 90011/	3/	3/	3/	3/	181.52 181.51 180.55
11.69	0.02 3.62 1.55	473.58 3.17 7.42	33150.29 237.90 556.28	1.29 0.42 0.62	:VATION 2/ 181.52/ 5/ 181.52/ 8/ 180.71/
2/ 6/ 10/	2/2	AREA 2/ 6/ 10/	2/ 6/ 10/	2/ 6/ 10/	REAM ELE 52 71
11.77	VELOCITY 0.03 0.37 1.11	CONDUIT/ CROSS SECTIONAL AREA 1/ 422.16 5/ 30.62 9/ 10.35	FINAL VOLUME 29551.41 1837.36 775.93	CONDUIT/ HYDRAULIC RADIUS 1/ 1.15 5/ 0.99 9/ 0.73	CONDUIT/ UPSTREAM/ DOWNSTREAM ELEVATION 1/ 181.52/ 181.52 2/ 4/ 181.52/ 181.52 5/ 7/ 180.80/ 180.71 8/ 10/ 180.38/ 179.79
1/ 5/	COMDUIT/ 1/ 5/ 9/	CONDUIT/ (1/ 5/ 9/	CONDUIT/ 1/ 5/ 9/	CONDUIT/ 1/ 1/ 5/ 9/	CONDUIT/ 1/ 4/ 7/ 10/

2	8001	2.00	г	0.00E+00 cms	4000
Maximum number of iterations in a time step	Total number of iterations in the simulation	Average number of iterations per time step	Surcharge iterations during the simulation	Maximum surcharge flow error during simulation., 0.00E+00 cms	Total number of time steps during simulation

Page 9

* CC	CONDUIT COURA	NT CONDIT	ION SUMMAR TIME STEP	* * *			
ELO		NATION OF C	COURANT TIM	E STEP. *			
		# #IIICINOO	CHAD GRATA	# ##IIdikOO	B THOMOS (MA) GRIDA	(1997) Shiften	
- 1	TIME (MN)		Triale (min)	# 1 TOOMOO	- 1		_ ,
1	0.25	2	0.50	М	00.00		00.00
ഗ ക	0.00	10	991.25	Γ.	00.966	0	0.00
H							
****	++++++++	* + + * + * * * + + +	* + + + + + + + + + + + + + + + + + + +	* + * + +			
7	CONDUIT COU	CONDUIT COURANT CONDITION SUMMARY	ON SUMMAR	* * * * * *			
+ COURANT	II	CONDUIT LENGTH	LENGTH	+			
* TIME STEP	1 1 1 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	+ " " " "			
		+	SQRT (GRVT * AREA/WIDTH)	DTH) +			
* AVERAGE CC	OURANT COND	COURANT CONDITION TIME STEP (SECONDS)	STEP(SECONDS)	*****			
	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *			
CONDUIT # 1	TIME (SEC)	CONDUIT # T	TIME (SEC)	CONDUIT #	TIME(SEC)CONDUIT #	TIME (SEC)	
T	23.95	2	22.19	3	29.36	4 27.23	.23
5	18.18	9	11.29	7	11.02	8 22	22.31
σ	20.58	10	20.94				
r=1							
7 + + + + + + + + + + + + + + + + + + +	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *			
* EXTRAN CON	CONTINUITY B.	BALANCE AT THE	E LAST TIME	ME STEP *			
* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	7	* * * * * * * * * * * * * * * * * * * *	* * * *			
JUNCTION		OR	STREET FLOODING				
* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	+ + * + + + + + + + + + + + + + + + + +	+ + + + + + + + + + + + + + + + + + + +	* * * * * * * * * * * * * * * * * * *			
JUNCTION	INFLOW,	CU M					
r={ 	7.0800E+05	E+05					
JUNCTION	OUTFLOW,	CO M					
1 1 1 1 1 1 1 1							

11 5.8673E+05

Ä	* INITIAL SYSTEM VOLUME	11	7.4000E-03 CU N	00	_	
* TC	TOTAL SYSTEM INFLOW VOLUME	11	7.0800E+05 CU M	cu b	_	
YH •	INFLOW + INITIAL VOLUME	7	7.0800E+05 CU M	CU P	_	
† † †	· · · · · · · · · · · · · · · · · · ·	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	† †	•	
* TC	* TOTAL SYSTEM OUTFLOW	TO.	5.8673E+05 CU M	CO 1	-	
λ γ	VOLUME LEFT IN SYSTEM	=	1.8209E+05 CU M	CU I	_	
*	OUTFLOW + FINAL VOLUME	7 .	7.6882E+05 CU M	CU 1		
* * *	**************************************		* * * * * * * * * * * * * * * * * * * *	* + +	÷	
→	* ERROR IN CONTINUITY, PERCENT =	l1	-8.59		т.	

TEST WRITE OF ALTERNATIVE CONTINUITY ERROR CALCULATION VOLUME LEFT IN SYSTEM = 1.1790E+05 CU. FT. ERROR IN CONTINUITY PERCENT = 4.76

TIME OF LAST OCCURRENCE (HOURS) 00.00 - - - - - SUMMARY OF FULL FLOW CHANNEL WARNINGS -TIME STEP OF LAST OCCURRENCE TIME OF FIRST OCCURRENCE (HOURS) 0.00 TIME STEP OF FIRST OCCURRENCE OPEN CHANNEL

PARABOLIC/POMER FUNCTION CONDUIT WHEN THE COMPUTED DEPTHS EXCEED MAXIMUM DEPTH. THIS WILL AFFECT THE MAXIMUM COMPUTED HEAD AND FLOWS IN THE MODEL. IT IS HIGHLY RECOMMENDED THAT THE MODELED CROSS SECTIONS BE EXTENDED THE PROGRAM USES FULL DEPTH CHANNEL CHARACTERISTICS TO COMPUTE FLOW THROUGH THE TRAPEZOIDAL, IRREGULAR, OR TO ELIMINATE THESE FULL FLOW CHANNEL WARNINGS

* JUNCTION SUMMARY STATISTICS

Detroit River International Crossing

Lennon Drain Existing Condition - 100-Year Flow

MAXIMUM	JUNCTION	AREA	
LENGTH	OF	FLOODING	
LENGTH	OF	SURCHARGE	
METERS MAX.	DEPTH IS	BELOW GROUND	
METERS OF	SURCHARGE	AT MAX	
TIME	OF	OCCURENCE	
MAKIMUM	JUNCTION	ELEV.	
	JUNCTION J	AVERAGE	
MEAN	JUNCTION	SLEVATION	
UPPERMOST	GROUND PIPE CROWN JUNCTION	ELEVATION E	
	GROUND	JUNCTION ELEVATION ELEVATION ELEVATI	

(j. l											
(SQ.MET)	2.607E+04	2.607E+04	3.141E+04	3,721E+04	1.962E+04	1.033E+03	3,744E+02	8.012E+02	1.043E+03	9.927E+02	8.074E+02
(MIN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(MIN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ELEVATION	0.48	1.29	1.38	1.48	1.48	1.49	2.20	2.29	2.45	2.62	3.21
ELEVATION	00.00	00.0	00.0	00.0	00.0	00.0	00.0	00.00	00.00	00.0	00.0
HR. MIN.	0	0	-	40	40	39	40	40	40	40	40
HR.	0	0	0	16	16	16	16	16	16	16	16
(H)	182.52	181.71	181.62	181.52	181.52	181.51	180.80	180.71	180.55	180.38	179.79
\$ CHANGE	0.0685	0.0591	0.0487	0.0315	0.0361	0.0486	0.0307	0.0245	0.0227	0.0193	0.0133
(H)	181.27	181.27	181.27	181.26	181.26	181.25	180.70	180.62	180.46	180.29	179.72
(M)	182.61	182.47	182.33	182.13	182.03	181.91	181.46	181.38	181.03	180.88	180.73
(M)	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00
	: : : :	8	m	ত	5	9	7	ω	6	10	H

* CONDUIT SUMMARY STATISTICS

Detroit River International Crossing Lennon Drain Existing Condition - 100-Year Flow

TIUGNO	SLOPE		(M/M)	1 1 1 1	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	
LENGTH CONDUIT	OF NORM	FLOW	(MIM)		0.3	0.3	0.3	0.5	1.0 (1.8	7.5 (2.5	1.5 (0.0	
MAXIHUM DEPTH ABOVE	INV. AT CONDUIT ENDS	DOWNSTREAM	(W)	111111111111111111111111111111111111111	2.02	1.39	1.59	1.79	1.90	1.34	1.33	1.32	1.30	0.86	
MAXIMUM	INV. AT (UPSTREAM	(M)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2.11	2.02	1.39	1.59	1.79	1.90	1.34	1.33	1.32	1.30	
RATIO OF	MAX. TO	DESIGN	FLOW	 	1.06	1.04	0.32	0.13	0.17	2.18	0.39	0.50	0.50	0.50	
f+1		RENCE	MIN.	1	0		 1	8	e	40	4	5	7	38	
TIME	OF	OCCURRENCE	HR.	1 1 1 1 1 1 1 1 1 1	0	0	0	0	0	16	0	0	0	16	
HAXIMUM	COMPUTED	VELOCITY	(MPS)	,	2.85	5.45	1.79	1.16	1.41	3.62	1.91	1.21	1.26	1.55	
던		NCE	MIN.	1	0	0	7	CI	m	39	40	40	38	40	40
TIME	OF	OCCURRENCE	HR. E	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0	0	0	0	0	16	16	16	16	16	16
MAXIMUM	COMPUTED	FLOW	(CMS)	1 1 1 1	1.79E+03	1.75E+03	5.39E+02	2.21E+02	1.17E+01	1.15E+01	1.15E+01	1.15E+01	1.15E+01	1.15E+01	1.15E+01
CONDUIT	VERTICAL	DEPTH	(H)	1	2.200	2.200	2.200	2.200	2.300	1,220	2.000	1.800	1.800	1.800	UNDEF
	DESIGN	VELOCITY	(H/S)		2.10	2.10	2.10	2.10	1.46	1.66	1.35	1,26	1.26	1.26	UNDEF
	DESIGN	FLOW	(CMS)	1	1 1.69E+03	2 1.69E+03	3 1.69E+03	4 1.69E+03	5 6.73E+01	6 5.26E+00	7 2.95E+01	8 2.29E+01	9 2.29E+01	10 2.29E+01	UNDEF
		CONDUIT	NUMBER	1 1 1		2 1	3 3	4	5 6	9	7 2	88	6	10 2	90011

m

* SUBCRITICAL AND CRITICAL FLOW ASSUMPTIONS FROM *

* SUBROUTINE HEAD. SEE FIGURE 5-4 IN THE EXTRAN *

Page 12

* MANUAL FOR FURTHER INFORMATION.

HAXIMUH SS SECT A(SQ.M)	27.0582 73.5616 36.3661 10.7724 30.6229 3.1720 10.5999 10.3456 7.4170	
HAXIMUM CROSS SECT AREA(SQ.M)	627.0582 473.5616 536.3661 610.7724 30.6229 10.7336 10.5999 7.4170	
HYDRAULIC HYDRAULIC RADIUS (MET)	1.6751 1.2850 1.4461 1.6343 0.9892 0.5952 0.7601 0.7439 0.7439	
TOTAL FLOW CUBIC MET	7.3409E+05 7.2343E+05 6.8101E+05 6.2365E+05 5.9042E+05 5.889E+05 5.88749E+05 5.8673E+05 5.8673E+05	
AVERAGE % CHANGE	0.0669 0.0253 0.0271 0.0374 0.1841 0.0357 0.0259 0.0136	1 percent 3 percent
MEAN FLOW (CMS)	12.23 12.23 10.35 9.82 9.82 9.79 9.79	0.068
OF DOWNSTR. CRITICAL FLOW(MIN)	0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0 0.00 0 0 0.00 0 0 0.00 0 0 0 0.00 0 0 0 0	6 had 1 had 1 had ng messages. mmary *
DENGIN OF UPSTR. C CRITICAL FLOW(MIN)	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	average change 6 laverage change 1 lasimulation ended normally. ded normally. for possible warning messages: PCTmpl.dat d: PCTmpl.out Date and Time Summary *
DENGTH OF SUBCRITICAL FLOW (MIN)	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	aves simu nded for d : b ed: l
DENGTH OF DRY FLOW(MIN)	0.0 0.0 0.0 0.0 1.1 1.1 1.2 2.2 3.3 3.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1	The Conduit with the largest he Junction with the largest ==> SWMM 4.4GU simulation er Always check output file ==> Your input file was name ==> Your output file was name SWMM 4.4GU Simulatior SWMM 4.4GU Simulatior STARTING Date November Time
CONDUIT	1 2 2 3 4 4 5 6 6 6 9 9 9 9 9 9 10 90011	The Conduit with The Junction with ===> SWMM 4.4GU s Always check ===> Your input fi ===> Your output fi ===> Your output fi ===> Your output fi ===> Your output fi ===> Your input fi

Prolix - Lennon Drain - Existing.out

* Elapsed Time... 0

0.224 minutes. 13.450 seconds.

* Elapsed Time... 13.450 seconds. *

Developed by

* Metcalf & Eddy, Inc. *
University of Florida *

* Water Resources Engineers, Inc. *

* (Now Camp, Dresser and McKee, Inc.) *

* September 1970 *

Distributed and Maintained by

This is a new release of SWMM. If any problems occur executing this model system, contact Mr. Frank Stancil, th.S. Environmental Protection Agency. 706/355-8328 (voice) e-mail: stancil@athens.ath.epa.gov or contact Wayne C. Huber at Oregon St. U.* 541/737-6150 or wayne.huber@orst.edu or Michael F. Schmidt at Camp Dresser & McKee (904) 281-0170 SCHMIDTMF@CDM.COM **

This is an implementation of EPA SWMM 4.4GU

- "Nature is full of infinite causes which
- have never occurred in experience" da Vinci

************ -> Output from a Block -> Input to a Block File names by SWMM Block JIN JOUT

PCTmp1.int JIN.UF 6 0 1 File # 1 File # JIN for Block # JOUT for Block #

************************************ # Scratch file names for this simulation. #

SCRT3.UF SCRT1.UF SCRT2.UF SCRT4.UF SCRT5.UF SCRT6.UF SCRT7.UF SCRT8.UF 25 27 23 24 26 1 File # File File File File File File 7 File NSCRAT NSCRAT NSCRAT NSCRAT NSCRAT NSCRAT NSCRAT NSCRAT Parameter Values on the Tapes Common Block

20 100 1000 500 500 100 500 Number of Subcatchments in the Runoff Block (NW)..... 1000 Number of Channel/Pipes in the Runoff Block (NG)..... 1000 Number of Interface Locations for all Blocks (NIE).... Number of Runoff Land Uses per Subcatchment (NLU).... Number of Groundwater Subcatchments in Runoff (NGW)... Number of Elements in the Transport Block (NET)..... Number of Storage Junctions in Transport (NTSE)..... Number of Transport interface input locations (NTHI).. Number of Transport interface output locations (NTHO). Number of Connections to Runoff Channels/Inlets (NCP). Number of Water Quality Constituents (MQUAL)...... Number of Transport input locations on R lines (NTHR).

- Entry made to the EXTENDED TRANSPORT MODEL (EXTRAN)
 - developed 1973 by Camp, Dresser and McKee (CDM) with
- modifications 1977-1991 by the University of Florida.
- * Most recent update: March 1999 by CDM, Oregon

 - State University, and XP Software, Inc.
- * "Smooth runs the water where the brook is deep."
 - Shakespeare, Henry VI, II, III, 1

	1 1 1			
WASHINGTON, D.C.	* + * +		* *	CAMP DRESSER & MCKEE INC.
	* * *	ANALYSIS MODULE	* * *	ANNANDALE, VIRGINIA
Detroit River International Crossing Lennon Drain Alternative 1B,2B Sypho	ssing Syphon - 100-Year Flow	: Flow		
Control information for simulation				
Integration cycles	12000			
Length of integration step is	5.00 seconds 16.67 hours			
Do not create equiv. pipes(NEQUAL).	0			
Use metric units for I/O	Ħ			
Printing starts in cycle	e-d			
Intermediate printout intervals of. Intermediate printout intervals of.	1 cycles 0.08 minutes			
Summary printout intervals of Summary printout time interval of	l cycles 0.08 minutes			
Hot start file parameter (JREDO)	0			
: z	0.00 hours interface file sta	starting date/time when		
This also describes starting hour in lines are used.	K3 line hydrogra	n K3 line hydrograph input when K3		
Initial date (IDATZ)19	60714 (yr,			
NOTE: Initial date from JIN interface unless IDATZ is negative.	e file will be used,	ed, if accessed,		
Iteration variables: ITWAX	30			
	1 22 CC 1	ر پر		
	r.44 aquare merera			
EXTRAM VERSION 3.3 SOLUTION. (ISOL = Sum of junction flow is zero during s	= 0). surcharge.			

NJSW INPUT HYDROGRAPH JUNCTIONS.... 0

INTERMEDIATE HEADER LINES ARE PRINTED AS IN ORIGINAL PROGRAM

IDS ARE WRITTEN AS IN ORIGINAL PROGRAM

CONDUIT LENGTHS ON C1 LINE MUST EQUAL IRREGULAR SECTION LENGTH ENTERED ON THE C3 OR X1 LINES (IWLEN = 0)

JELEV = 0 (DEFAULT). STANDARD INPUTS ARE DEPTHS NOT ELEVATIONS

JDOWN = 0 - Minimum of normal or critical depth will be used at free outfalls (11).

Characteristic depth for M2 and S2 water surface profiles will be computed as in previous versions of EXTRAN (IM2 = 0).

SEDIMENT DEPTHS WILL NOT BE READ FROM C1 LINES

Intermediate continuity output will not be created

CAMP DRESSER & MCKEE INC. WATER RESOURCES DIVISION ANNANDALE, VIRGINIA * * * * * * * EXTENDED TRANSPORT PROGRAM ANALYSIS MODULE * * * * * * * * * * * * ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C.

Lennon Drain Alternative 1B,2B Syphon - 100-Year Flow

Detroit River International Crossing

SIDE SLOPES TRAPEZOID 8.70 8.70 8.70 5.20 5.20 5.20 5.20 ABOVE JUNCTIONS INVERT HEIGHT Ф 4 S AT THE ENDS JUNCTIONS 2.20 2.20 2.20 2.20 DEPTH $\widehat{\Xi}$ 350.00 350.00 2.60 MANNING MAX WIDTH 350.00 350.00 $\widehat{\Xi}$ 0.03500 0.03500 0.03500 0.03500 COEF. 0.01500 803.64 803.64 3.12 803.64 803.64 (SQ M) 111111 AREA CLASS TRAPEZOID TRAPEZOID TRAPEZOID CONDUIT 70. TRAPEZOID RECTANGLE 70. 100. 100. LENGTH 30. Ξ $^{\circ}$ CONDUIT NUMBER --2 6 4 2

mo.
hon
Syr
B.2B
1
Drain
Lennon
Prolix -

				4.70	4.70	4.70
				4.30	4.30	4.30
0.30						
00.0						
9	99	7	8	6	10	다
55	9	99	7	ထ	6	10
1.50	1.50	1.50	1.50	1.80	1.80	1.80
3.00	3.00	3.00	3.00	2.00	2.00	2.00
0.01500	0.01500	0.01500	0.01500	0.03500	0.03500	0.03500
4.50	4.50	4.50	4.50	18.18	18.18	18.18
RECTANGLE	RECTANGLE	RECTANGLE	RECTANGLE	TRAPEZOID	TRAPEZOID	TRAPEZOID
35.	50.	35.	10.	75.	75.	75.
52	9	99	٢	œ	σ	10
9	7	œ	6	10	11	12

===> WARNING !!! (C*DELT/LEN) IN CONDUIT

7 IS 1.9 AT FULL DEPTH.

*********** * Conduit Volume

2.7801E+05 cubic meters Input full depth volume...... 6 has zero slope. 0.001 feet added to upstream invert. Conduit # ...

have been reversed to correspond to the positive flow and decreasing slope EXTRAN convention. A negative flow in the output thus means the flow was from your original upstream junction to your original ===> Warning !! The upstream and downstream junctions for the following conduits

66 has been changed. 1. Conduit #...

downstream junction. Any initial flow has been multiplied by -1.

CAMP DRESSER & MCKEE INC. WATER RESOURCES DIVISION ANNANDALE, VIRGINIA * * * *** * * * * EXTENDED TRANSPORT PROGRAM ANALYSIS MODULE * * * * * * * * * * * ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C.

Detroit River International Crossing

- 100-Year Flow Lennon Drain Alternative 1B,2B Syphon

CONNECTING CONDUITS ⋳ 00.0 00.0 INITIAL DEPTH (M) CMS 11.80 00.0 DINST **************** INVERT ELEV. 180.41 180.27 ELEV. 182.61 182.47 CROWN Junction Data 183.00 GROUND ELEV. 183.00 JUNCTION NUMBER INP NON 4 2

a

_
ಠ
0.0
5
듶
5
18.2B Sv
8
ΟĄ.
<u>6</u>
Ţ-
3
.⊆
- 12
Drait
ennon
~
0
<u></u>
\simeq
0
\sim
1

					invert.						
m	4	ហ	52	9	Junction	99	7	00	6	10	
2	m	4.	S	55	e the	9	99	7	æ	o,	10
00.0	00.00	00.00	00-0	00.00	6 lie above	0.00	00.00	00.00	00.00	00.00	00.00
0.00	00.00	00.00	00.00	00.00		00.00	00.0	00.00	00.00	00.0	00.00
180.13	179.93	179.73	179.67	169.10	connecting to Junction	169.10	179.46	179.38	179.23	179.08	178.93
182.33	182.13	181.93	181.17	170.90	connecting	170.60	180.96	181.18	181.03	180.88	180.73
183.00	183.00	183.00	183.00	183.00	conduits	183.00	183.00	183.00	183.00	183.00	183.00
т	4	ιΩ	55	9	Warning all conduits	99	7	8	6	10	11
3	4	ហ	9	7	\ 	83	6	10	11	12	13

FREE OUTFALL DATA (DATA GROUP 11)

BOUNDARY CONDITION ON DATA GROUP J1

11 HAS BOUNDARY CONDITION NUMBER... OUTFALL AT JUNCTION....

CAMP DRESSER & MCKEE INC. WATER RESOURCES DIVISION ANNANDALE, VIRGINIA * * * * * * * * + + * EXTENDED TRANSPORT PROGRAM ANALYSIS MODULE *** * * * *** ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C.

Detroit River International Crossing

Lennon Drain Alternative 1B, 2B Syphon

- 100-Year Flow

***************************** INTERNAL CONNECTIVITY INFORMATION JUNCTION JUNCTION 11 CONDUIT 90013 ************************ BOUNDARY CONDITON INFORMATION

DATA GROUPS J1-J4

1 HAS NO CONTROL WATER SURFACE. BC NUMBER..

1906195 0.0000000E+00 TZERO =

INITIAL MODEL CONDITION

0.00 HOURS * ******************* * INITIAL TIME =

	180.13	179.67	179.46	179.08			00.00	00.00	00.00			00.00	00.00	00.00		00.00	00.00	00.0		00.00	00.00	00.00		, 179.93	169.40	179.38	178.93
	0.00 /	/ 00.0	0.00 /	0.00 /			4/	/99	10/			4/	/99	10/		4/	/99	10/		4/	/99	10/		180.13/	179.67/	179.46/	179.08/
RGED.	3/	25/	11	10/		FLOW OPTION.	00.0	0.00	00.0			00.0	00.0	00.0		00.0	00.00	00.00		00.00	00.0	00.00		3/	25/	11	10/
"*" JUNCTION IS SURCHARGED	180.27	179.73	169.10	179.23		THE NORMAL FLOW	3/	/9	/6			3/	/9	16		3/	/9	76		3/	/9	/6		180.13	179.67	169.10	179.08
" JUNCTION	/ 00.0	0.00 /	/ 00.0	/ 00.0			00.00	00.0	0.00			0.00	0.00	00.0		00.00	0.00	00.00		00.00	0.00	0.00		180.27/	179.73/	179.46/	179.23/
* - - - 	2/	2/	/99	16		*** CONDUIT USES	2/ 0		0 /8			2/ 0	55/ 0	8/ 0		2/ 0	55/ 0	0 /8		2/ 0		0 /8	DOWNSTREAM ELEVATION	2/	/5	/99	16
ELEVATION	180.41	179.93	169.10	179.38	178.93	*	.,	55/	~				5.	ω.	SECTIONAL AREA	•	5.	ω	ADIUS	.,	/55/	~	OWNSTREAM	180.27	179.73	169.10	179.23
DEPTH / EL	/ 00.0	/ 00.0	0.00 /	0.00	/ 00.0	FLOW	00.00	00.00	00.00	0.00	VELOCITY	00.00	00.00	0.00	CROSS SECTI	00.00	00.00	00.00	YDRAULIC R	00.00	00.00	00.00	UPSTREAM/ D	180.41/	179.93/	169.10/	179.38/
JUNCTION / D	1/	4/	/9	/8	11/	CONDUIT/	1/	/5	11	90013/	CONDUIT/	1/	2/	11	CONDUIT/ C	1/	/5	1/	CONDUIT/ HYDRAULIC RADIUS	1/	2/	1/	CONDUIT/ U	1/	47	/9	/8

>>> ENDING DATE AND TIME OF EXTRAN RUN ARE: YR/MO/DA: 1906/ 7/14 JULIAN DATE: 1906195

TIME OF DAY: 16.667 HRS

JUNCTION /	DEPTH / EI 1.14 /	ELEVATION 181.55) 	2/	JUNCTION IS 1.28 / 181		SURCHARGED. 55 3/	1.42 /	181.55
4/	1.62 /	181.55		5/	1.82 /	181.55	25/	1.60*/	181.27
/9	12.05*/	181.15		/99	11.87*/	180.97	1/	0.91 /	180.37
/8	1.32 /	180.70		16	1.31 /	180.54	10/	1.28 /	180.36
11/	0.85 /	179.78							
CONDUIT/	FLOW	A 	"*" CONDUIT USES	ADUIT (NORMAL F	THE NORMAL FLOW OPTION.		
1/	11.72		27	11	11.55	3/	11.45	4/	11.23
/9	11.16		25/	11	11.16	/9	11.16	/99	-11.16
11	11.16*		8/	11	11.16	16	11.16	10/	11.16
90013/	11.16								
CONDUIT/	VELOCITY								
1/	0.03		2/	0	0.02	37	0.02	4/	0.02
/5	3.58		55/	2	2.48	/9	2.48	/99	-3.09
11	3.34		/8	1	1.07	16	1.10	10/	1.54
CONDUIT/	CONDUIT/ CROSS SECTIONAL AREA	IONAL AR	EA						
1/	435.22		2/	486.71	.71	37	549.59	4/	624.10
2/	3.12		25/	4	4.50	/9	4.50	/99	3.62
11	3.35		8/	10	10.39	16	10.15	10/	7.26
CONDUIT/	FINAL VOLUME	JME							
1/	30465.41		27	34069.54	.54	3/	54958.80	4/	62409.62
/5	93.60		25/	157.50	.50	/9	225.00	/99	126.59
1/	33.45		/8	779.13	133	16	761.00	10/	544.85
CONDUIT/	HYDRAULIC RADIUS	RADIUS							
1/	1.19		2/	Н	1.32	3/	1.48	4/	1.67
2/	0.41		25/	0	0.50	/9	0.50	/99	0.67
11	0.64		8/	0	0.74	/6	0.73	10/	0.61
CONDUIT/	CONDUIT/ UPSTREAM/ D	DOWNSTREAM ELEVATION	AM ELEV	/ATION					
1/	181.55/	181.55		27	181.55/	181.55	5 3/	181.55/	181.55
4/	181.55/	181.55		2/	181.55/	181.27	7 55/	181.27/	181.15

FINAL MODEL CONDITION

^{16.67} HOURS * ***************** * FINAL TIME =

***************************************	180.70	179.78
***************************************	180.37/	180.36/
***************************************	11	10/
	180.97	180.36
***************************************	180.37/	180.54/
***************************************	/99	16
	180.97	180.54
	181.15/	180.70/
	19	8/

Surcharge Iteration Summary

Maximum number of iterations in a time step	31	
Total number of iterations in the simulation	26677	
Average number of iterations per time step	2.22	
Surcharge iterations during the simulation	2677	
Maximum surcharge flow error during simulation 1.52E+00 cms	1.52E+00 cms	
Total number of time steps during simulation	12000	

CONDUIT COURANT CONDITION SUMMARY * TIME IN MINUTES DELT > COURANT TIME STEP

* SEE BELOW FOR EXPLANATION OF COURANT TIME STEP. *

IME (MN)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00.00	989.92	00.00
T # TINDNO	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4	99	10
TIME (MN) CONDUIT # TIME (MN)		00.00	990.00	00.00
±t:	1	m	9	Ø
CONDUI				
TIME (MN)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00.00	990.67	00.00
CONDUIT # TIME(MN) CONDUIT # TIME(MN) CONDUIT #	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2	53	80
TIME(MN)	1 1 1 1 1	00.00	832.67	989.58
CONDUIT #	1 1 1 1 1 1 1	ı	ហ	7

************************************ CONDUIT COURANT CONDITION SUMMARY

* TIME STEP = ------CONDUIT LENGTH п * COURANT

VELOCITY + SQRT(GRVT*AREA/WIDTH) *

* AVERAGE COURANT CONDITION TIME STEP(SECONDS) *

CONDUIT # TIME(SEC)

~	1	υr α
TIME (SEC	1	4 28
CONDUIT # TIME(SEC)CONDUIT # TIME(SEC)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	30.32
CONDUIT #	1 1 1 1 1 1 1	~
TIME(SEC)	1 1 1 1 1	23.01
CONDUIT # TIME(SEC)	1 1 1 1 1 1	2
	1 1 1 1 1 1	24.99
CONDUIT # TIME(SEC)		ţ

28.57

2 7	4.82	55	2.82	9	4.72	66	2.69
ᆏ							
***	***************************************	* !	****	* ÷			
* EXTRAN CON	* EXTRAN CONFINUITY BALANCE AT THE LAST TIME STEP *	AT THE	LAST TIME STE	*			
*****	糖蛋白素原用含含含含含含含含含含含含含含含含含含含含含含含含含含含含含含含含含含含含	* * *	***				
* JUNCTION I	* JUNCTION INFLOW, OUTFLOW OR STREET FLOODING *	DR STRE	ET FLOODING *				
****	***************************************	* * * * *	****				
JUNCTION	INFLOW, CU M						
ਜ	7.0800E+05						
JUNCTION	_						
11	5.5374E+05						

* INITIAL SYSTEM VOLUME * TOTAL SYSTEM INFLOW VOLUME * INFLOW + INITIAL VOLUME ************************************	*	* INITIAL SYSTEM VOLUME = 7.2500E-03 CU M * 7.07AL SYSTEM INFLOW VOLUME = 7.0800E+05 CU M * 1NFLOW + INITIAL VOLUME = 7.0800E+05 CU M * ********************************	نا يو يو يو
* TOTAL SYSTEM OUTFLOW	u	5.5374E+05 CU M *	
* VOLUME LEFT IN SYSTEM	11	1.8466E+05 CU M *	
* OUTFLOW + FINAL VOLUME	H	7.3840E+05 CU M *	ı
****	* *	***************************************	J
* ERROR IN CONTINUITY, PERCENT	Ħ	+ 4.29 *	ı.

TEST WRITE OF ALTERNATIVE CONTINUITY ERROR CALCULATION VOLUME LEFT IN SYSTEM = 1.5432E+05 CU. FT. ERROR IN CONTINUITY PERCENT = -0.08

1	TIME OF LAST	OCCURRENCE	(HOURS)	1 1 1 1 1 1 1 1 1 1	00.0
SUMMARY OF FULL FLOW CHANNEL WARNINGS	TIME STEP OF LAST	OCCURRENCE			1
ARY OF FULL FLOW	TIME OF FIRST	OCCURRENCE	(HOURS)		0.00
NIMM SUMM	TIME STEP OF FIRST	OCCURRENCE			1
1 1 1 1 1	OPEN CHANNEL	NUMBER			н

PARABOLIC/POWER FUNCTION CONDUIT WHEN THE COMPUTED DEPTHS EXCEED MAXIMUM DEPTH. THIS WILL AFFECT THE MAXIMUM COMPUTED HEAD AND FLOWS IN THE MODEL. IT IS HIGHLY RECOMMENDED THAT THE MODELED CROSS SECTIONS BE EXTENDED THE PROGRAM USES FULL DEPTH CHANNEL CHARACTERISTICS TO COMPUTE FLOW THROUGH THE TRAPEZOIDAL, IRREGULAR, OR TO ELIMINATE THESE FULL FLOW CHANNEL WARNINGS

* JUNCTION SUMMARY STATISTICS

Detroit River International Crossing Lennon Drain Alternative 1B,2B Syphon - 100-Year Flow

MAXIMUM JUNCTION AREA (SQ.MET)	2.607E+04	2.575E+04	3.145E+04	3.726E+04	1.877E+04	1.668E+03	3.954E+03	5.581E+03	3.256E+03	5.390E+02	1.037E+03	9.870E+02	8.023E+02
LENGTH OF FLOODING (MIN)	0.0 2.0	0.0 2.5	0.0 3.	0.0 3.	0.0 1.8	0.0 1.	0.0 3.5	0.0 5.5	0.0 3.3	0.0 5.3	0.0 1.0	0.0	0.0 8.(
LENGTH OF SURCHARGE (MIN)	0.0	0.0	0.0	0.0	0.0	341.2	990.3	7.066	0.0	0.0	0.0	0.0	0.0
METERS MAX. DEPTH IS BELOW GROUND ELEVATION	0.48	1.45	1.45	1.45	1.45	1.72	1.83	1.98	2.39	2.29	2.46	2.63	3.21
METERS OF SURCHARGE AT MAX ELEVATION	00.00	00.00	00.00	00.00	00.00	0.11	10.27	10.42	00.00	00.00	00.00	00.00	00.00
TIME OF OCCURENCE HR. MIN.	0 0	16 40	16 40	16 40	16 40	15 1	15 1	15 0	4 40	15 0	15 1	15 1	15 1
	182.52	181.55	181.55	181.55	181.55	181.28	181.17	181.02	180.61	180.71	180.54	180.37	179.79
MAXIMUM JUNCTION JUNCTION AVERAGE ELEV. & CHANGE (M)	0.0231	0.0114	0.0093	0.0122	0.0176	1.4442	1.1602	0.9829	0.6701	0.2041	0.0629	0.0223	0.0197
MEAN JUNCTION SLEVATION (M)	181.24	181.24	181.24	181.23	181.23	180.94	180.81	180.68	180.47	180.58	180.42	180.25	179.69
UPPERMOST MEAN PIPE CROWN JUNCTION ELEVATION ELEVATION (M) (M)	182.61	182.47	182.33	182.13	181.93	181.17	170.90	170.60	180.96	181.18	181.03	180.88	180.73
GROUND JUNCTION ELEVATION NUMBER (M)	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00
JUNCTION NUMBER	T T	2	m	Þ	ហ	55	9	99	7	ω	6	10	11

CONDUIT SUMMARY STATISTICS

Detroit River International Crossing Lennon Drain Alternative 1B,2B Syphon - 100-Year Flow

SLOPE		(M/M)	0.00200	0.00200	0.00200	0.00200	0.00200	0.29343	0.00002	0.29600	0.00800	0.00200	0.00500	0.00200	
OF NORM	FLOW	(MIM)	28.7 0	4.4 0	2.8 0	0.7 0	17.0 0	9.4 0	0 9 0	0.0	108.4 0	17.2 0	8.5	0.0	
INV. AT CONDUIT ENDS	DOWNSTREAM	(M)	1.28	1.42	1.62	1.82	1.61	11.77	11.93	11.93	1.33	1.31	1.29	0.86	
INV. AT	UPSTREAM	(M)	2.11	1.28	1.42	1.62	1.82	1.61	12.07	1.15	1.15	1.33	1.31	1.29	
MAX. TO	DESIGN	FLOW	0.43	0.15	90.0	0.04	2.39	0.11	13.28	-0.11	0.69	0.50	0.49	0.49	
	RENCE	MIN.	0	0	2	4	28	2	56	↔	0	12	н	-	
OF	5	HR. 1	0	0	0	0	4	0	14	15	15	0	15	15	
COMPUTED	VELOCITY	(MPS)	2.04	1.47	0.88	0.68	3.94	7.84	2.50	-3.09	3.43	1.09	1.11	1.54	
	NCE	MIN	0	0	7	ማ	28	56	26	99	0	0	1	1	~
0 F	7	HR.	0	0	0	0	4	14	14	14	15	15	15	15	15
COMPUTED	FLOW	(CMS)	7.32E+02	2.50E+02	9.72E+01	7.55E+01	1.23E+01	1.13E+01	1.13E+01	-1.13E+01	1.17E+01	1.14E+01	1.13E+01	1.13E+01	1.13E+01
DESIGN VERTICAL	DEPTH	(M)	2.200	2.200	2.200	2.200	1.200	1.500	1.500	1.500 -1	1.500 1	1.800	1.800	1.800	UNDEF
DESIGN	VELOCITY	(M/S)	2.10	2.10	2.10	2.10	1.65	22.75	0.19	22.85	3.76	1.26	1.26	1.26	UNDEF
DESIGN	FLOW	(CWS)	1 1.69E+03	2 1.69E+03	3 1.69E+03	4 1.69E+03	5 5.14E+00	1.02E+02	6 8.48E-01	66 1.03E+02	7 1.69E+01	8 2.29E+01	9 2.29E+01	10 2.29E+01	UNDEF
	CONDUIT	NOMBER	1	2	3	4	2	55	9	99	7	8	6	10	90013

* SUBCRITICAL AND CRITICAL FLOW ASSUMPTIONS FROM *

* SUBROUTINE HEAD. SEE FIGURE 5-4 IN THE EXTRAN *

************************* MANUAL FOR FURTHER INFORMATION.

MAXIMUM	CROSS SECT AREA(SO.M)		435.2089	486.6992	549.5795	624.0876	3.1200	4.5000	4.5000	3.9726	3.6499	10.5079	10.2297	7.3254	
MAXIMUM	HYDRAULIC RADIUS (MET)		1.1857	1.3189	1.4797	1.6677	0.5899	0.7104	0.7045	0.7033	0.6718	0.7406	0.7306	0.6160	
TOTAL	FLOW CUBIC MET		7.2191E+05	6.9179E+05	6.4818E+05	5.8950E+05	5.5639E+05	5.5624E+05	5.5584E+05	0.0750 -5.5581E+05	5.5565E+05	5.5531E+05	5.5448E+05	5.5373E+05	5.5373E+05
	AVERAGE % CHANGE		0.0125	0.0059	0.0084	0.0168	3.2861	0.0759	9.0791	0.0750	0.8226	0.2413	0.0746	0.0247	
MEAN	FLOW (CMS)		12.03	11.53	10.80	9.82	9.27	9.27	9.26	-9.26	9.26	9.26	9.24	9.23	9.23
LENGTH DOWNSTR.	CRITICAL FLOW (MIN)	1 1 1 1 1 1 1 1	00.00	00.00	00.00	00.00	00.00	4.42	00.00	00.00	00.00	00.0	00.00	00.00	UNDEFINED
LENGTH LENGTH OF UPSTR, OF DOWNSTR	FLOW (MIN)		00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	UNDEFINED
LENGTH OF	FLOW (MIN)		1000.00	999.92	999.95	999.75	999.17	993.92	998.17	80.086	00.066	989.92	989.83	989.25	UNDEFINED
LENGTH	MIN)		00.00	0.08	0.08	0.25	0.83	1.67	1.83	9.92	10.00	10.08	10.17	10.75	UNDEFINED
STITUTION	NUMBER	1 1 1 1 1	ਜ	2	m	4	Ω.	55	9	99	7	æ	Q	10	90013

*	*	*	* * * *
* AVERAGE % CHANGE IN JUNCTION OR CONDUIT IS DEFINED AS:	* CONDUIT % CHANGE ==> 100.0 ($Q(n+1) - Q(n)$) / Qfull	* JUNCTION % CHANGE ==> 100.0 (Y(n+1) - Y(n)) / Yfull	**************************************
* AVERA	* CONDU	* JUNCT	*****

9.079 percent	1.444 percent
6 had	55 had
e Conduit with the largest average change	est average change
the large	the large
The Conduit with	The Junction with the largest average cha

===> Extended Transport model simulation ended normally.

===> SWMM 4.4GU simulation ended normally.
Always check output file for possible warning messages.

===> Your input file was named : PCTmpl.dat ===> Your output file was named: PCTmpl.out

*	******	*****	*****	*******	****************	*
*	Star	M 4.4GU	Simulati	on Date and	SWMM 4.4GU Simulation Date and Time Summary	*
*	******	****	******	******	***************************************	*
*	Starting Date November	Date	November	17, 2006		*
*		Time		9:35:20.890		*
*	Ending	Ending Date	November	17, 2006		*
*		Time		9:36: 1.700		*
*	Elapsed Time	Time		0.680	0.680 minutes.	*
*	Elapsed Time	Time		40.809	40.809 seconds.	*
×	*******	*****	*******	*****	****************************	*

Appendix A.2.4.3

Cahill Drain

, ,	

* Camp Dresser & McKee and Oregon State Univ. Compiled using Digital Visual Fortran 6.0 U.S. Environmental Protection Agency (SWMM) Release Date - November 23, 1999 Chuck Moore and Wayne Huber Storm Water Management Model Version 4.4GU CDM/OSU Beta

Developed by

(Now Camp, Dresser and McKee, Inc.) Water Resources Engineers, Inc. Metcalf & Eddy, Inc. University of Florida *********** September 1970

Distributed and Maintained by

 Center for Exposure Assessment Modeling (CEAM) * ******************* Athens Environmental Research Laboratory U.S. Environmental Protection Agency 960 College Station Road 30605-2720 Athens, GA

This is a new release of SWHM. If any problems occur executing this model system, contact Mr. Frank Stancil,

U.S. Environmental Protection Agency. 706/355-8328 (voice)

Or contact Wayne C. Huber at Oregon St. U. 541/737-6150 or wayne, huber@orst.edu e-mail: stancil@athens.ath.epa.gov

Or Michael F. Schmidt at Camp Dresser & McKee (904) 281-0170 SCHMIDTMF@CDM.COM ***********

Page 1

This is an implementation of EPA SWHM 4.4GU

- "Nature is full of infinite causes which
- have never occurred in experience" da Vinci +

-> Input to a Block File names by SWMM Block JIN

-> Output from a Block JOUT

JIN.UF 0 1 File # JIN for Block

PCTmp1.int

1 File #

JOUT for Block #

Scratch file names for this simulation.

SCRT3.UF SCRT4.UF SCRT1.UF SCRT2.UF SCRT5.UF SCRT6.UF SCRT7.UF SCRT8.UF 56 22 25 27 File # File # File # 7 File # File 2 File 5 File 6 File NSCRAT NSCRAT NSCRAT NSCRAT NSCRAT NSCRAT NSCRAT NSCRAT

Parameter Values on the Tapes Common Block

100 500 100 500 500 20 Number of Interface Locations for all Blocks (NIE).... 1000 Number of Subcatchments in the Runoff Block (NW)..... 1000 Number of Channel/Pipes in the Runoff Block (NG)..... 1000 Number of Groundwater Subcatchments in Runoff (NGW) ... Number of Elements in the Transport Block (NET)..... Number of Connections to Runoff Channels/Inlets (MCP). Number of Transport interface input locations (WTHI).. Number of Water Quality Constituents (MQUAL)..... Number of Runoff Land Uses per Subcatchment (NLU).... Number of Transport interface output locations (NTHO). Mumber of Storage Junctions in Transport (NTSE).....

Number of Transport input locations on R lines (NTHR).

- * Entry made to the EXTENDED TRANSPORT MODEL (EXTRAN)
- * developed 1973 by Camp, Dresser and McKee (CDM) with * modifications 1977-1991 by the University of Florida. *
- * Most recent update: March 1999 by CDM, Oregon
- * State University, and XP Software, Inc.
- +
- * "Smooth runs the water where the brook is deep."
- Shakespeare, Henry VI, II, III, 1

+ + +

WASHINGTON, D.C.	ANALYSIS MODULE	* * * * * * * * * * * * * * * * * * *	CAMP DRESSER & MCKEE INC. ANNANDALE, VIRGINIA
Detroit River International Crossing Wolfe/Cahill Drain Existing Condition	sing ition - 100-Year Flow		
Control information for simulation			
Integration cycles	1440		
Length of integration step is	5.00 seconds 2.00 hours		
Do not create equiv. pipes(NEQUAL).	0		
Use metric units for I/O			
Printing starts in cycle	1		
Intermediate printout intervals of. Intermediate printout intervals of.	1 cycles 0.08 minutes		
Summary printout intervals of Summary printout time interval of	1 cycles 0.08 minutes		
Hot start file parameter (JREDO)	0		
tal time (TZERO)is time displacement from JIN	0.00 hours interface file starting date/time when		
This also describes starting hour in lines are used.	ın K3 line nydrograph input when K3		
Nome, Initial date (IDAT2) 19	19060714 (yr/mo/day)		
unless IDATZ is negative.			
<pre>Iteration variables: ITMAX SURTOL</pre>	30 0.0500		
Default surface area of junctions	1.22 square meters.		
EXTRAM VERSION 3.3 SOLUTION. (ISOL = 0). Sum of junction flow is zero during surcharge.	= 0). surcharge.		

0 NJSW INPUT HYDROGRAPH JUNCTIONS.... INTERMEDIATE HEADER LINES ARE PRINTED AS IN ORIGINAL PROGRAM

IDS ARE WRITTEN AS IN ORIGINAL PROGRAM

CONDUIT LENGTHS ON C1 LINE MUST EQUAL IRREGULAR SECTION LENGTH ENTERED ON THE C3 OR X1 LINES (IMLEN = 0)

JELEV = 0 (DEFAULT). STANDARD INPUTS ARE DEPTHS NOT ELEVATIONS

JDOWN = 0 - Minimum of normal or critical depth will be used at free outfalls (II).

Characteristic depth for M2 and S2 water surface profiles will be computed as in previous versions of EXTRAN (IM2 = 0).

SEDIMENT DEPTHS WILL NOT BE READ FROM C1 LINES

Intermediate continuity output will not be created

	1 1 1 1 1 1 1 1 1		!	
ENVIRONMENTAL PROTECTION AGENCY	: :	EXTENDED TRANSPORT PROGRAM ****	* * *	WATER RESOURCES DIVISION
WASHINGTON, D.C.	; ;		† † †	CAMP DRESSER & MCKEE INC.
	* * * *	ANALYSIS MODULE	, , ,	ANNANDALE, VIRGINIA

Wolfe/Cahill Drain Existing Condition - 100-Year Flow Detroit River International Crossing

	INVERT HEIGHT TRAPEZOID ABOVE JUNCTIONS SIDE SLOPES		2.00 2.00	2.00 2.00	2.00 2.00	2.00 2.00	
	ĸ	!	2	3	4	r.	9
	JUNCTIONS AT THE ENDS		-	C!	т	4	5
	DEPTH (M)	1 1 1	2.26	2.26	2.26	2.26	1.50
	MANNING MAX WIDTH COEF. (H)		0.91	0.91	0.91	0.91	4.50
* + + + + + + + + + + + + + + + + + + +	MANNING MAX W COEF. (H)	1 1 1 1 1	0.03500	0.03500	0.03500	0.03500	0.01500
* * * * * * * * * * * *	AREA (SQ N)		12.27	12.27	12.27	12.27	6.75
Conduit Data	CONDUIT	1 1 1 1 1 1	100. TRAPEZOID	100. TRAPEZOID	100. TRAPEZOID	100. TRAPEZOID	40. RECTANGLE
00	LENGTH (M)	 	100.	100.	100.	100.	40.
* * * * * * * * * *	CONDUIT	 - - - - -	r1	2	m	Þ	5
+ + + + + +	INP		ī	2	m	4	S

0	0	0	0	0
2.00	2.0	2.00	2.00	2.00
2.00	2.00	2.00	2.00	2.00
7	83	on.	10	11
9	7	8	σι	10
2.26	2.26	2.26	2.26	2.26
0.91	0.91	0.91	0.91	0.91
0.03500	0.03500	0.03500	0.03500	0.03500
12.27	12.27	12.27	12.27	12.27
100. TRAPEZOID	100, TRAPEZOID	100. TRAPEZOID	100. TRAPEZOID	100. TRAPEZOID
9	7	8	Ø	10
9	7	œ	б	10

Prolix - Wolfe-Cahill Drain - Existing .out

* Conduit Volume *

++++++++++++++++++

* Condult Volume * **********

Input full depth volume...... 1.1315E+04 cubic meters

CAMP DRESSER & MCKEE INC. WATER RESOURCES DIVISION ANNANDALE, VIRGINIA + + + + + + EXTENDED TRANSPORT PROGRAM ANALYSIS MODULE + + + + + + + * * * ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C.

Detroit River International Crossing Wolfe/Cahill Drain Existing Condition - 100-Year Flow

CONNECTING CONDUITS		2	m	w	Ŋ	9	7	80	6	10	
CONNECT		1	2	m	4	5	9	7	æ	ΦΊ	10
INITIAL DEPTH(M)	0.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
OINST	12.10	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
INVERT ELEV.	179.48	179.24	179.00	178.76	178.52	178.42	178.18	177.94	177.70	177.46	177.22
CROWN ELEV.	181.74	181,50	181.26	181.02	180.78	180.68	180.44	180.20	179.96	179.72	179.48
GROUND ELEV.	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00
JUNCTION NUMBER	1	2	m	4	ις	9	7	8	a	10	11
INP	:	0	т	4	Ŋ	9	7	80	σ	10	11

* FREE OUTFALL DATA (DATA GROUP II) *

* BOUNDARY CONDITION ON DATA GROUP JI *

OUTFALL AT JUNCTION... 11 HAS BOUNDARY CONDITION NUMBER...

CAMP DRESSER & MCKEE INC. WATER RESOURCES DIVISION ANNANDALE, VIRGINIA * * * + + + + + + + EXTENDED TRANSPORT PROGRAM ANALYSIS MODULE * * * + + + * * * ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C.

Detroit River International Crossing Wolfe/Cahill Drain Existing Condition - 100-Year Flow

* INTERNAL CONNECTIVITY INFORMATION

 * BOUNDARY CONDITON INFORMATION *

DATA GROUPS J1-J4

BC NUMBER.. 1 HAS NO CONTROL WATER SURFACE. TZERO = 1906195 0.0000000E+00

* INITIAL MODEL CONDITION

* INITIAL TIME = 0.00 HOURS *

179.00 178.42 177.70 0.00 / 0.00 / 0.00 / 19 ===> "+" JUNCTION IS SURCHARGED. 177.94 178.52 177.22 179.24 / 00.0 00.00 / 00.0 0.00 / 2/ 5/ 8/ 11/ JUNCTION / DEPTH / ELEVATION 178.76 179.48 178.18 177.46 0.00 / / 00.0 00.00 0.00 / 4/ 11 10/

	00.00	00.00			00.00	00.00			00.00	00.00			00.00	00.00			178.76	178.18	177.46	
	4/	/8			4/	/8			4/	/8			4/	/8			179.00/	178.42/	177.70/	
OPTION.	00.00	00.00	0.00		00.00	00.00			00.00	00.00			00.00	00.00			3/	/9	16	
THE NORMAL FLOW OPTION.	3/	11	90011/		3/	11			3/	11			3/	11			179.00	178.42	177.70	
	0.00	00.00	0.00		0.00	0.00	0.00		0.00	00.00	00.0		0.00	00.00	00.00	NO.	179.24/	/ 178.52/	/ 177.94/	
"." CONDUIT USES	27	/9	10/		2./	/9	10/	REA	2/	/9	10/		2/	/9	10/	CONDUIT/ UPSTREAM/ DOWNSTREAM ELEVATION	4 2/	2 5/	/8 8/	2
FLOW ===>	0.00	0.00	00.00	TY	00	00	00.00	SECTIONAL AREA	00.00	00.00	00.00	C RADIUS	00.00	0.00	0.00	/ DOWNSTRE	/ 179.24	/ 178.52	/ 177.94	/ 177.22
FIL				VELOCITY		00.00		CROSS SE				CONDUIT/ HYDRAULIC RADIUS				UPSTREAM	179.48/	178.76/	178.18/	177.46/
CONDUIT/	1/	19	/6	CONDUIT/	1/	/9	16	CONDUIT/ CROSS	1/	15	/6	CONDUIT/	1/	19	/6	CONDUIT/	1/	4/	11	10/

* FINAL MODEL CONDITION

2.00 HOURS + * FINAL TIME =

>>> ENDING DATE AND TIME OF EXTRAM RUN ARE:

JULIAN DATE: 1906195

YR/MO/DA: 1906/ 7/14

TIME OF DAY: 2.000 HRS

	180.89	180.32	179.58	
	1.89 /	1.90 /	1.88 /	
HARGED.	3/	/9	/6	
"+" JUNCTION IS SURCHARGED.	181,14	180.38	179.83	178.51
*" JUNCTI	2/ 1.90 / 181.14	1.86 / 1	/ 1.89 / 1	1.29 /
- < H H H	27	2/	/8	11/
/ ELEVATION	1.90 / 181.38	180.64	180.08	179.33
\	/ 0	/ 8;	/ 0	1 6
DEPTH	-	/ 1.88 / 1	1.90 / 1	1.87 /
JUNCTION / DEPTH	1/	4/	11	10/

12.10 4/ ===> " +" CONDUIT USES THE NORMAL FLOW OPTION. 12,10 3/ 12.10 27 FLOW CONDUIT/

19	12.10	/9	12.10	0.	11	12.10	/8	12.10	
16	12.10	10/	12.10		90011/	12.10			
CONDUIT/	VELOCITY								
1/	1.36	27	1.36	9.	3/	1.37	4/	1.39	
5/	1.79	/9	1.36	9.	11	1.36	/8	1.37	
16	1.38	10/	1.89	6					
/TIUGNO	CONDUIT/ CROSS SECTIONAL AREA	IONAL AREA							
1/	8.92	2/	8.89	6	3/	8.84	4/	8.70	
5/	6.75	/9	8.92	21	11	8.90	/8	8.85	
16	8.75	10/	6.41	1					
CONDUIT/	FINAL VOLUME	UME							
1/	891.86	27	889.28	8	3/	883.55	4/	870.33	
2/	270.00	/9	892.25	5	11	890.12	/8	885.41	
/6	874.71	10/	641.08	81					
CONDUIT/	HYDRAULIC RADIUS	RADIUS							
1/	0.95	2/	0.95	5	3/	0.95	4/	0.94	
2/	0.56	/9	0.95	35	11	0.95	/8	0.95	
16	0.94	10/	0.80	01					
CONDUIT/	UPSTREAM/ 1	UPSTREAM/ DOWNSTREAM ELEVATION	/ATION						
1/	181.38/	181,14	27	181.14/	180.89	3/	/68.081 /	180.64	
4/	180.64/	180.38	5/	180.38/	180.32	/9	/ 180.32/	180.08	
11	180.08/	179.83	/8	179.83/	179.58	16	/ 179.58/	179.33	
10/	179.33/	178.51							

tep 6	tion 2890	ep 2.01	on 10	lation 3.97E-02 cms	tion 1440
Maximum number of iterations in a time step	Total number of iterations in the simulation.	Average number of iterations per time step	Surcharge iterations during the simulation	Maximum surcharge flow error during simulation 3.97E-02 cms	Total number of time steps during simulation

•

Page 9

TIME (MM) CONDUIT # TIME (MM) TIME (FOR	0.F	_ *	STEP.			
OUNDUIT # TIME(MN) CONDUIT # TIME(SECONDUIT # TIM	리 + 리 +							
0.00		TIME (MN)		TIME (MN)		TIME (MM) CONDUI	rat:	E (MN)
0.00 6 0.00 7 0.00 8	1	0.00	3	00.0	۳ ا	0.00	4	00.0
0.00 10 0.00 COUDUIT COURANT CONDITION SUMMARY =	υ	00.00	9	00.00	7	00.00	œ	00.00
COMBUIT COURANT CONDITION SUBMARY =	თ	00.00	10	00.00				
CONDUIT COURANT CONDITION SURMARY =	*****	* * * * * * * * * * * * * * * * * * * *	* * * *	* * * * * * * * * * * * * * * * * * *	* * * *			
= CONDUIT LENGTH	ŏ		RANT CONDIT	ION SUMMAR	, >4			
= CONDUIT LENGTH	* * * * * * * * * * * * * * * * * * * *	*	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	* * * * * * * * * * *	* * * * * * *			
VELOCITY + SQRT(GRVT'AREA/WIDTH) . COURANT CONDITION TIME STEP(SECONDS) . 21.85			CONDUIT	LENGTH	+ +			
COURANT CONDITION TIME STEP (SECONDS) + TIME (SEC) CONDUIT # TIME (SEC)		l	+	T.AREA/WI				
TIME(SEC) CONDUIT # TIME(SEC)	AVERAGE CO	OURANT CON	DITION TIME	STEP (SECO)				
12.05 6 29.42 7 42.38 8 33.44 10 56.77 ONTINUITY BALANCE AT THE LAST TIME STEP INFLOW, OUTFLOW, CU M M INFLOW, CU M M OUTFLOW, CU M M OUTFLOW, CU M J 8.7120E+04 M OUTFLOW, CU M J 3.6105E+01	: -	21.85		21.96	: ! m	23.41	1	30.44
12.05			: (r		c	1
ONTINUITY BALANCE AT THE LAST TIME S	n on	33.44	10	56.77	•	97.30	o	
ONTINUITY BALANCE AT THE LAST TIME S	+ + + + + + + +	+ + + + + + + + + + + +	****	* + *	+			
INFLOW, OUTFLOW OR STREET FLOODING N INFLOW, CU M B 7120E+04 N OUTFLOW, CU M 1 3.6105E+01	EXTRAN		AT	LAST				
INELOW, OUTFLOW OR STREET FLOODING INFLOW, CU M B.7120E+04 N OUTFLOW, CU M 1 3.6105E+01	<i>*</i>	* * *	* * * * * * * * * * * * * * * * * * *	+ + + + +	÷			
INFLOW, OUTFLOW OR STREET FLOODING N INFLOW, CU M B.7120E+04 N OUTFLOW, CU M 1 3.6105E+01	* * * * * * * * * * * * * * * * * * * *		*	+				
M INFLOW, CU M 1 8.7120E+04 M OUTFLOW, CU M 1 3.6105E+01			OR	RET FLOOD				
1NFLOW, 8.7120E OUTFLOW, 3.6105E	*		* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *			
8.7120E OUTFLOW,	JUNCTION	INFLOW,	CO					
OUTFLOW,	1		 E+04					
3.6105	JUNCTION							
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
		3,6105	E+01					

7.9703E+04

* INITIAL SYSTEM VOLUME	H	9.4000E-03 CU M ·	•
* TOTAL SYSTEM INFLOW VOLUME	IME =	8.7120E+04 CU M	•
* INFLOW + INITIAL VOLUME	3	8.7120E+04 CU M	*
**************************************	* * * * * * * * * * * * * * * * * * * *	*****	:
* TOTAL SYSTEM OUTFLOW	II	7.9739E+04 CU M	,
* VOLUME LEFT IN SYSTEM	11	8.0054E+03 CU M	•
* OUTFLOW + FINAL VOLUME	H	8.7744E+04 CU M	•
*******************	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	;
* ERROR IN CONTINUITY, PERCENT	CENT =	-0.72	*
*********	* * * * * * * * * *	+++++++++++++++	* *

TEST WRITE OF ALTERNATIVE CONTINUITY ERROR CALCULATION 7.3918E+03 CU. FT. -0.12 ERROR IN CONTINUITY PERCENT = VOLUME LEFT IN SYSTEM

TIME OF LAST OCCURRENCE (HOURS) 0.01 SUMMARY OF FULL FLOW CHANNEL WARNINGS -TIME STEP OF LAST OCCURRENCE TIME OF FIRST OCCURRENCE (HOURS) 00.0 TIME STEP OF FIRST OCCURRENCE OPEN CHANNEL NUMBER

PARABOLIC/POWER FUNCTION CONDUIT WHEN THE COMPUTED DEPTHS EXCEED MAXIMUM DEPTH. THIS WILL AFFECT THE MAXIMUM COMPUTED HEAD AND FLOWS IN THE MODEL. IT IS HIGHLY RECOMMENDED THAT THE MODELED CROSS SECTIONS BE EXTENDED THE PROGRAM USES FULL DEPTH CHANNEL CHARACTERISTICS TO COMPUTE FLOW THROUGH THE TRAPEZOIDAL, IRREGULAR, OR TO ELIMINATE THESE FULL FLOW CHANNEL WARNINGS

SUMMARY + JUNCTION

STATISTICS

Wolfe/Cahill Drain Existing Condition - 100-Year Flow Detroit River International Crossing

MAXIMUM	JUNCTION	AREA
LENGTH	OF	FLOODING
LENGTH	OF	SURCHARGE
METERS MAX.	DEPTH IS	BELOW GROUND
METERS OF	SURCHARGE	AT HAX
TIME	OF	AVERAGE ELEV. OCCURENCE AT MAX B
MANIBUE	JUNCTION	ELEV.
	JUNCTION JUNCTION	AVERAGE
HEAN	JUNCTION	SLEVATION
UPPERMOST	SROUND PIPE CROWN	UNCTION ELEVATION ELEVATION ELEVATION
	GROUND	ELEVATION
		JUNCTION

£ ¦											
(SQ.MET)	2.438E+03	1.701E+03	8,485E+02	8.444E+02	5.098E+02	5.162E+02	8.506E+02	8.491E+02	8.457E+02	8.110E+02	6.651E+02
(MIN)	0.2	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0
(MIN)	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ELEVATION	00.00	1.86	2.11	2.36	2.62	2.68	2.92	3.17	3.41	3.67	4.49
ELEVATION	1.26	00.0	00.00	00.0	00.0	00.00	0.00	00.00	00.0	00.0	00.00
HR. MIN.	0	54	22	55	4	4	4	ß	23	σ	40
HR.	0	0	Т	Т	1	,1	, (٦	~	,	~
(H)	183.00	181.14	180.89	180.64	180.38	180.32	180.08	179.83	179.59	179.33	178.51
% CHANGE	0.1772	0.0655	0.0638	0.0664	0.0705	0.0716	0.0614	0.0610	0.0604	0.0598	0.0414
(M)	181.38	181.12	180.86	180.60	180.31	180.25	179.99	179.73	179.46	179.19	178.41
(M)	181.74	181.50	181.26	181,02	180.78	180.68	180.44	180.20	179.96	179.72	179.48
NUMBER (M)	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00	183.00
NUMBER	1	2	m	4	τ.	9	7	8	o,	10	11

STATISTICS

SUMMARY

+ CONDUIT

Wolfe/Cahill Drain Existing Condition - 100-Year Flow Detroit River International Crossing

LENGTH COMBUIT	1 SLOPE		(M/M)	1 1 1 1 1 1	0.00240	0.00240	0.00240	0.00240	0.00250	0.00240	0.00240	0.00240	0.00240	0.00240	
LENGTH	OF NORM	FLOW	(MIM)	1	0.2	0.1	0.8	0.0	0.4	0.0	0.0	0.0	0.0	0.0	
MAXIMUM DEPTH ABOVE	INV. AT CONDUIT ENDS	DOWNSTREAM	(M)		1,90	1.89	1.88	1.86	1.90	1.90	1,89	1.89	1.87	1.29	
	INV. AT	UPSTREAM	(M)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3.52	1.90	1.89	1.88	1.86	1.90	1.90	1.89	1.89	1.87	
RATIO OF	MAX. TO	DESIGN	FLOW	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.89	0.70	99.0	0.71	0.87	0.66	0.66	0.66	0.66	0.66	
ы		OCCURRENCE	MIN.	1 1 1	0	1	2	ঘ	m	Ŋ	છ	7	8	41	
TIME	OF	OCCUR	HR. MIN.		0	0	0	0	0	0	0	0	0	7	
MAXIMUM	COMPUTED	VELOCITY	(MPS)	1 1 1 1	2.47	2,11	2.02	2.08	2.30	1.96	1.85	1.86	1.83	1.89	
[L]		NCE	MIN.	1 1	0	2	ю	4	4	28	47	28	23	40	40
TIME	OF	OCCURRENCE	HR. M	1 1 1 1 1 1 1 1	0	0	0	0	0	1	1	1	П	1	7
MAXIMUM	COMPUTED	FLOW	(CMS)	1 1 1	1,64E+01	1.29E+01	1.22E+01	1.31E+01	1.33E+01	1.21E+01	1.21E+01	1.21E+01	1.21E+01	1.21E+01	1.21E+01
CONDUIT	VERTICAL	DEPTH	(E)	1 1 1 1 1 1	2.260	2.260	2.260	2.260	1.500	2.260	2,260	2.260	2.260	2.260	UNDEF
	DESIGN	VELOCITY	(M/S)	1 1 1 1	1.50	1.50	1.50	1.50	2.27	1.50	1.50	1.50	1.50	1.50	UNDEF
	DESIGN	FLOW	(CMS)	1	1 1.85E+01	2 1.85E+01	3 1.85E+01	4 1.85E+01	5 1.53E+01	6 1.85E+01	7 1.85E+01	8 1.85E+01	9 1.85E+01	10 1.85E+01	UNDEF
		CONDUIT	NUMBER		7	2	m	4	ເກ	9	7	80	on	10	90011

* SUBCRITICAL AND CRITICAL FLOW ASSUMPTIONS FROM *

* SUBROUTINE HEAD. SEE FIGURE 5-4 IN THE EXTRAH *

	MAXIMUM CROSS SECT AREA(SQ.M)	8.9187 8.8929 8.8356 8.7034 6.7500 8.9225 8.9013 8.8543 6.4109	
	MAXIMUM HYDRAULIC RADIUS (MET)	0.9497 0.9483 0.9382 0.9499 0.9488 0.9463 0.9405	
	TOTAL FLOW CUBIC MET	8.7187E+04 8.6267E+04 8.5367E+04 8.4494E+04 8.3829E+04 8.2361E+04 8.2361E+04 7.9702E+04 7.9702E+04	•
	AVERAGE % CHANGE	0.1154 0.0763 0.0763 0.0842 0.0648 0.0502 0.0459 0.0459 percent	
	MEAN FLOW (CMS)	12.11 11.98 11.86 11.74 11.56 11.44 11.32 11.07 11.07 11.07	
* * * * * * * * * * * * * * * * * * *	LENGTH OF DOWNSTR. CRITICAL FLOW(MIN)	0.00 0	
R FURTHER INFORMATION.	LENGTH OF UPSTR. (CRITICAL FLOW (MIN)	120.00 0.00 0.00 119.92 0.00 0.00 119.92 0.00 0.00 0.00 119.08 0.00 0.00 0.00 118.42 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	2006 19.300 2006 53.630
, E :	LENGTH OF SUBCRITICAL FLOW (MIN)	120.00 119.92 119.92 119.67 119.08 119.08 118.42 117.67 116.08 115.08 NDEFINED	16, 16, 16, 16,31:9
MANUAL	LENGTH OF DRY S	1 0.00 120.00 0.00 0.00 0.00 0.00 0.00 0	Date November Time Date November Time
* *	CONDUIT	1 2 3 4 5 6 7 8 8 9 10 90011 UNDEF 90011 UNDEF * AVERAGE & CHANGE * JUNCTION & CHANGE * The Junction with * SWMM 4.4GU & * S	* Starting Date Time Ending Date

Profix - Wolfe-Cabill Orain - Existing .out

* Elapsed Time... * Elapsed Time...

0.072 minutes.

+ U.S. Environmental Protection Agen:y

Storm Water Management Model (SWM I)

Version 4.4GU

Release Date - November 23, 199 !

Camp Dresser & McKee and Oregon State Univ.

Chuck Moore and Wayne Huber

Compiled using Digital Visual Fortra: 6.0 .

Developed by

Distributed and Maintained by

. U.S. Environmental Protection Ag 'ncy '
Center for Exposure Assessment Modeling (CEAM) '
Athens Environmental Research Laboratory '
960 College Station Road '
Athens, GA 30605-2720 '

This is a new release of SWHM. If any problems occur executing this mod:1
system, contact Mr. Frank Stancil
U.S. Environmental Protection Age:cy.
706/355-8328 (voice)
e-mail: stancil@athens.ath.epa.go.
Or contact Mayne C. Huber at Oreg n 74. U.*
541/737-6150 or wayne.huber@orst. do
Or Michael F. Schmidt at Camp Dre see 8

- - "Nature is full of infinite causes which
- have never occurred in experience" da Vinci *

-> Input to a Block File names by SWHM Block JIN

-> Output from a Block

Scratch file names for this simulation.

PCTmp1.int

1 File # 1 File #

JOUT for Block # JIN for Block #

JIN.UF

0

SCRT3.UF SCRT1.UF SCRT2, UF File 2 File File NSCRAT NSCRAT NSCRAT

SCRT4.UF SCRT5.UF SCRT6.UF SCRT7.UF SCRT8.UF 56 24 4 File # File # 5 File # 7 File # 6 File NSCRAT NSCRAT NSCRAT NSCRAT NSCRAT Parameter Values on the Tapes Common Block

100 100 200 500 Number of Channel/Pipes in the Runoff Block (NG:..... 1000 20 20 Number of Interface Locations for all Blocks (W:E).... 1000 500 Number of Subcatchments in the Runoff Block (NW)..... 1000Number of Groundwater Subcatchments in Runoff (:IGM)... Number of Connections to Runoff Channels/Inlets (MCP). Number of Elements in the Transport Block (NET)..... Number of Storage Junctions in Transport (WTSE)..... Number of Transport interface input locations (UTHI).. Number of Transport interface output locations (WTHO). Number of Runoff Land Uses per Subcatchment (NLJ)..... Number of Water Quality Constituents (MQUAL)......

Number of Transport input locations on R lines (WTMR).

- * developed 1973 by Camp, Dresser and McKee (CDM) with * Entry made to the EXTENDED TRANSPORT NODEL (EXTRAN)
 - * modifications 1977-1991 by the University of Florida.
- * Most recent update: March 1999 by CDM, Oregon
- * State University, and XP Software, Inc.
- * "Smooth runs the water where the brook is deep."
- Shakespeare, Henry VI, II, I'I, 1

• ENVIRONMENTAL PROTECTION AGENCY

EXTENDED TRANSPORT PROGRAM

no.
norld
Ś
28
18,
1
Drain
=
÷
- (``
7
0
Ĉ
₹
-
2
ď
-

SHINGTON, D.C.	****	* * *	CAMP DRESSER & MCKEE INC.
* * * *	ANALYSIS MODULE	· · ·	ANNANDALE, VIRGINIA

Detroit River International Crossing Wolfe/Cahill Drain Alternative 1B,2B Syphon · 100-Year Flow

Control information for simulation

Integration cycles	1440
Length of integration step is	5.00 seconds 2.00 hour;
Do not create equiv. pipes(NEQUAL).	0
Use metric units for I/O	1
Printing starts in cycle	1
Intermediate printout intervals of. Intermediate printout intervals of.	1 cycl s 0.08 minu es
Summary printout intervals of Summary printout time interval of	1 cycl s 0.08 minu es
Hot start file parameter (JREDO)	0
Initial time (TZERO) 0.00 h This is time displacement from JIN interface	0.00 hour:
te file is used.	
This also describes starting hour in	describes starting hour in K3 line hydrograph input when K3
lines are used.	
Initial date (IDATZ)15	
NOTE: Initial date from JIN interface	interface file will be used, if accessed,
unless IDATZ is negative.	

Iteration variables: ITMAX..... 30 SURTOL..... 0.0500

Default surface area of junctions.. 1.22 square meters.

EXTRAH VERSION 3.3 SOLUTION. (ISOL = 0).

Sum of junction flow is zero during surcharge.

NORMAL FLOW OPTION WHEN THE WATER SURFACE SLOPE IS LESS THAN THE GROUND SURFACE SLOPE (KSUPER=0)....

NJSW INPUT HYDROGRAPH JUNCTIONS.... 0

INTERMEDIATE HEADER LINES ARE PRINTED AS IN ORIGINAL PROGRAM

IDS ARE WRITTEN AS IN ORIGINAL PROGRAM

CONDUIT LENGTHS ON C1 LINE MUST EQUAL IRREGUAR SECTION LENGTH ENTERED ON THE C3 OR X1 LINES (IWLEN = 0)

JELEV = 0 (DEFAULT). STANDARD INPUTS ARE DEFIHS NOT ELEVATIONS

JDOWN = 0 - Minimum of normal or critical death will be used at free outfalls (I1).

Characteristic depth for M2 and S2 water surface profiles will be computed as in previous versions of EXTRAN (IM2 = 0).

SEDIMENT DEPTHS WILL NOT BE READ FROM C1 LINES

Intermediate continuity output will not be cleated

CAMP DRESSER & MCKEE INC. WATER RESOURCES DIVISION ANNANDALE, VIRGINIA * * * * + EXTENDED TRANSPORT PROGRAM ANALYSIS MODULE ÷ • • • • + + + * * * ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C.

Detroit River International Crossing Wolfe/Cahill Drain Alternative 1B,2B Syphon · 100-Year Flow

TRAPEZOID	SIDE SLOPES		2.00	2.00	2.00	2.00	2.00
TR	SID	1 1 1	2.00	2.00	2.00	2.00	2.00
INVERT HEIGHT	ABOVE JUNCTIONS						
OMS	EHDS	1 1 1	63	٣	4	ស	55
JUNCTIONS	AT THE EMDS	1 1 1 1 1 1	1	64	т	T	5
DEPTH	(H)	1 1 1	2.26	2.26	2.26	2.26	1.50
AX WIDTH	(H)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.91	0.91	0.91	0.91	4.50
MANNING MAX WIDTH	OEF.	1 1 1 1 1 1 1 1 1	0.3500	0.13500	0.13500	0.13500	0.11500
AREA	(SQ M)	1	12.27	12.27	12.27	12.27	11.25 0.15
CONDUIT	CLASS	1 1 1 1 1 1 1 1 1	100, TRAPEZOID	100. TRAPEZOID	100. TRAPEZOID	70. TRAPEZOID	5 30. TRAPEZOID
LENGTH	(H)	1 1 1 1	100.	100.	100.	70.	30.
INP CONDUIT	NUMBER	1 1 1	Н	7	m	7	រេ
INP	MUM	1		2	ı m	4	. rv

ont
Syphon.
B,2B
$\overline{\omega}$
1
Drain
Jolfe-Cahill
>
Prolix

			?:	2.	2,	%	2.
			2.00	2.00	2.00	2.00	2.00
Q Q	9	7.7	٢	æ	6	10	11
55	99	9	77	7	80	σ	10
1.50	1.50	1.50	1.50	2.26	2.26	2.26	2.26
4.50	4.50	4,50	4.50	0.91	0.91	0.91	0.91
0.01500	0.01500	0.31500	0.01500	0.01500	0.33500	0.03500	0.33500
6.75	6.75	6.75	11.25	12.27	12.27	12.27	12.27
RECTANGLE	RECTANGLE	15. RECTANGLE	TRAPEZOID	TRAPEZOID	TRAPEZOID	TRAPEZOID	TRAPEZOID
15.	50.	15.	30.	70.	100.	100.	100.
55	99	9	77	7	80	6	10
9	7	œ	െ	10	11	12	13

00.00.00.00

===> WARMING !!! (C*DELT/LEN) IN CONDUIT 55 IS 1.3 P

55 IS 1.3 AT FULL DEPTH.

===> WARNING !!! (C*DELT/LEN) IN CONDUIT

6 IS 1.3 AT FULL DEPTH.

* Conduit Volume *

Input full depth volume...... 1.0296E+01 cubic meters

Conduit #... 66 has zero slope. 0.001 feet added to upstream invert.

have been reversed to correspond to the positive flow and decreasing slope EXTRAN convention. A negative flow in the output thus means the flow was from your original upstream junction to your original downstream junction. Any initial flow has been multiplied by -1. mames Warning !! The upstream and downstream junctions for the following conduits

1. Conduit #... 6 has been changed.

* * * + * + * + + + EXTENDED TRANSPORT PROGRAM ANALYSIS MODULE * * * * * * * * * * * * ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C.

WATER RESOURCES DIVISION CAMP DRESSER & MCKEE INC.

ANNANDALE, VIRGINIA

Detroit River International Crossing Wolfe/Cahill Drain Alternative 18,28 Syphon - 100-Year Flow

-

INP JUNCTION GROUND CROWN LIVERT ZIHST HUM HUMBER ELEV. ELEV. CHS

CONNECTING CONDUITS

INITIAL

DEPTH (M)

Page 6

| Syphon.out |
|--------------|
| - 1B,2B |
| Drain |
| Wolfe-Cahill |
| Prolix - |

| | 2 | ٣ | 4 | Z. | 55 | 99 | 9 | 77 | 7 | 8 | σ | 10 | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1 | | 2 | ٣ | 4 | 2 | 55 | 99 | 9 | 77 | 7 | ထ | 6 | 10 |
| 00.00 | 00.00 | 00.00 | 00.0 | 00.0 | 00.00 | 0.00 | 00.00 | 0.00 | 00.0 | 00.00 | 00.00 | 00.00 | 00.00 |
| 2.10 | 00.0 | 00.0 | 00.0 | 00.00 | 00.0 | 00.0 | 00.00 | 00.0 | 00.0 | 00.0 | 00.0 | 0.00 | 00.00 |
| 179.44 | 179.20 | 178.96 | 178.72 | 178.56 | 178.48 | 172.44 | 172.44 | 178.46 | 178.38 | 178.22 | 177.98 | 177.74 | 177.50 |
| 181.70 | 181.46 | 181.22 | 180.98 | 180.82 | 179.98 | 173.94 | 173.94 | 179.96 | 180.64 | 180.48 | 180.24 | 180.00 | 179.76 |
| 183.00 | 183.00 | 183.00 | 183.00 | 183.00 | 183.00 | 183.00 | 183.00 | 183.00 | 183.00 | 183.00 | 183.00 | 183.00 | 183.00 |
| 1 | 2 | m | 4 | 5 | 55 | 99 | 9 | 77 | 7 | ထ | 6 | 10 | 11 |
| 1 | 2 | ო | 4 | z, | 9 | 7 | ω | 6 | 10 | 11 | 12 | 13 | 14 |

FREE OUTFALL DATA (DATA GROUP 11)

BOUNDARY CONDITION ON DATA GROUP J1

11 HAS BOUNDARY C NUDITION NUMBER... OUTFALL AT JUNCTION

+ + + + † † † + + + EXTENDED TRANSPORT PROGRAM ANALYSIS MODULE * * * * * * +++ ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C.

CAMP DRESSER & MCKEE INC. WATER RESOURCES DIVISION

ANNANDALE, VIRGINIA

Wolfe/Cahill Drain Alternative 1B,2B Syphon · 100-Year Flow Detroit River International Crossing

INTERNAL CONNECTIVITY INFORMATION

JUNCTION 0 JUNCTION 11 COMDUIT 90014 **** ********************************

BOUNDARY CONDITON INFORMATION

DATA GROUPS J1-J4

1 HAS NO CONTROL WATER SURFA :E. BC NUMBER.. TZERO =

| | | | | | | | | | - | | | | | | | | | | | - | | | | | | | |
|---------------|-----------|-----------|-----------|-----------|----------|------------------------|-------|-------|-------|--------|----------|-------|-------|-------|-------|----------------|-------|-------|-------|-------|---------------------------|-------|-------|-------|-------|---|----------|
| | 178.96 | 178.48 | 178.46 | 177.98 | | | 00.00 | 00.00 | 00.0 | | | 00.0 | 00.00 | 00.00 | | | 00.00 | 00.0 | 00.00 | | | 00.00 | 00.00 | 00.0 | | | 178.72 |
| | 0.00 / 17 | 0.00 / 17 | 0.00 / 17 | 0.00 / 17 | | | 4/ | /9 | /6 | | | 4/ | /9 | /6 | | | 41 | /9 | /6 | | | 4/ | /9 | 76 | | | 178.96/ |
| GED. | 3/ 0 | 55/ 0 | 0 / / L | 0 /6 | | OPTION. | 00.00 | 00.00 | 0.00 | | | 00.0 | 00.00 | 00.00 | - | | 00.00 | 00.00 | 00.0 | | | 00.00 | 00.00 | 00.0 | | | 3/ |
| IS SURCHARGED | 179.20 | 178.56 | 172.44 | 178.22 | 177.50 | THE NORMAL FLOW OPTION | 3/ | /99 | /8 | | | 3/ | /99 | /8 | ٠ | | 3/ | /99 | /8 | | | 3/ | /99 | 8/ | | | 178.96 |
| JUNCTION IS | 0.00 / | 0.00 | / | 0.00 / | 0.00 / | JSES THE NO | 0.00 | 0.00 | 00.00 | 00.0 | | 0.00 | 00.00 | 00.00 | | | 0.00 | 0.00 | 0.00 | | | 00.0 | 0.00 | 00.00 | | | 179.2. / |
| : + : < | 27 | 2/ | /9 | /8 | 11/ | ===> "+" CONDUIT USES | | | | | | | | | | | | | | | | | | | | ELEVATION | 27 |
| ELEVATION | 179.44 | 178.72 | 172.44 | 178.38 | 177.74 | # + E | 27 | 55/ | 11 | 90014/ | | 2.1 | 25/ | 11 | | SECTIONAL AREA | 21 | 25/ | 11 | | SDIOS | 27 | 199 | 11 | | MNSTREAM | 179,20 |
| DEPTH / ELE | / (| _ | _ | 0.00 / 1 | 0.00 / 1 | FLOW | 00.00 | 00.00 | 00.00 | 00.00 | VELOCITY | 00.00 | 0.00 | 00.00 | 00.00 | | 00.00 | 00.00 | 00.00 | 00.00 | CONDUIT/ HYDRAULIC RADIUS | 00.00 | 00.00 | 00.00 | 00.00 | CONDUIT/ UPSTREAM/ DOWNSTREAM ELEVATION | 179.44/ |
| JUNCTION / D | | 14 | /99 | 16 | 10/ | CONDUIT/ | 1/ | 2/ | 111 | 10/ | CONDUIT/ | 1/ | 15/ | 146 | 10/ | CONDUIT/ CROSS | 1/ | 2/ | 122 | 10/ | CONDUIT/ H | 1/ | 2/ | 111 | 10/ | CONDUIT/ U | 1/ |

^{1906195 0.0000000}E+00

^{*****************} 0.00 HOURS . + INITIAL MODEL CONDITION * INITIAL TIME ==

| /99 | 66/ 172.44/ | 172.44 | /9 | 6/ 178.45/ 172.44 | 172.44 | 111 | | 178,38 |
|-----|-------------|--------|----|-------------------|--------|-----|---------|--------|
| 11 | 178.38/ | 178.22 | 8/ | 178.2:/ | 177.98 | 16 | 177.98/ | 177.74 |
| 10/ | 177.771 | 177.50 | | | | | | |

FINAL MODEL CONDITION

2.00 HOURS + ******************** * FINAL TIME =

>>> ENDING DATE AND TIME OF EXTRAN RUN ARE: JULIAN DATE: 1906195

YR/MO/DA: 1906/ 7/14

TIME OF DAY: 2.000 HRS

| | 68.0 | 0.56 | 0.94 | | | 180.53 | 180.23 | 180.12 | 179.61 | |
|---------------------------|------|------|------|------|---|---------|---------|---------|---------|---------|
| | 4/ | /9 | /6 | | | 180.82/ | 180.25/ | 180.12/ | 179.87/ | |
| | 0.92 | 0.56 | 0.95 | | | 78 - | 55/ | 111 | /6 | |
| | 3/ | /99 | /8 | | | 180.82 | 180.25 | 180.15 | 179.87 | |
| | .94 | 0.56 | .91 | | | 181.03/ | 180.25/ | 180.13/ | 180.11/ | |
| | | | | | ELEVATION | 2/ | 2/ | /9 | /8 | |
| ADIUS | 2/ | 55/ | 11 | | OWNSTREAM | 181,08 | 180.26 | 180.15 | 180.11 | 178.79 |
| CONDUIT/ HYDRAULIC RADIUS | 0.95 | 1.00 | 1.00 | 08.0 | CONDUIT/ UPSTREAM/ DOWNSTREAM ELEVATION | 181.33/ | 180.53/ | 180.23/ | 180.12/ | 179.61/ |
| CONDUIT/ 1 | 1/ | 2/ | 121 | 101 | CONDUIT/ | 11/ | 4/ | /99 | 11 | 10/ |

Surcharge Iteration Summary

| 16 | n. 3063 | 2.13 | 183 | ion., 5.47E-01 cms | n 1440 |
|---|---|--|--|---|--|
| Maximum number of iterations in a time step | Total number of iterations in the simulation. | Average number of iterations per time step | Surcharge iterations during the simulation | Maximum surcharge flow error during simulation 5.47E-01 cms | Total number of time steps during simulation |

CONDUIT COURANT CONDITION SUMMARY * TIME IN MINUTES DELT > COURANT TIME STEP

: *******************************

* SEE BELOW FOR EXPLANATION OF COURANT TIME STEP. *

| CONDUIT # | CONDUIT # TIME (MN) | CONDUIT # | TIME (MN) | CONDUET | CONDUIT # TIME(MN) CONDUIT # TIME(MN)CONDUIT # TIME(MN) | TIME (MN) |
|---|---------------------|-----------|---------------|-------------|---|-----------|
| 1 | | | 1 1 1 1 1 1 1 | 1 1 1 1 1 1 | | |
| 1 | 00.0 | 2 | 00.00 | 8 | 0.00 | 4 0.00 |
| S | 0.25 | 55 | 117.42 | 99 | 114.08 | 6 115.50 |
| 7.7 | 0.08 | 7 | 00.00 | 8 | 0.00 | 00.00 |
| 10 | 00.00 | | | | | |

Page 10

| COMDUIT COURANT | CONDITION | SUMMARY | * * | | | | |
|--|---|---|---|----------|------------------|-------------|-------|
| COURANT = | | LENGTH | + 1 | | | | |
| * TIME STEP =+ * TIME STEP =+ * TIME STEP = | T (GRVT* | 1 35 |
! ÷ | | | | |
| A AVERAGE COURANT CONDITION TIME | | STEP (SECONDS) | ; ; ;; | | | | |
| CONDUIT # | | TIME(SEC) CO | CONDU IT # | TIME (| TIME(SEC)CONDUIT | # TIME(SEC) | (SEC) |
| 1 21,83 | 1 0 | 21.91 | . M ; | <u> </u> | 23.28 | 4 | 20.53 |
| 5 9.42 | 55 | 1.90 | 9
9
8 | | 5.51
22.23 | o 0 | 24.30 |
| m | - | | | | | | |
| * * * * * * * * * * * * * * * * * * * | * | * | * | | | | |
| * EXTRAN CONTINUITY BALANCE | AT THE | LAST TIME | STE 3 + | | | | |
| ****** | * | *
*
*
*
*
* | * | | | | |
| + JUNCTION INFLOW, OUTFLOW OR | - | FLOODI | ***** | | | | |
| JUNCTION INFLOW, CU M | | | | | | | |
| 1 8.7120E+04 | | | | | | | |
| JUNCTION OUTFLOW, CU H | | | | | | | |
| 1 3,5265E+01
11 7,9960E+04 | | | | | | | |
| ****** | * | * * * * * * * * * * * * * * * * * * * | + + + + + + + + + | ÷
÷ | | | |
| * INITIAL SYSTEM VOLUME | ŀ | 8.8000E-03 | -03 JU M | | | | |
| 37.5 | | 8.7120E+04 | 3. | | | | |
| * INFLOW + INITIAL VOLUME | # **
* *
* *
* * | 8.7120E+04 | +04 00 E | • • | | | |
| * TOTAL SYSTEM OUTFLOW | II. | 7.9995E+04 | 3+04 30 M | , | | | |
| * VOLUME LEFT IN SYSTEM | t: | 7.35378+03 | H 03 10 H | • | | | |
| * OUTFLOW + FINAL VOLUME | E | 8.7348E+04 | :+04 :U M | | | | |
| ++++++++++++++++++++++++++++++++++++++ | ******* | · · · · · · · · · · · · · · · · · · · | -0.26 | | | | |
| * EKKOK IN CONTINUELL, FERNENT *********************************** | - | ` * * * * * * * * * * * * * * * * * * * | | • | | | |

TEST WRITE OF ALTERNATIVE CONTINUITY ERROR CALCU-ATION VOLUME LEFT IN SYSTEM = 7.7720E+03 CU. FT. ERROR IN CONTINUITY PERCENT = -7.42

- - SUMMARY OF FULL TOW CHANNEL WARNINGS - - - - - - -

| TIME OF LAST
OCCURRENCE
(HOURS) | 1 | 0.01 | 2.00 | 2.00 |
|--|---|-------|------|------|
| TIME STEP OF LAST
OCCURRENCE | | d. | 1440 | 1440 |
| TIME OF FIRST
OCCURRENCE
(HOURS) | | 00.00 | 0.09 | 0.13 |
| TIME STEP OF FIRST
OCCURRENCE | | | 68 | 76 |
| OPEN CHANNEL
NUMBER | 1 | 1 | ഹ | 7.7 |

PARABOLIC/POWER FUNCTION CONDUIT WHEN THE COMPITED DEPTHS EXCEED MAXIMUM DEPTH. THIS WILL AFFECT THE MAXIMUM COMPUTED HEAD AND FLOWS IN THE MODEL. IT IS HIGHLY RECOMMENDED THAT THE MODELED CROSS SECTIONS BE EXTENDED THE PROGRAM USES FULL DEPTH CHANNEL CHARACTERI TICS TO COMPUTE FLOW THROUGH THE TRAPEZOIDAL, IRREGULAR, OR TO ELIMINATE THESE FULL FLOW CHANNEL WARNINGS

+ JUNCTION SUMMARY STATISTICS +

Detroit River International Crossing Wolfe/Cahill Drain Alternative 18,28 Syphon - 100-Year Flow

| | | UPPERMOST | r MEAN | | HAXIMUM | TIME | METERS OF | HETERS MAX. | LENGTH | LENGIH | MAXIMUM |
|-------------------|-----------|---|-----------|--------------------|----------|-----------|-----------|--------------|-----------------|-----------|---------------|
| | GROUND | PIPE CROWN JUNCTION | JUNCTION | JUNCT TON JUNCTION | JUNCTION | OF | SURCHARGE | DEPTH IS | OF | OF | JUNCTION |
| HINCTTON. | FLEVATION | THEORY ELEVATION ELEVATION ELEVATION | ELEVATION | AVERAGE | ELEV. | OCCURENCE | E AT MAX | BELOW GROUND | SURCHARGE | FLOODING | AREA |
| NUMBER | (E) | (E) | (H) | 3 CHA'IGE | (H) | HR. MIN. | ELEVATION | ELEVATION | (MIM) | (MIM) | (SQ.MET) |
| 1 1 1 1 1 1 1 1 1 | | 1 | 1 | 1 1 1 1 1 | 1 1 1 | 1 | | | 1 1 1 1 1 1 1 1 | 1 1 1 1 1 | |
| - | 183.00 | 181.70 | 181.33 | 0.1793 | 183.00 | 0 0 | 1.30 | 00.00 | 0.3 | 0.2 2 | 0.2 2.438E+03 |
| 2 | 183.00 | 181.46 | 181.07 | 0.0653 | 181.08 | 0 53 | 00.00 | 1.92 | 0.0 | 0.0 | 0.0 1.704E+03 |
| ı en | 183.00 | 181.22 | 180.80 | 0.065 | 180.82 | 1 42 | 00.00 | 2.18 | 0.0 | 0.0 | 8.361E+02 |
| . 4 | 183.00 | 180.98 | 180.49 | 0.073 | 180.56 | 0 5 | 00.00 | 2.44 | 0.0 | 9 0.0 | 6.932E+02 |
| ។ ៤ | 183.00 | 180.82 | 180.18 | 0.156 | 180.26 | 0 57 | 0.00 | 2.74 | 0.0 | 0.0 | 0.0 1.821E+03 |
| ម | 183.00 | 179.98 | 180,16 | 0.3903 | 180.57 | 0 5 | 0.59 | 2.43 | 111.8 | 0.0 | 0.0 1.913E+03 |
| 99 | 183.00 | 173.94 | 179.94 | 1.4665 | 180.82 | 0 4 | 6.87 | 2.18 | 115.8 | 0.0 | 2.341E+03 |
| ی د | 183.00 | 173.94 | 179.86 | 0.8083 | 180.15 | 1 56 | 6.21 | 2.85 | 115.9 | 0.0 2 | 0.0 2.8815+03 |
| 77 | 183.00 | 179.96 | 180.04 | 0.320 | 180.12 | 0 56 | 0.16 | 3.88 | 110.6 | 0.0 | 0.0 1.591E+03 |

| 180.12 1 | 0.130° | .03 0.130° | 180.03 0.130° | 180.01 0.0671 |
|----------|--------|------------|---------------|----------------------|
| 180.11 1 | 0.0671 | .01 0.067† | 180.01 0.0671 | 180.01 0.0671 |
| 179.87 1 | 0.063° | .75 0.063° | 179.75 0.063° | 179.75 0.063: |
| 179.61 1 | 0.0593 | .47 0.059§ | 179.47 0.0593 | 179.47 0.0593 |
| 180.12 1 | 0.130° | .03 0.130? | 180.01 0.0671 | 180.64 180.03 0.130° |
| 180.11 1 | 0.0671 | .01 0.0671 | 180.01 0.0671 | 180.48 180.01 0.067¹ |
| 179.87 1 | 0.063° | .75 0.063: | 179.75 0.063: | 180.24 179.75 0.063° |
| 179.61 1 | 0.0593 | .47 0.0593 | 179.47 0.0593 | 180.00 179.47 0.059³ |

STATIS 'ICS SUMMARY CONDUIT

Wolfe/Cahill Drain Alternative 1B,2B Synhon - 100-Year Flow Detroit River International Crossing

| CONDUIT | SLOPE | | (M/M) | 1 | 0.00240 | 0.00240 | 0.00240 | 0.00229 | 0.00267 | 0,40267 | 0.00002 | 0.40133 | 0.00267 | 0.00229 | 0.00240 | 0.00240 | 0.00240 | |
|---------------------|----------------------|-------------|--------|---|-----------|------------|------------|------------|------------|------------|-------------|------------|-------------|------------|------------|------------|-------------|----------|
| LENGTH CONDUIT | OF NORM | FLOW | (MIM) |
 | 0.2 (| 0.3 (| | 0.0 | 0.3 | 1.8 (| 0.1 | 0.0 | 0.2 | 0.8 | 0.1 | 0.0 | 0.0 | |
| MAXIMUM DEPTH ABOVE | INV. AT CONDUIT ENDS | DOWNSTREAM | (M) | 1 1 1 1 1 1 1 1 | 1.88 | 1.86 | 1.84 | 1.70 | 2.09 | 8.37 | 7.71 | 7.71 | 1.74 | 1.89 | 1.89 | 1.87 | 1.29 | |
| MAXIMUM | INV. AT C | UPSTREAM | (M) | 1 1 1 1 1 1 | 3.56 | 1.88 | 1.86 | 1.84 | 1.70 | 2.09 | 8.37 | 1.66 | 1.66 | 1.74 | 1.89 | 1.89 | 1.87 | |
| RATIO OF | MAX. TO | DESIGN | FLOW | 1 1 1 1 1 | 0.89 | 0.69 | 0.68 | 06.0 | 0.72 | 0.14 | 19.23 | -0.14 | 0.74 | 0.34 | 0.66 | 0.66 | 0.66 | |
| | | ENCE | MIN. | 1 | 0 | ~ | 2 | 4 | 4 | ͺ | ₹* | 4 | ত | 9 | 7 | 7 | 21 | |
| TIME | OF | OCCURRENCE | HR. | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | H | |
| MAXIMUM | COMPUTED | VELOCITY | (MPS) | | 2.46 | 2.11 | 2.00 | 2.48 | 7.54 | 6.61 | 3.92 | -4.23 | 3.49 | 2.88 | 1.99 | 1.91 | 1.89 | |
| f.) | | ICE | HIN. | 1 | 0 | 2 | 9 | S | 4 | 4 | þ | 4 | 47 | 9 | 16 | 13 | 21 | 21 |
| TIME | OF | O :CURRENCE | Н | 1 | 0 | 0 | 0 | 0 | С | 0 | 0 | 0 | 0 | 0 | 1 | 1 | ef | |
| MAXIMUM | COMPUTED | | | 1 1 1 | 1.64E+01 | 1.28E+01 | 1.25E+01 | 1.63E+01 | 2.80E+01 | 2.65E+01 | 2.65E+01 | -2.63E+01 | 2.87E+01 | 1.45E+01 | 1.21E+01 | 1.21E+01 | 1,21E+01 | 1.21E+01 |
| CONDUIT | VERTICAL | DEPTH | (E) | 1 1 1 | 2.260 | 2.260 | 2.260 | 2.260 | 1.500 | 1.500 | 1.500 | 1.500 -: | 1.500 | 2.260 | 2.260 | 2.260 | 2.260 | UNDEF |
| | DESIGN | | (M/S) | . | 1.50 | 1.50 | 1.50 | 1.47 | 3,45 | 28.83 | 0.20 | 28.78 | 3.45 | 3.42 | 1.50 | 1.50 | 1.50 | UNDEF |
| | DESTGN | FLOW | (CMS) | | 1 1 85 01 | 2 1 85E+01 | 3 1 855+01 | 4 1 80E+01 | 5 3.88E+01 | 5 3.352.02 | 55 1.38E+00 | 6 1 94E±02 | 77 3 88E+01 | 7 4.20E+01 | 8 1 85E+01 | 9 1 855+01 | 10 1.85E+01 | UNDEF |
| | | THURST | NIMBER | | | ٠ ، | a (r | . 4 | . v | n.
. n. | י ע
טיי |) (c | 77 | 7 | - α | 0 | 10 | 90014 |

* SUBCRITICAL AND CRITICAL FLOW ASSUMPTIONS FROM *

* SUBROUTINE HEAD. SEE FIGURE 5-4 IN THE EXTRAN *

MANUAL FOR FURTHER INFORMATION

HEAU LENGTH LENGTH LENGTH LENGTH OF

OF UPSTR. OT DOWNSTR. Ö

TOTAL

HAXIMUH

MAXIMUM

| CONDITT | DRY | SUBCRITICAL | CRITICAL | CRITICAL | FLOW | AVERAGE | FLOW | HYDRAULIC | CROSS SECT |
|------------|------------|-----------------------|------------|------------|---|-------------|--------------------|---|-------------|
| NUMBER | FLOW (MIM) | FLOW (MIM) FLOW (MIM) | FLOW (MIN) | FLOW (MIN) | (CMS) | \$ CHANGE | CUBIC MET | RADIUS (MET) | area (SQ.M) |
| | | | 1 1 1 | 1 1 1 1 1 | !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!! | 1 1 1 1 1 1 | 1 1 1 1 | 1 | |
| - | 00 0 | | 00.00 | 0.00 | 12.11 | 0.1153 | 8.7190E+04 | 0,9458 | 8.8448 |
| ı ر | 0.0 | | 00.0 | 0.00 | 11.98 | 0.0695 | 8.6280E+04 | 0.9393 | 8.7250 |
| u m | 80.0 | | 00.0 | 00.00 | 11.86 | 0.0956 | 8.5401E+04 | 0.9231 | 8.4271 |
| > 5 | 0 33 | | 0.00 | 0.00 | 11.76 | 0.1699 | 8.4692E+04 | 0.8855 | 7.7539 |
| ະ ນ | 6.0 | | 0.00 | 0.00 | 11.69 | 0.3079 | 8.4199E+04 | 1.0037 | 11.2500 |
| ນ
ນີ້ (| 1.58 | | 0.00 | 00.00 | 11.63 | 0.0295 | 8.3708E+04 | 0.8363 | 6.7500 |
| , 4 | 80 6 | | 0.00 | 0.00 | 11.61 | 7.0886 | 8.3579E+04 | 0.8108 | 6.7500 |
| 2 4 | 23.2 | | 00.00 | 0.00 | -11.55 | 0.0321 | 0.0321 -8.3148E+04 | 0.8421 | 6.7500 |
| י כ | | | 00.0 | 00.00 | 11.52 | 0.2510 | 8.2934E+04 | 1.0037 | 11.2500 |
| | 4.03 | | 00.0 | 00.00 | 11.45 | 0.0637 | | 0.9128 | 8.2392 |
| - α | 4.50 | | 0.00 | 00.00 | 11.35 | 0.0761 | 8.1731E+04 | 0.9463 | 8.8543 |
| . б | 4.67 | | 0.00 | 00.00 | 11.23 | 0.0474 | 8.0845E+04 | 0.9405 | 8.7473 |
| 10 | 5.00 | | 00.00 | 00.00 | 11.11 | 0.0459 | 7.9959E+04 | 0.8050 | 6.4109 |
| 0.000 | HEIDERTMEN | CNE | UNDEFINED | UNDEFINED | 11.11 | | 7,9959E+04 | | |

* AVERAGE % CHANGE IN JUNCTION OR CONDUIT IS DEFINED AS:

3 CHANGE == 100.0 (Q(n+1) - Q(n)) 'Qfull COMDUIT

• JUNCTION & CHANGE $\Rightarrow > 100.0$ (Y(n+1) - Y(n)) ' Yfull

7.089 percent 1.466 percent 66 had 66 had The Conduit with the largest average change... The Junction with the largest average change...

===> Extended Transport model simulation ended normally

Always check output file for possible warning messages. ===> SWMM 4.4GU simulation ended normally.

===> Your input file was named : PCTmpl.dat

===> Your output file was named: PCTmpl.out

SWMM 4.46U Simulation Date and Time Summary

* Starting Date... November 17, 2006

9:34:42. 0 Ending Date... November 17, 2006 Time...

0.081 minutes. 9:34:46.830 + Elapsed Time... Time...

4.831 seconds.

Elapsed Time...

Appendix A.3

Alternative 2A

Cahill Drain Crossing Lennon Drain Crossing Basin Drain Crossing Titcombe Drain Crossing

Culvert Calculator Report Basin Drain -All Alternatives - Reg Check

| Culvert Summary | " | | | |
|---------------------------|------------|------------------------|---------------|------|
| Allowable HW Elevation | 181.40 m | Headwater Depth/Height | 1.20 | |
| Computed Headwater Elevat | 180.32 m | Discharge | 8.1000 | |
| Inlet Control HW Elev. | 180.32 m | Tailwater Elevation | 179.70 | m |
| Outlet Control HW Elev. | 180.32 m | Control Type | Inlet Control | |
| Grades | | | | |
| Upstream Invert | 178.50 m | Downstream Invert | 178.20 | m |
| Length | 58.00 m | Constructed Slope | 0.005172 | m/m |
| Hydraulic Profile | | | | |
| Profile Compo | ositeS1S2 | Depth, Downstream | 1.05 | m |
| Slope Type | Steep | Normal Depth | 1.05 | m |
| Flow Regime | N/A | Critical Depth | 1.14 | m |
| Velocity Downstream | 3.62 m/s | Critical Slope | 0.004178 | m/m |
| Section | | | | |
| Section Shape | Box | Mannings Coefficient | 0.013 | |
| Section Material | Concrete | Span | 2.13 | m |
| Section Size 2130 x | 1520 mm | Rise | 1.52 | m |
| Number Sections | 1 | | | |
| Outlet Control Properties | | | | |
| Outlet Control HW Elev. | 180.32 m | Upstream Velocity Head | 0.57 | |
| Ke | 0.20 | Entrance Loss | 0.11 | m |
| Inlet Control Properties | | | | |
| Inlet Control HW Elev. | 180,32 m | Flow Contro! | Transition | , |
| Inlet Type 90° headwall w | 15° bevels | Area Full | 3.3 | 3 m² |
| К | 0.49500 | HDS 5 Chart | 10 |) |
| | 0.66700 | HDS 5 Scale | : | 2 |
| M | 0.00700 | | | |
| M
C | 0.03140 | Equation Form | ; | 2 |

Culvert Calculator Report Lennon Drain - Alt2A-100yr-Existing

| Culvert Summary | | | | | |
|------------------------------|------------|---------------------------------------|------------------------|----------------|------|
| Allowable HW Elevation | 182.00 | m | Headwater Depth/Height | 1.54 | |
| Computed Headwater Elevat | 181.38 | m | Discharge | 8.3000 | m³/s |
| Inlet Control HW Elev. | 181.21 | m | Tailwater Elevation | 180.70 | m |
| Outlet Control HW Elev. | 181.38 | m | Control Type | Outlet Control | |
| Grades | | | | | |
| Upstream Invert | 179.50 | m | Downstream Invert | 179.20 | m |
| Length | 67.00 | m | Constructed Slope | 0.004478 | m/m |
| Hydraulic Profile | | | | | |
| Profile Press | ureProfile | | Depth, Downstream | 1.50 | m |
| Slope Type | N/A | | Normal Depth | 0.93 | m |
| Flow Regime | N/A | | Critical Depth | 1.02 | m |
| Velocity Downstream | 2.63 | m/s | Critical Slope | 0.003567 | m/m |
| Section | | | | | |
| Section Shape | Вох | | Mannings Coefficient | 0.013 | |
| Section Material | Concrete | | Span | 2.59 | m |
| Section Size 1219 mm x 2 | 591 mm | | Rise | 1.22 | m |
| Number Sections | 1 | · · · · · · · · · · · · · · · · · · · | | | |
| Outlet Control Properties | | | | | |
| Outlet Control HW Elev. | 181.38 | m | Upstream Velocity Head | 0.35 | m |
| Кө | 0.20 | | Entrance Loss | 0.07 | m |
| Inlet Control Properties | | | | | |
| Inlet Control HW Elev. | 181.21 | m | Flow Control | Submerged | |
| Inlet Type 90° headwall w 45 | 5° bevels | | Area Full | 3.2 | m² |
| К | 0.49500 | | HDS 5 Chart | 10 | |
| M | 0.66700 | | HDS 5 Scale | 2 | |
| С | 0.03140 | | Equation Form | 2 | |
| Y | 0.82000 | | | | |

Culvert Calculator Report Cahill Alt 2A-Future

Comments: Unknown Flow

| Culvert Summary | | | | | |
|-----------------------------|------------|-----|------------------------|---------------|-------|
| Allowable HW Elevation | 184.40 | m | Headwater Depth/Height | 1.97 | |
| Computed Headwater Elevat | 182.77 | m | Discharge | 27.6000 | m³/s |
| Inlet Control HW Elev. | 182.77 | m | Tailwater Elevation | 181.14 | m |
| Outlet Control HW Etev. | 182.61 | m | Control Type | Inlet Control | |
| Grades | | | | | |
| Upstream Invert | 179.82 | m | Downstream Invert | 179.64 | m |
| Length | 74.00 | m | Constructed Slope | 0.002432 | m/m |
| Hydraulic Profile | | | | | |
| Profile Press | ureProfile | | Depth, Downstream | 1.50 | m |
| Slope Type | N/A | | Normal Depth | N/A | m |
| Flow Regime | N/A | | Critical Depth | 1.50 | m |
| Velocity Downstream | 4.09 | m/s | Critical Slope | 0.006085 | m/m |
| Section | | | | | |
| Section Shape | Box | | Mannings Coefficient | 0.013 | |
| Section Material | Concrete | | Span | 4.50 | m |
| Section Size 4500 x | 1500 mm | | Rise | 1.50 | m |
| Number Sections | 1 | | | | |
| Outlet Control Properties | | | | | |
| Outlet Control HW Elev. | 182.61 | m | Upstream Velocity Head | 0.85 | |
| Ke | 0.20 | | Entrance Loss | 0.17 | m |
| Inlet Control Properties | | | | | |
| Inlet Control HW Elev. | 182.77 | m | Flow Control | N/A | |
| Inlet Type 90° headwall w 4 | 5° bevels | | Area Full | 6.8 | m^2 |
| K | 0.49500 | | HDS 5 Chart | 10 | |
| М | 0.66700 | | HDS 5 Scale | 2 | |
| С | 0.03140 | | Equation Form | 2 | |
| Υ | 0.82000 | | | | |

Appendix A.4

Alternative 2B

Appendix A.4.1

Titcombe Drain Crossing

Titcombe Drain Worksheet for Circular Channel

| Project Description | | |
|---------------------|-------------------|--|
| Worksheet | Titcome_prelimin | |
| Flow Element | Circular Channel | |
| Method | Manning's Formu | |
| Soive For | Full Flow Diamete | |

| Input Data | | |
|-----------------|----------|------|
| Mannings Coeffi | ci 0.013 | |
| Channel Slope | 005000 | m/m |
| Discharge | 3.2000 | m³/s |

| Results | | |
|-----------------|---------|------|
| Depth | 1.27 | m |
| Diameter | 1,269.0 | mm |
| Flow Area | 1.3 | m² |
| Wetted Perimet | 4.30 | m |
| Top Width | 0.00 | m |
| Critical Depth | 0.97 | m |
| Percent Full | 100.0 | % |
| Critical Slope | 005735 | m/m |
| Velocity | 2.53 | m/s |
| Velocity Head | 0.33 | m |
| Specific Energy | 1.60 | m |
| Froude Number | 0.00 | |
| Maximum Disch | 3.4423 | m³/s |
| Discharge Full | 3.2000 | m³/s |
| Slope Full | 005000 | m/m |
| Flow Type | N/A | |

Notes: Discharge of 3.2 m3/s was taken from taking 50% of the 100 year flow of subcatchment 140 of turkey creek watershed. Drainage area D/S of Titcombe is approximately 274 ha, 55% of the entire subcatch #140. Drainage area therefore U/S Titcombe crossing is app. 50% of the entire subcatch.

From 1989 Maclaren report:

Catch # 140

 $DA = 496 \, Ha.$

100 yr existing = 6.4 m3/s

100 yr efuture = 16.7 m3/s

Appendix A.4.2 Basin Drain Crossing

Culvert Calculator Report Basin Drain -All Alternatives - Reg Check

| Culvert Summary | | | | | |
|--------------------------------|------------------|-----------------------|------------------------------|---------------|------|
| Allowable HW Elevation | 181.40 | m | Headwater Depth/Height | 1.20 | |
| Computed Headwater Ele | evat 180.32 | m | Discharge | 8.1000 | m³/s |
| Inlet Control HW Elev. | 180.32 | m | Tailwater Elevation | 179.70 | m |
| Outlet Control HW Elev. 180.3 | | m | Control Type | Inlet Control | |
| Grades | | | | | |
| Upstream Invert | 178.50 | m | Downstream Invert | 178.20 | m |
| Length | 58.00 | | Constructed Slope | 0.005172 | m/m |
| Hydraulic Profile | | | | | |
| | CompositeS1S2 | | Depth, Downstream | 1.05 | m |
| Slope Type | Steep | | Normal Depth | 1.05 | m |
| Flow Regime | N/A | | Critical Depth | 1.14 | m |
| Velocity Downstream | 3.62 | m/s | Critical Slope | 0.004178 | m/m |
| Section Shape Section Material | Box
Concrete | | Mannings Coefficient
Span | 0.013
2.13 | m |
| | 2130 x 1520 mm | | Rise | 1.52 | |
| Number Sections | 1 | | 1100 | ,,,,, | ••• |
| Number decapite | | | | | |
| Outlet Control Properties | | | | | |
| Outlet Control HW Elev. | 180.32 | m | Upstream Velocity Head | 0.57 | m |
| Ke | 0.20 | | Entrance Loss | 0.11 | m |
| Inlet Control Properties | | | | | |
| Inlet Control HW Elev. | 180.32 | m | Flow Contro! | Transition | |
| Inlet Type 90° headw | all w 45° bevels | | Area Full | 3.3 | m² |
| | 0.49500 | | HDS 5 Chart | 10 | |
| K | | 0.66700 HDS 5 Scale 2 | | | |
| K
M | 0.66700 | | | _ | |
| | | | HDS 5 Scale
Equation Form | 2 | |

Appendix A.5

Alternative 2B - Revised

Appendix A.5.1

Titcombe Drain Crossing

Titcombe Drain Worksheet for Circular Channel

| Project Description | on | |
|---------------------|---------|------------------|
| Worksheet | Ti | tcome_prelimin |
| Flow Element | Ci | ircular Channel |
| Method | M | anning's Formu |
| Soive For | Ft | ull Flow Diamete |
| | | |
| Input Data | | |
| Mannings Coeffi | ci 0.01 | 3 |
| Channel Slope | 00500 | 0 m/m |
| Discharge | 3.200 | 10 m³/s |
| | | |
| Results | | |
| Depth | 1.27 | m |
| Diameter | 1,269.0 | mm |
| Flow Area | 1.3 | m² |
| Wetted Perimet | 4.30 | m |
| Top Width | 0.00 | m |
| Critical Depth | 0.97 | m |

100.0 %

2.53 m/s

0.33 m

1.60 m

005000 m/m

N/A

0.00

Critical Slope 005735 m/m

Maximum Disch 3.4423 m³/s Discharge Full 3.2000 m³/s

Notes: Discharge of 3.2 m3/s was taken from taking 50% of the 100 year flow of subcatchment 140 of turkey creek watershed. Drainage area D/S of Titcombe is approximately 274 ha, 55% of the entire subcatch #140. Drainage area therefore U/S Titcombe crossing is app. 50% of the entire subcatch.

From 1989 Madaren report:

Catch # 140 DA = 496 Ha.

Slope Full Flow Type

Percent Full

Velocity Head Specific Energy

Froude Number

Velocity

100 yr existing = 6.4 m3/s

100 yr efuture = 16.7 m3/s

Appendix A.5.2 Basin Drain Crossing

Culvert Calculator Report Basin Drain -All Alternatives - Reg Check

Solve For: Headwater Elevation

| Culvert Summary | | | | |
|---------------------------|------------|------------------------------|---------------|------|
| Allowable HW Elevation | 181.40 m | Headwater Depth/Height | 1.20 | |
| Computed Headwater Elevat | 180.32 m | Discharge | 8.1000 | m³/s |
| Inlet Control HW Elev. | 180.32 m | Tailwater Elevation | 179.70 | m |
| Outlet Control HW Elev. | 180.32 m | Control Type | Inlet Control | |
| Grades | | | | |
| Upstream invert | 178.50 m | Downstream Invert | 178,20 | m |
| Length | 58.00 m | Constructed Slope | 0.005172 | m/m |
| | | | | |
| Hydraulic Profile | | | | |
| Profile Compo | ositeS1S2 | Depth, Downstream | 1.05 | |
| Slope Type | Steep | Normal Depth | 1.05 | |
| Flow Regime | N/A | Critical Depth | 1.14 | |
| Velocity Downstream | 3.62 m/s | Critical Slope | 0.004178 | m/m |
| Section | | | | |
| Section Shape | Box | Mannings Coefficient | 0.013 | |
| Section Material | Concrete | Span | 2.13 | m |
| Section Size 2130 x | 1520 mm | Rise | 1.52 | m |
| Number Sections | 1 | | | |
| Outlet Control Properties | | | | |
| Outlet Control HW Elev. | 180.32 m | Upstream Velocity Head | 0.57 | |
| Ke | 0.20 | Entrance Loss | 0.11 | m |
| Inlet Control Properties | | | | |
| Inlet Control HW Elev. | 180.32 m | Flow Control | Transition | |
| Inlet Type 90° headwall w | 15° bevels | Area Full | 3.3 | 3 m² |
| ••• | 0.49500 | HDS 5 Chart | 10 |) |
| K | 0.45500 | | | , |
| K
M | 0.66700 | HDS 5 Scale | ; | |
| ** | | HDS 5 Scale
Equation Form | | 2 |

Appendix A.5.3

Turkey Creek Hydraulic Analysis



Appendix A.5.3.1

Existing Condition

HEC-RAS Version 3.1.3 May 2005 U.S. Army Corp of Engineers Hydrologic Engineering Center 609 Second Street Davis, California

| Х | X | XXXXXX | XX | XX | | XX | XX | Х | X | XXXX |
|-----|-----|--------|----|----|-----|----|----|-----|-----|-------|
| Х | X | X | X | X | | Х | X | X | Х | X |
| Х | X | X | X | | | Х | Х | Х | X | X |
| XXX | XXX | XXXX | X | | XXX | XX | XX | XXX | XXX | XXXX |
| X | X | X | Х | | | Х | Х | Х | Х | X |
| Х | X | X | Х | X | | Х | Х | Х | X | X |
| X | × | XXXXXX | XX | XX | | Х | X | X | Х | XXXXX |

************************************** PROJECT DATA Project Title: Turkey River Project File: dric.prj Run Date and Time: 15/11/2006 2:56:15 PM Project in SI units PLAN DATA Plan Title: Plan 37 Plan File: o:\DRIC\19_WaterResources\hec\dric.p37 Geometry Title: existing
Geometry File : o:\DRIC\19_WaterResources\hec\dric.g01 : Flow 01
: o:\DRIC\19_WaterResources\hec\dric.f01 Flow Title Flow File Plan Summary Information: Multiple Openings =
Inline Structures = Number of: Cross Sections = 10 Culverts = 0 n Lateral Structures = n Bridges Computational Information

Water surface calculation tolerance = 0.003
Critical depth calculation tolerance = 0.003
Maximum number of iterations = 20
Maximum difference tolerance = 0.1
Flow tolerance factor = 0.001 Computation Options
Critical depth computed only where necessary
Conveyance Calculation Method: At breaks in n values only
Friction Slope Method: Average Conveyance
Computational Flow Regime: Subcritical Flow ********************* FLOW DATA flow Title: flow 01
flow File : o:\DRIC\19_WaterResources\hec\dric.f01 RS * 10 * * River 100 yr Regional * Reach * Turkey Creek Main 10 * 39.5 62.6 * * River Reach Profile Upstream

Normal S = 0.000375

100 yr

* Turkey Creek

Main

RIVER: Turkey Creek REACH: Main

RS: 10

INPUT

Description:

| Station E | levation | n Data | num≃ | 30 | | | | | |
|-----------|----------|---------|--------|---------|--------|---------|-------|---------|--------|
| Sta | Elev | Sta | Elev | Sta | Elev | Sta | Elev | Sta | Elev |
| **** | **** | ***** | **** | *** | ***** | **** | **** | ***** | **** |
| 0 | 183 | 76.736 | 183 | 99.766 | 182.5 | 101.278 | 182 | 102.644 | 181.5 |
| 104.01 | 181 | 105.363 | 180.5 | 106.485 | 180 | 107.607 | 179.5 | 108.729 | 179 |
| 109.851 | 178.5 | 110.973 | 178 | 112.095 | 177.5 | 113.217 | 177 | 116.947 | 176.56 |
| 117.547 | 176.36 | 119.547 | 176.36 | 120.147 | 176.56 | 123.877 | 177 | 124.941 | 177.5 |
| 126.005 | 178 | 127.069 | 178.5 | 128.133 | 179 | 129.197 | 179.5 | 130.261 | 180 |
| 131.624 | 180.5 | 132.798 | 181 | 134.684 | 181.5 | 136.554 | 182 | 264.86 | 182.5 |

Manning's n Values num≕ Sta n Val Sta n Val Sta n Val .03 116.947 .017 120.147

Lengths: Left Channel Right 207.817 210.778 216.406 Bank Sta: Left Right 116.947 120.147 Coeff Contr. Expan.

CROSS SECTION OUTPUT Profile #100 yr

| | | | | | | | | | | ,, ,, ,, ,, ,, | |
|---------------------------------|-------------|---------|------|----------------------|-------|---------|-----|---------|-------|----------------|-----|
| * E.G. Elev (m) | * | 178.68 | * | Element | * | Left OB | ** | Channel | * | Right OB | re |
| * Vel Head (m) | * | 0.27 | ** | Wt. n-Val. | * | 0.030 | te | 0.017 | ** | Ŏ.030 | te |
| * W.S. Elev (m) | × | 178.40 | * | Reach Len. (m) | * | 207.82 | ** | 210.78 | ** | 216.41 | * |
| * Crit W.S. (m) | ** | | 10 | Flow Area (m2) | ٦'n | 8.25 | ** | 6.41 | * | 8.13 | ** |
| * E.G. Slope (m/m) | *0 | .001101 | sic. | Area (m2) | × | 8.25 | * | 6.41 | W | 8.13 | * |
| * Q Total (m3/s) | * | 39.50 | 'n | Flow (m3/s) | * | 9.99 | * | 19.62 | * | 9.89 | * |
| * Top Width (m) | * | 16.78 | * | Top Width (m) | Ÿ | 6.87 | * | 3.20 | * | 6.71 | * |
| * Vel Total (m/s) | * | 1.73 | * | Avg. Vel. (m/s) | * | 1.21 | * | 3.06 | ** | 1.22 | W |
| <pre>* Max Chl Doth (m)</pre> | * | 2.04 | * | Hydr. Depth (m) | * | 1.20 | * | 2.00 | 7: | 1.21 | * |
| <pre>* Conv. Total (m3/s)</pre> | * | 1190.6 | Ÿ | Conv. (m3/s) | * | 301.0 | ž. | 591.3 | × | 298.2 | * |
| <pre># Length Wtd. (m)</pre> | * | 211.47 | ** | Wetted Per. (m) | ÷ | 7.20 | * | 3.26 | * | 7.05 | * |
| * Min Ch El (m) | * | 176.36 | * | Shear (N/m2) | * | 12.37 | * | 21.19 | ¥ | 12.45 | * |
| * Alpha | * | 1.80 | * | Stream Power (N/m s) | * | 14.98 | * | 64.86 | * | 15.15 | * |
| <pre># Frctn Loss (m)</pre> | * | 0.16 | * | Cum Volume (1000 m3) | * | 3.89 | * | 5.02 | * | 4.35 | * |
| * C & E Loss (m) | ** | 0.03 | * | Cum SA (1000 m2) | * | 3.03 | * | 2.34 | * | 3.46 | * |
| ************ | ie se se se | **** | *** | ******* | * * * | ***** | *** | **** | * * * | ****** | ሉ ሉ |

CROSS SECTION OUTPUT Profile #Regional

| ************************************** | | | | | | | | | | | |
|--|-------------|---------|-----|----------------------|-------|---------|-----------|---------|--------|----------|----|
| * E.G. Elev (m) | * | 179.26 | * | Element | ŵ | Left OB | ¥ | Channel | ** | Right OB | * |
| * vel неаd (m) | * | 0.36 | * | Wt. n-∨al. | ¥ | 0.030 | * | 0.017 | ** | Ŏ.030 | ÷ |
| * W.S. Elev (m) | * | 178.90 | * | Reach Len. (m) | * | 207.82 | ** | 210.78 | * | 216.41 | * |
| * Crit W.S. (m) | * | | * | Flow Area (m2) | * | 11.93 | 3, | 8.00 | * | 11.72 | * |
| * E.G. Slope (m/m) | * 0. | .001143 | ** | Area (m2) | * | 11.93 | * | 8.00 | * | 11.72 | * |
| * Q Total (m3/s) | * | 62.60 | * | Flow (m3/s) | * | 16.96 | * | 28.90 | * | 16.74 | * |
| * Top Width (m) | * | 18.95 | * | Top Width (m) | * | 7.99 | ** | 3.20 | * | 7.77 | * |
| * Vel Total (m/s) | * | 1.98 | * | Avq. Vel. (m/s) | * | 1.42 | * | 3.61 | * | 1.43 | * |
| * Max Chl Dpth (m) | * | 2.54 | * | Hydr. Depth (m) | * | 1.49 | * | 2.50 | * | 1.51 | * |
| * Conv. Total (m3/s) | * | 1851.8 | * | Cónv. (m3/s) | r | 501.8 | * | 854.8 | ŵ | 495.2 | ** |
| * Length Wtd. (m) | * | 211.51 | * | Wetted Per. (m) | * | 8.42 | * | 3.26 | ŵ | 8.22 | * |
| * Min Ch El (m) | * | 176.36 | ** | Shear (N/m2) | * | 15.89 | *** | 27.45 | ** | 15.99 | * |
| * Alpha | * | 1.82 | * | Stream Power (N/m s) | * | 22.59 | * | 99.18 | * | 22.83 | * |
| * Frctn Loss (m) | ** | 0.19 | * | Cum Volume (1000 m3) | * | 5.48 | * | 6.16 | * | 6.15 | * |
| * C & E Loss (m) | * | 0.03 | * | Cum SA (1000 m2) | * | 3.54 | * | 2.34 | ** | 3.96 | ** |
| ***** | **** | ***** | *** | ********** | * * * | **** | 1 1/2 1/2 | **** | 4 11 2 | ******* | 44 |

CROSS SECTION

RIVER: Turkey Creek

dric.rep REACH: Main RS: 9.9 TNPUT Description: Station Elevation Data num= 32
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev 0 182.5 120.028 182.5 136.616 182 137.952 140.62 180.5 141.772 180 142.859 179.5 143.941 46.105 178 147.187 177.5 148.269 177 149.351 53.273 175.86 155.273 175.86 155.873 176.06 159.195 61.603 177.5 162.805 178 164.002 178.5 165.197 67.992 180 169.998 180.5 172.048 181 174.284 181.5 139.286 181 179 145.023 178.5 176.5 152.673 176.06 176.5 160.399 177 179 166.39 179.5 146.105 153.273 161.603 181.5 180.916 167.992 182.5 277.679 183 Manning's n Values num= Sta n Val Sta n V .03 152.673 .017 155.873 .03 Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan. 152.673 155.873 104.462 100.685 96.329 .1 .3 CROSS SECTION OUTPUT Profile #Regional CROSS SECTION RIVER: Turkey Creek REACH: Main RS: 9.8 Description: US of Huron Church Road

| nezci ibrion. | no or unit | II CHUI CH | Ruau | | | | | |
|---------------|------------|------------|---------|-------|---------|--------|---------|--------|
| Station Eleva | ation Data | num= | 30 | | | | | |
| | Elev St | | | Elev | | Elev | Sta | Elev |
| *** | ***** | *** | **** | **** | **** | ****** | **** | **** |
| 0 18 | 32.5 37.48 | 9 182 | 45.643 | 181.5 | 47.136 | 181 | 48.636 | 180.5 |
| 50.024 | 180 51. | 1 179.5 | 52.174 | 179 | 53.246 | 178.5 | 54.316 | 178 |
| 55.384 17 | 77.5 56.45 | 1 177 | 57.519 | 176.5 | 60.347 | 176.06 | 60.947 | 175.86 |
| 62.947 175 | 5.86 63.54 | 7 176.06 | 66.375 | 176.5 | 67.488 | 177 | 71.05 | 177.5 |
| 72.19 | 178 73.3 | 3 178.5 | 74.472 | 179 | 75.609 | 179.5 | 76.733 | 180 |
| 77.849 18 | 30.5 94.85 | 8 181 | 118.672 | 181.5 | 142.126 | 182 | 143.791 | 182.5 |
| | | | | | | | | |
| Manning's n V | /alues | num= | 3 | | | | | |

.

| dric.rep |
|---|
| Sta n Val Sta n Val «************************************ |
| Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
60.347 63.547 24.356 24.248 24.356 .1 .3 |
| CROSS SECTION OUTPUT Profile #100 yr *********************************** |
| CROSS SECTION OUTPUT Profile #Regional *********************************** |
| CROSS SECTION RIVER: Turkey Creek REACH: Main RS: 9.7 |
| INPUT Description: DS of Huron Church Road Station Elevation Data num= 22 Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev *********************************** |
| Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
************************************ |
| Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan. 148.469 157.961 35.414 35.414 35.414 .3 .5 |
| CROSS SECTION OUTPUT Profile #100 yr *E.G. Elev (m) |

| | 0.99 * 242.4 * 5.50 * 3.60 * 3.40 * 1.08 * 0.93 * |
|--|--|
| * Vel Head (m) | ht OB * 0.020 * 0.62 * 7.74 * 7.74 * 9.20 * 5.83 * 1.13 * 442.1 * 6.34 * 6.16 * 1.58 * |
| BRIDGE | |
| RIVER: Turkey Creek REACH: Main RS: 9.65 | |
| INPUT Description: Distance from Upstream XS = .621 Deck/Roadway width = 34.79 Weir Coefficient = 1.44 Upstream Deck/Roadway Coordinates num= 9 Sta Hi Cord Lo Cord Sta Hi Cord Lo Cord Sta Hi Cord Lo Cord | |
| Upstream Bridge Cross Section Data
Station Elevation Data num= 22
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev | |
| Sta Elev Sta | |
| Manning's n Values num= 3 Sta n Val Sta n Val ************************************ | |
| Bank Sta: Left Right Coeff Contr. Expan.
148.469 157.961 .3 .5 | |
| Downstream Deck/Roadway Coordinates
num= 11 | |
| Sta Hi Cord Lo Cord Sta Hi Cord Lo Cord Sta Hi Cord Lo Cord | |
| 0 181.74 90.83 182.081 118.067 182.057
133.85 182.157 181.5 137.28 182.199 181.5 152.78 182.207 181.5
165.46 182.179 181.5 168.067 182.156 181.5 175.93 182.11 181.5
190.032 181.964 218.067 181.884 | |
| Downstream Bridge Cross Section Data
Station Elevation Data num= 18
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev | |
| 0 182 125.33 182 133.85 181.5 139.252 179.5 140.572 177 | |
| 141.87 176.5 145.27 176.06 145.87 175.86 147.87 175.86 148.47 176.06
Page 5 | |

```
dric.rep
  151.87 176.5 152.973 177 156.487 166.14 181 170.386 181.5 199.519
                                              177.1 159.275
                                                               179.5 161.948 180.5
                                              182
Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
      0 .02 140.572 .017 152.973 .02
Bank Sta: Left Right Coeff Contr. Expan. 140.572 152.973 .3 .5
Upstream Embankment side slope
                                                        0 horiz. to 1.0 vertical
Downstream Embankment side slope
                                                        O horiz. to 1.0 vertical
Maximum allowable submergence for weir flow = Elevation at which weir flow begins = Energy head used in spillway design = Spillway height used in design =
weir crest shape
                                              = Broad Crested
Number of Bridge Coefficient Sets = 1
Low Flow Methods and Data
       Energy
Selected Low Flow Methods = Highest Energy Answer
High Flow Method
       Pressure and Weir flow
Submerged Inlet Cd =
Submerged Inlet + Outlet Cd =
                                                 . 8
            Max Low Cord
Additional Bridge Parameters
        Add Friction component to Momentum
       Do not add Weight component to Momentum
Class B flow critical depth computations use critical depth
        inside the bridge at the upstream end
Criteria to check for pressure flow = Upstream energy grade line
BRIDGE OUTPUT Profile #Regional
                              * E.G. US. (m) *

* W.S. US. (m) *

* Q Total (m3/s) *

* Q Bridge (m3/s) *

* Q weir (m3/s) *

* Weir Sta Lft (m) *

* Weir Sta Rgt (m) *

* Weir Submerg *

* Weir Max Depth (m) *

* Min El Weir Flow (m) *

* Min El Prs (m) *

* Delta EG (m) *
```

CROSS SECTION

```
RIVER: Turkey Creek
 REACH: Main
                                                            RS: 9.6
 Description:
 Station Elevation Data num=
                                                                Elev
                                                                                  18
 Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
                                                                                                     Elev
                                                                                                                                                                               Elev
     0 182 125.33 182 133.85 181.5 139.252 179.5 140.572 177
141.87 176.5 145.27 176.06 145.87 175.86 147.87 175.86 148.47 176.06
151.87 176.5 152.973 177 156.487 177.1 159.275 179.5 161.948 180.5
166.14 181 170.386 181.5 199.519 182
Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
                            .02 140.572 .017 152.973 .02
Bank Sta: Left Right Lengths: Left Channel Right 140.572 152.973 3.943 3 4.798
                                                                                                                                  Coeff Contr.
                                                                                                                                                                            Expan.
 CROSS SECTION OUTPUT Profile #100 yr
 * Left OB * Channel * Right OB *
* Wt. n-Val.
                                                                                                                                  *
                                                                                                                                            0.020 *
                                                                                                                                                                     0.017
                                                                                                                                                                                               0.020
 CROSS SECTION OUTPUT Profile #Regional
* Left OB * Channel * Right OB * 0.020 * 0.017 * 0.020 * (m) * 3.94 * 3.00 * 4.80 * m2) * 0.79 * 30.53 * 7.47 * 0.79 * 30.53 * 7.47 * 0.79 * 30.53 * 7.47 * 0.79 * 30.53 * 7.47 * 0.79 * 30.53 * 7.47 * 0.79 * 30.53 * 7.47 * 0.79 * 30.53 * 7.47 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.79 * 0.7
CROSS SECTION
 RIVER: Turkey Creek
 REACH: Main
                                                            RS: 9.5
 Description:
 Station Elevation Data
                                                           num≃
 Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
     0 182.5 58.964 182 67.647 181.5 80.298
84.444 175.86 86.444 175.86 87.044 176.06 90.59
98.2 180 99.757 180.5 106.622 181.5 138.493
                                                                                                                                       176.5 83.844 176.06
176.5 92.841 177.5
                                                                                                                                            182
                                                num=
Manning's n Values
 Sta n Val Sta n Val Sta n Val
```

____dric.rep

.02 80.298 .017 90.59 .02 Lengths: Left Channel Right 39.545 39.545 39.545 Bank Sta: Left Right Coeff Contr. Expan. 80.298 90.59 * Left OB * Channel * Right OB * * Wt. n-Val. 0.020 * 0.017 * * Vel Head (m) 4: 0.12 * Ŏ.020 39.55 * 21.22 * 21.22 * 34.30 * * W.S. Elev (m) * Crit W.S. (m) 39.55 3.75 39.55 # 178.22 # * Reach Len. (m) * * Flow Area (m2) # (# * Area (m2) * Flow (m3/s) 3.75 2.77 * E.G. Slope (m/m) * Q Total (m3/s) *0.000292 3.31 * 39.50 * 18.45 * 1.40 * 2.36 Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections. CROSS SECTION OUTPUT Profile #Regional * 178.88 * Element * Left OB * Channel * Right OB * * E.G. Elev (m) 4 ∻ Wt. n-Val. ų. 0.020 * * 0.020 * vel Head (m) 0.17 0.017 * W.S. Elev (m) * Crit W.S. (m) * Reach Len. (m) * Flow Area (m2) 39.55 * 'n. 39.55 * ÷ 178.70 39.55 * 6.13 26.15 5.38 * E.G. Slope (m/m) * Q Total (m3/s) 26.15 * 51.94 * * Area (m2) * Flow (m3/s) *0.000334 * 6.13 62.60 * 5.69 4.96 Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections. CROSS SECTION RIVER: Turkey Creek REACH: Main RS: 9.4 INPUT Description: Station Elevation Data num= 15 Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev 0 182.5 22.451 58.447 175.86 60.447 80.038 180.5 84.157 182 30.035 175.86 61.047 181.5 50.694 176.5 57.847 176.06 176.5 77.642 180 176.06 68.2 87,423 181 86.382 181.5 Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val n Val .02 50.694 .017 68.2 Lengths: Left Channel Bank Sta: Left Right Right Coeff Contr. Expan. 50.694 68.2 3.308 3.678 4.068 CROSS SECTION OUTPUT Profile #100 yr # Left OB * Channel * Right OB * * 1/8.31 * Element * 0.04 * Wt. n-Val. * * 178.27 * Reach Len. (m) * * Flow Area (m2) * *0.000103 * Area (m2) * * 39.50 * Flow (m3/s) * 0.017 * 3.68 * 36.06 * 0.020 * 3.31 * 6.47 * 6.47 * * vel Head (m) 0.020 * W.S. Elev (m) * Crit W.S. (m) 4.07 4.23 * E.G. Slope (m/m) * Q Total (m3/s) 4.23 2.96 * ** 34.65 1.89

```
dric.rep
                                                     17.51 *
                                                              4.77
                                                     0.96 *
2.06 *
                                                              0.45
                                                              0.88
                                                    3421.6
                                                             186.6
                                                     17.60 *
                                                              5.09
                                                      2.06 *
1.98 *
                                                              0.83
                                                              0.37
                                                      0.49 *
                                                              0.74
                                                      0.22
CROSS SECTION OUTPUT Profile #Regional
                            * Left OB * Channel * Right OB * 0.020 * 0.017 * 0.020 * 3.31 * 3.68 * 4.07 *
CROSS SECTION
RIVER: Turkey Creek
REACH: Main
                   RS: 9.3
INPUT
Description:
Station Elevation Data
                  num=
                                Elev
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
                                                        Elev
 0 182.5 22.465 182 35.015 181.5 36.837 181 51.171 58.923 176.06 59.523 175.86 61.523 175.86 62.123 176.06 69.875 81.981 180.5 86.631 181 89.072 182 225.65 182.5
                                                       176.5
Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
       .02 51.171 .017 69.875 .02
     0
Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan. 51.171 69.875 3.308 5 4.166 .1 .3
CROSS SECTION OUTPUT Profile #100 yr
* Left OB * Channel * Right OB *
* 0.020 * 0.017 * 0.020 *
                                                     Channel * Ri
0.017 *
5.00 *
38.48 *
38.48 *
35.29 *
18.70 *
* wt. n-∨al.
* Vel Head (m)
warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than
      0.7 or greater than 1.4. This may indicate the need for additional cross sections.
CROSS SECTION OUTPUT Profile #Regional
```

```
dric.rep
                                                                      8.25
8.25
4.47
7.25
* Crit W.S. (m)
                                       * Flow Area (m2)
                                                                                 47.91
47.91
53.90
                                                                                               7.84
                                     E.G. Slope (m/m)
Q Total (m3/s)
                                       * Area (m2)
* Flow (m3/s)
                          *0.000105
                                                                                               7.84
4.23
                         * 62.60

* 32.84

* 0.98

* 2.92

* 6107.2
* Top Width (m)

* Vel Total (m/s)
                                                                                               6.89
                                                                                         70
                                                                                  18.70
                                                                      0.54
                                                                                   1.13
  Max Chl Dpth (m)
Conv. Total (m3/s)
Length Wtd. (m)
Min Ch El (m)
                                                                     1.14
435.8
                                                                             *
                                                                                   2.56
                                                                                         *
                                                                                              1.14
412.7
                                                                                 5258.7
                             4.45
175.86
                         *
                                                                                  18.79
                                                                                               7.25
                                                                      7.60
                                                                                  Ž.63
2.96
                                                                      1.12
                                                                                               1.11
                             1.18
                                                                      0.61
                                                                             *
                                                                                        *
                                                                                               0.60
  Alpha
1.00
                                                                      0.82
                                                                                   0.43
                                                                       0.47
                                                                            *
                                                                                         *
                                                                                               0.59
                                0.00
                                                                                   0.16
Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
CROSS SECTION
RIVER: Turkey Creek
REACH: Main
                              RS: 9.2
INPUT
Description:
Station Elevation Data num= 28
Sta Elev Sta Elev Sta Elev Sta Elev Sta El
                                                                                      Flev
           182 12.725
179.5 21.223
177 28.735
                                       14.44 181 16.148
                                                                   180.5 17.868 180
                               181.5
                              179 22.754
176.5 36.975
176.5 49.851
179 57.16
                                                                 178 25.742 177.5
175.86 39.575 175.86
177.5 52.723 178
                                                 178.5
                                                        24.249
37.575
51.275
   19.579
   27.224
                                                176.06
177
   40.175 176.06 48.415
54.188 178.5 55.665
65.963 181 67.032
                                                                     180
                                                 179.5
                                                          58.63
                                                                           60.657
                               181.5
                                        68.12
                                                   182
Manning's n Values num=
Sta n Val Sta n V
Sta n Val Sta n Val Sta n Val
                                               n Val
          .03 36.975 .017 40.175 .03
Bank Sta: Left Right Lengths: Left Channel Right 36.975 40.175 30.4 31.81 33.814
                                                                Coeff Contr.
                                                                                     Expan.
CROSS SECTION OUTPUT Profile #100 yr
                                                      * Left OB * Channel * Right OB *
0.017 *
31.81 *
7.55 *
0.030 *
                                                                                              0.030
33.81
* Vel Head (m)

* W.S. Elev (m)

* Crit W.S. (m)

* E.G. Slope (m/m)

* Q Total (m3/s)

* Top width (m)

* 178.26

* Flow Area (r

* 0.000229

* Area (m2)

* 39.50

* Flow (m3/s)

* 29.99

* Top Width (r)

* 29.99

* Ava. Vel. (r
* Vel Head (m)
                         *
                                0.05
                                      * wt. n-val.
CROSS SECTION OUTPUT Profile #Regional
 * Left_OB * Channel * Right OB *
* 0.08

* 0.08

* Crit W.S. (m)

* E.G. Slope (m/m)

* Q Total (m3/s)

* Top width (m)

* Vel Total (m/s)

* Conv
                                                                                 0.017 *
                                                                                              0.030
                                                                                  31.81 *
                                                                                              33.81
27.71
                                                                                         34
                                                                                        *
                                                                                              27.71
                                                                                         rit.
                                                                                              22.50
                                                                                         क्र
                                                                                              14.77
                                                                                         ŵ
                                                                                               0.81
                                                                                         20
                                                                                               1.88
                                                                                            1381.3
15.16
                                                                                         10
                                                                                         **
                                                                                               4.76
3.86
                                                                                   0.29 *
                                                                                               0.93
                                                                                        3'5
```

CROSS SECTION

| RIVER: Turkey Creek
REACH: Main | RS: 9.1 | |
|---|---|--|
| INPUT Description: Station Elevation Data Sta Elev Sta 0 181.5 84.335 94.617 179.5 96.484 103.725 177 106.858 114.417 176.06 118.776 131.458 178.5 132.634 142.388 181 143.457 | num= 29 Elev Sta Elev Sta Elev Sta Elev 181.5 89.24 181 91.04 180.5 92.826 180 179 98.345 178.5 100.173 178 101.97 177.5 176.5 111.217 176.06 111.817 175.86 113.817 175.86 176.5 122.227 177 125.249 177.5 130.295 178 179 133.814 179.5 134.997 180 136.182 180.5 181.5 144.535 182 251.616 182 | |
| Manning's n Values
Sta n Val Sta
************************************ | num= 3
n Val Sta n Val
************************************ | |
| Bank Sta: Left Right
111.217 114.417 | Lengths: Left Channel Right Coeff Contr. Expan. 0 0 0 .1 .3 | |
| * E.G. Elev (m) | ************************************** | |
| * Frctn Loss (m) | * Cum Volume (1000 m3) * | *
*
****** |
| # E.G. Elev (m) | ************************************** | ht 08 * 0.030 * 7.19 * 7.19 * 3.29 * 7.53 * 0.86 * 1.55 * 0.2.2 * 7.80 * 5.62 * 4.81 * |
| SUMMARY OF MANNING'S N VA | | |
| * Reach * Rive | ************************************** | |
| *Main | * .03* .017* .03* * .03* .017* .03* * .03* .017* .03* * .03* .017* .03* * .02* .017* .02* *Bridge * * * * .02* .017* .02* * .02* .017* .02* Page 11 | |

| | | | | | dric.rep | |
|---|------|-------|-------|------|----------|------|
| *Main | * | 9.4 | * | .02* | .017* | .02* |
| *Main | * | 9.3 | * | .02* | .017* | .02* |
| *Main | * | 9.2 | * | .03* | .017* | .03* |
| *Main | * | 9.1 | * | .03* | .017* | .03* |
| the tax the tie tie to the tax to the tie | **** | ***** | ***** | | | **** |

SUMMARY OF REACH LENGTHS

| | A 30 34 34 34 34 34 34 37 37 | ******* | * * * * * * | ***** | **** | **** |
|---------|------------------------------|------------|-------------|----------|-----------|----------|
| ≉ Reaci | | River Sta. | | | Channel * | Right * |
| **** | **** | ********** | ***** | **** | **** | **** |
| *Main | * | 10 | * | 207.817* | 210.778* | 216.406* |
| *Main | * | 9.9 | * | 104.462* | 100.685* | 96.329* |
| *Main | * | 9.8 | 於 | 24.356* | 24.248* | 24.356* |
| *Main | * | 9.7 | र्दर | 35.414* | 35.414* | 35.414* |
| *Main | * | 9.65 | *B: | ridae * | * | 4 |
| *Main | * | 9.6 | * | 3.943* | 3* | 4.798 |
| *Main | * | 9.5 | な | 39.545* | 39.545* | 39.545 |
| *Main | * | 9.4 | * | 3.308* | 3.678* | 4.068* |
| *Main | * | 9.3 | ಸೇ | 3.308* | 5* | 4.166* |
| *Main | * | 9.2 | * | 30.4* | 31.81* | 33.814* |
| *маіп | * | 9.1 | * | 0* | 0* | 0* |

SUMMARY OF CONTRACTION AND EXPANSION COEFFICIENTS River: Turkey Creek

| **** | **** | ***** | **** | ***** | ***** |
|---------|------|---------|---------|-------|------------|
| * Reach | * | River S | ta. * C | ontr. | * Expan. * |
| **** | **** | ***** | **** | **** | **** |
| *Main | * | 10 | * | .1* | .3* |
| *Main | * | 9.9 | ** | .1* | .3* |
| *Main | * | 9.8 | sk | .1* | .3* |
| *Main | * | 9.7 | ric . | .3* | .5* |
| *Main | भं | 9.65 | *Bridge | * | 黎 |
| *Main | ** | 9.6 | ** | .3* | .5* |
| ≉Main | ** | 9.5 | rte | .1* | .3* |
| *Main | * | 9.4 | ** | .1* | .3* |
| *Main | * | 9.3 | ste. | .1* | .3* |
| *Main | * | 9.2 | * | .1* | .3* |
| *Main | * | 9.1 | * | .1* | .3* |
| ****** | *** | **** | **** | **** | **** |

Appendix A.5.3.2

Proposed Condition

HEC-RAS Version 3.1.3 May 2005 U.S. Army Corp of Engineers Hydrologic Engineering Center 609 Second Street Davis, California

| x | X | XXXXXX | XX | XX | | XX | xx | X | X | XXXX |
|-----|------|--------|----|----|-----|----|----|-----|-----|-------|
| X | X | X | Х | X | | Х | Х | X | X | X |
| Х | X | X | Х | | | Х | Х | X | Х | X |
| XXX | XXXX | XXXX | X | | XXX | XX | XX | XXX | XXX | XXXX |
| Х | X | X | X | | | Х | X | Х | X | X |
| Х | Х | X | X | X | | Х | Х | Х | X | X |
| Х | X | XXXXXX | XX | XX | | Х | X | Х | Х | XXXXX |

PROJECT DATA Project Title: Turkey River Project File : dric.prj Run Date and Time: 15/11/2006 2:55:20 PM Project in SI units ***************************** PLAN DATA Plan Title: Plan 36
Plan File : o:\DRIC\19_waterResources\hec\dric.p36 Geometry Title: proposed Geometry File: o:\DRIC\19_WaterResources\hec\dric.g02 : Flow 01
: o:\DRIC\19_waterResources\hec\dric.f01 Flow File Plan Summary Information:
Number of: Cross Sections =
Culverts = Multiple Openings = Inline Structures = Lateral Structures = 10 = Ŏ 0 Bridges = Computational Information

Water surface calculation tolerance = 0.003

Critical depth calculation tolerance = 0.003

Maximum number of iterations = 20

Maximum difference tolerance = 0.1 Flow tolerance factor Computation Options
Critical depth computed only where necessary
Conveyance Calculation Method: At breaks in n values only
Friction Slope Method:
Average Conveyance
Computational Flow Regime: Subcritical Flow FLOW DATA Flow Title: Flow 01
Flow File : o:\DRIC\19_WaterResources\hec\dric.f01 Flow Data (m3/s) * River ** 100 yr Reach RS Regional * * Turkey Creek Main 10 * 39.5 62.6 * 62.6 *

| | L.G. LICY (III) | | 110.00 | | # LEWELLE | | Leit OD | | Chainer | | KIUHL OD | |
|-----|--------------------|-----|---------|---------|----------------------|-----------|---------|---------|---------|--------|----------|-----|
| * | Vel Head (m) | ** | 0.34 | ** | Wt. n-Val. | * | 0.030 | ** | 0.017 | rk. | Ŏ.030 | * |
| * | W.S. Elev (m) | ** | 178.26 | ** | Reach Len. (m) | * | 207.82 | * | 210.78 | * | 216.41 | * |
| -4 | Crit W.S. (m) | * | | ** | Flow Area (m2) | * | 7.29 | * | 5.95 | * | 7.20 | * |
| * | E.G. Slope (m/m) | ∻0 | .001477 | * | Area (m2) | * | 7.29 | ** | 5.95 | ** | 7.20 | * |
| ķ | Q Total (m3/s) | ÷ | 39.50 | ¥¢ | Flow (m3/s) | * | 9.74 | 六 | 20.10 | ¥. | 9.66 | * |
| * | Top Width (m) | ÷ | 16.16 | * | Top Width (m) | * | 6.55 | * | 3.20 | * | 6.41 | * |
| * | Vel Total (m/s) | * | 1.93 | ric. | Avg. Vel. (m/s) | * | 1.34 | * | 3.38 | ** | 1.34 | * |
| * | Max Chl Dpth (m) | * | 1.90 | | Hydr. Depth (m) | * | 1.11 | * | 1.86 | * | 1.12 | * |
| * | Conv. Total (m3/s) | ú | 1027.7 | * | Conv. (m3/s) | * | 253.4 | * | 522.9 | te | 251.4 | ** |
| K | Length Wtd. (m) | × | 211.45 | * | Wetted Per. (m) | * | 6.85 | 六 | 3.26 | te | 6.71 | * |
| × | Min Ch El (m) | ¥ | 176.36 | × | Shear (N/m2) | * | 15.43 | * | 26.42 | ** | 15.53 | 10 |
| ii. | Alpha | × | 1.79 | * | Stream Power (N/m s) | * | 20.61 | ric . | 89.18 | * | 20.85 | 14 |
| * | Frctn Loss (m) | * | 0.23 | | Cum Volume (1000 m3) | ¥ | 2.69 | ric . | 6.60 | * | 2.87 | 37 |
| ¥ | C & E Loss (m) | rie | 0.03 | * | Cum SA (1000 m2) | ¥ | 2.28 | * | 2.51 | * | 2.58 | te |
| * | **** | *** | *** | ** ** * | ********* | 6 36 36 . | **** | * * * * | **** | * ** * | ***** | くさく |
| | | | | | | | | | | | | |

CROSS SECTION OUTPUT Profile #Regional

| *********** | **** | **** | ** | ******* | ** ** ** | **** | c 16 26 | **** | * ** * | ****** | 4.50 |
|-------------------------------|-------------------|--------------------------------------|------|---|----------|--|---------------|---------------------------------------|--------|--------------------------------|------|
| * E.G. Elev (m) | * | 179.19 | * | Element | * | Left OB | * | Channel | * | Right OB | * |
| * Vel Head (m) | * | 0.43 | 於 | Wt. n-Val. | * | 0.030 | * | 0.017 | * | Ŏ.O3O | * |
| * W.S. Elev (m) | ric . | 178.76 | * | Reach Len. (m) | * | 207.82 | * | 210.78 | * | 216.41 | * |
| * Crit W.S. (m) | Ÿ. | | * | Flow Area (m2) | * | 10.85 | * | 7.56 | ú | 10.67 | 25 |
| <pre># E.G. Slope (m/m)</pre> | *0 | .001435 | | Area (m2) | * | 10.85 | * | 7.56 | * | 10.67 | ú |
| * Q Total (m3/s) | ** | 62.60 | * | Flow (m3/s) | * | 16.68 | * | 29.45 | ź¢ | 16.47 | ** |
| * Top Width (m) | ** | 18.35 | * | Top Width (m) | * | 7.68 | * | 3.20 | 70 | 7.47 | * |
| * Vel Total (m/s) | * | 2.15 | 3,0 | Avg. Vel. (m/s) | * | 1.54 | * | 3.90 | 10 | 1.54 | * |
| * Max Chl Dpth (m) | * | 2.40 | 10 | Hydr. Depth (m) | * | 1.41 | * | 2.36 | * | 1.43 | * |
| * Conv. Total (m3/s) | * | 1652.8 | Ý¢ | Conv. (m3/s) | * | 440.3 | × | 777.6 | * | 434.9 | × |
| * Length Wtd. (m) | * | 211.50 | * | Wetted Per. (m) | 纮 | 8.08 | * | 3.26 | * | 7.89 | * |
| * Min Ch El (m) | * | 176.36 | * | Shear (N/m2) | ** | 18.90 | * | 32.56 | 4. | 19.02 | #c |
| * Alpha | * | 1.81 | ** | Stream Power (N/m s) | * | 29.05 | * | 126.90 | * | 29.37 | * |
| * Frctn Loss (m) | * | 0.24 | * | Cum Volume (1000 m3) | * | 3.92 | * | 7.83 | Ħ | 4.25 | * |
| * C & E Loss (m) | * | 0.03 | | Cum SA (1000 m2) | * | | ** | 2.51 | ** | 3.01 | * |
| ******** | والمراوع والمالية | والدوالية والدوال والدوالي والدوالية | 4.45 | , | 20.00 | المراوية والمراوية والمراوية والمراوية | . والم والي م | ن بالا بول بالا ولا وله ولا ول ول بال | ويدي | د دو دو دو دو دو دو دو دو دو د | |

CROSS SECTION

RIVER: Turkey Creek

dric.rep RS: 9.9 REACH: Main INPUT Description: Station Elevation Data num= 32
Sta Elev Sta Elev Sta Elev Sta Elev Sta El Elev 0 182.5 120.028 182.5 136.616 182 137.952 181.5 139.286 181 140.62 180.5 141.772 180 142.859 179.5 143.941 179 145.023 178.5 146.105 178 147.187 177.5 148.269 177 149.351 176.5 152.673 176.06 153.273 175.86 155.273 175.86 155.873 176.06 159.195 176.5 160.399 177 161.603 177.5 162.805 178 164.002 178.5 165.197 179 166.39 179.5 167.992 180 169.998 180.5 172.048 181 174.284 181.5 180.916 182 191.253 182.5 277.679 183 Manning's n Values num= 3 n val 0 .03 152.673 .017 155.873 .03 Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan. 152.673 155.873 104.462 100.685 96.329 .1 .3 CROSS SECTION OUTPUT Profile #100 yr CROSS SECTION OUTPUT Profile #Regional CROSS SECTION RIVER: Turkey Creek REACH: Main RS: 9.8 Description: US of Huron Church Road Station Elevation Data num= 30
Sta Elev Sta Elev Sta Elev Sta Elev

0 182.5 37.489 182 45.643 181.5 47.136 181 48.636 180.5 50.024 180 51.1 179.5 52.174 179 53.246 178.5 54.316 178 55.384 177.5 56.451 177 57.519 176.5 60.347 176.06 60.947 175.86 62.947 175.86 63.547 176.06 66.375 176.5 67.488 177 71.05 177.5 72.19 178 73.33 178.5 74.472 179 75.609 179.5 76.733 180 77.849 180.5 94.858 181 118.672 181.5 142.126 182 143.791 182.5

num=

Manning's n Values

```
dric.rep
            n Val Sta n Val Sta
                                              n Val
     Sta
      0 .03 60.347 .017 63.547 .03
Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan. 60.347 63.547 24.356 24.248 24.356 .1 .3
CROSS SECTION OUTPUT Profile #100 yr
* Left OB * Channel * Right OB *
. * 0.030 * 0.017 * 0.030 *
. (m) * 24.36 * 24.25 * 24.36 *
(m2) * 6.45 * 6.28 * 8.03 *
                                                                                           8.03
                                                                                           9.62
                                                                                           8.33
1.20
                                                                                           0.96
                                                                                          256.2
                                                                                           8.58
                                                                                          12.95
                                                                                          15.52
                                                                                           0.36
Warning: The velocity head has changed by more than 0.5 ft (0.15 m). This may indicate the need for additional cross sections.Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
CROSS SECTION OUTPUT Profile #Regional
                                                  * Left OB * Channel * Right OB * * 0.030 * 0.017 * 0.030 * (m) * 24.36 * 24.25 * 24.36 *
warning: The velocity head has changed by more than 0.5 ft (0.15 m). This may indicate the need for
          additional cross sections.
warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
CROSS SECTION
RIVER: Turkey Creek
REACH: Main
                            RS: 9.7
Description: DS of Huron Church Road
Station Elevation Data num= 13
Sta Elev Sta Elev S
                                        Sta
                                               Elev
                                                                 Elev
                                                         Sta
                           182 140.617 181.5 146.159 178.5 146.159 176.5 175.86 153.777 175.86 154.377 176.06 159.395 176.5 181.5 235.174 182
0 182 135.597
151.177 176.06 151.777
159.395 178.5 165.459
Manning's n Values num=
Sta n Val Sta n V
Sta n Val Sta n Val Sta n Va
                                              n Val
```

Bank Sta: Left Right Lengths: Left Channel Right 146.159 159.395 35.414 35.414 35.414 CROSS SECTION OUTPUT Profile #100 yr

.02 146.159 .017 159.395 .02

Coeff Contr.

```
dric.rep

* Left OB * Channel * Right OB *
CROSS SECTION OUTPUT Profile #Regional
BRIDGE
RIVER: Turkey Creek
REACH: Main
                          RS: 9.65
TMPHT
Description:
Distance from Upstream XS = .621
Deck/Roadway Width = 34.79
Weir Coefficient = 1.44
0 181.74 90.83 182.081 118.067 182.057
140.62 182.199 181.5 152.78 182.207 181.5 166.46 182.179
168.067 182.156 190.032 181.964 218.067 181.884
                                                                   181.5
Upstream Bridge Cross Section Data
Station Elevation Data num= 13
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
 0 182 135.597 182 140.617 181.5 146.159 178.5 146.159 176.5
151.177 176.06 151.777 175.86 153.777 175.86 154.377 176.06 159.395 176.5
159.395 178.5 165.459 181.5 235.174 182
0 .02 146.159 .017 159.395 .02
Bank Sta: Left Right Coeff Contr. Expan.
146.159 159.395 .3 .5
Downstream Deck/Roadway Coordinates
           11
num= 11
Sta Hi Cord Lo Cord Sta Hi Cord Lo Cord Sta Hi Cord Lo Cord
 0 181.74 90.83 182.081 118.067 182.057
133.85 182.157 181.5 137.28 182.199 181.5 152.78 182.207 1
165.46 182.179 181.5 168.067 182.156 181.5 175.93 182.11 1
190.032 181.964 218.067 181.884
```

dric.rep

```
Downstream Bridge Cross Section Data
Station Elevation Data num= 15
Sta Elev Sta Elev Sta Elev Sta Elev S
                                                                                            Elev
 0 182 125.33 182 133.85 181.5 140.248 179.5 140.248 176.5 145.27 176.06 145.87 175.86 147.87 175.86 148.47 176.06 153.492 176.5 153.492 179.5 161.948 180.5 166.14 181 170.386 181.5 199.519 182
Manning's n Values num= 3
Sta n Val Sta n Val Sta n
        0 .02 140.248 .017 153.492 .02
Bank Sta: Left Right Coeff Contr. Expan. 140.248 153.492 .3 .5
Upstream Embankment side slope =
Downstream Embankment side slope  =
Maximum allowable submergence for weir flow =
Elevation at which weir flow begins =
Energy head used in spillway design =
Spillway height used in design =
Weir crest shape =
                                                               O horiz. to 1.0 vertical
                                                               0 horiz. to 1.0 vertical
                                                    = Broad Crested
Number of Bridge Coefficient Sets = 1
Low Flow Methods and Data
Energy
Selected Low Flow Methods = Highest Energy Answer
High Flow Method
         Pressure and Weir flow
             Submerged Inlet Cd = Submerged Inlet + Outlet Cd =
                                                        . 8
             Max Low Cord
Additional Bridge Parameters
         Add Friction component to Momentum
         Do not add Weight component to Momentum

Class B flow critical depth computations use critical depth

inside the bridge at the upstream end

Criteria to check for pressure flow = Upstream energy grade line
* *
* Weir Sta kgt (m) *

* Weir Submerg *

* Weir Max Depth (m) *

* Min El Weir Flow (m) *

* Min El Prs (m) *

* Delta EG (m) *

* Delta WS (m) *
* BR Open Area (m2) *
                                                          Page 6
```

```
dric.rep
0.00
                                                                             10.05 *
CROSS SECTION
RIVER: Turkey Creek
REACH: Main
                        RS: 9.6
TNPUT
Description:
Station Elevation Data num= 15
Sta Elev Sta Elev Sta Elev Sta Elev St
                                                                        Elev
 0 182 125.33 182 133.85 181.5 140.248 179.5 140.248 176.5 145.27 176.06 145.87 175.86 147.87 175.86 148.47 176.06 153.492 176.5 153.492 179.5 161.948 180.5 166.14 181 170.386 181.5 199.519 182
Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
           .02 140.248 .017 153.492 .02
Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan. 140.248 153.492 8.508 3 8.362 .3 .5
Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
```


warning: The velocity head has changed by more than 0.5 ft (0.15 m). This may indicate the need for additional cross sections.

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

CROSS SECTION

RIVER: Turkey Creek REACH: Main

RS: 9.5

```
dric.rep
TNPUT
Description:
Station Elevation Data
                           num=
         a Elev Sta Elev Sta Elev Sta Elev Sta Elev Sta Ele
                                                                                      Flev
      Sta
  0 182.5 58.964 182 66.492 180 66.492
81.492 175.86 83.492 175.86 84.092 176.06 98.492
99.757 180.5 103.154 181 106.622 181.5 138.493
                                                                  176.5 80.892 176.06
176.5 98.492 180
182
Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
       0 .02 66.492 .017 98.492 .02
Bank Sta: Left Right
66.492 98.492
                             Lengths: Left Channel Right Coeff Contr. Expan. 39.545 39.545 .3 .5
CROSS SECTION OUTPUT Profile #100 yr
warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
CROSS SECTION OUTPUT Profile #Regional
Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
BRIDGE
RIVER: Turkey Creek
REACH: Main
                           85: 9.45
INPUT
Description:
Distance from Upstream XS = .143
Deck/Roadway Width = 36.402
Weir Coefficient = 1.44
Upstream Deck/Roadway Coordinates
   num=
               17
num= 1/
Sta Hi Cord Lo Cord Sta Hi Cord Lo Cord
                                                            Sta Hi Cord Lo Cord
   0 180.1
66.99 179.06 177.86
77.49 179.03 176.06
87.49 179.03 177.86
                            32.49 180 66.99 179.06 176.06
76.99 179.03 177.86 76.99 179.03 176.06
77.49 179.03 177.86 82.49 179.03 177.86
87.49 179.03 176.06 87.99 179.03 176.06
```

```
dric.rep
87.99 179.03 177.86 97.99 179.03 177.86 97.99 179.03 176.06
                                     182.49
               178.3
                                                     178
Upstream Bridge Cross Section Data
Station Elevation Data num
                                                   14
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
   0 182.5 58.964 182 66.492 180 66.492 176.5 80.892 176.06
81.492 175.86 83.492 175.86 84.092 176.06 98.492 176.5 98.492 180
99.757 180.5 103.154 181 106.622 181.5 138.493 182
Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
         0 .02 66.492 .017 98.492
Bank Sta: Left Right
66.492 98.492
                                    Coeff Contr.
                                                        Expan.
                                    .3
Downstream Deck/Roadway Coordinates
     num≃
                   17
       Nume 17
Sta Hi Cord Lo Cord Sta Hi Cord Lo Cord Sta Hi Cord Lo Cord
                                      9.55 180

54.05 179.03 177.86

54.55 179.03 177.86

64.55 179.03 176.06

75.05 179.03 177.86
                                                            44.05 179.06 176.06
177.86 54.05 179.03 176.06
        0 180
  44.05 179.06 177.86
54.55 179.03 176.06
64.55 179.03 177.86
65.05 179.03 177.86
109.55 178.3
                                                                        54.05 179.03 176.06
59.55 179.03 177.86
65.05 179.03 176.06
                                                                        75.05
                                                                                  179.03 176.06
                                     159.55
                                                     178
Downstream Bridge Cross Section Data
Station Elevation Data num= 15
                                 num=
                                                              Elev
           a Elev Sta Elev Sta Elev
                                                                           Sta
                                                                                     Elev
                                                                                                            Elev
   0 182.5 22.451 182 30.035 181.5 43.553 179.5 43.553 176.5 57.953 176.06 58.553 175.86 60.553 175.86 61.153 176.06 75.553 176.5 75.553 179.5 84.157 181 86.382 181.5 87.423 182 124.022 182.5
Manning's n Values
Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
              .02 43.553 .017 75.553 .02
Bank Sta: Left Right
43.553 75.553
                                     Coeff Contr. Expan.
Upstream Embankment side slope =
Downstream Embankment side slope =
Maximum allowable submergence for weir flow =
Elevation at which weir flow begins =
Energy head used in spillway design =
Spillway height used in design =
Weir Crest shape =
                                                                          O horiz. to 1.0 vertical O horiz. to 1.0 vertical
                                                              = Broad Crested
Number of Bridge Coefficient Sets = 1
Low Flow Methods and Data
Energy
Selected Low Flow Methods = Highest Energy Answer
High Flow Method
         Energy Only
Additional Bridge Parameters
          Add Friction component to Momentum
         Do not add weight component to Momentum

Class B flow critical depth computations use critical depth

inside the bridge at the upstream end

Criteria to check for pressure flow = Upstream energy grade line
BRIDGE OUTPUT Profile #100 yr
                                        * 176.02 * 176.80 * 2.16 * * 0.81 * * 48.73 * * 0.10 *
# Q Bridge (m3/s)
# Q Bridge (m3/s)
# Q weir (m3/s)
# Weir Sta Lft (m)
# Weir Sta Rgt (m)
                                 ÷
                                 ķ
* Weir Submerg
                                                    * Froude # Chl
                                                                                                                    0.19
```

```
dric.rep
                                                  * Specif Force (m3)
* Weir Max Depth (m)
                                                                                          51.18 *
                                                                                                              50.63 *
* Min El Weir Flow (m) *
* Min El Prs (m) *
                                       179.02
177.86
                                                  * Hydr Depth (m)

* W.P. Total (m)
                                                                                           69.58 *
                                                                                                              69.58
* Delta EG (m)
* Delta WS (m)
                                                  * Conv. Total (m3/s)
* Top Width (m)
                                                                                         2260.3 *
                                          0.02
                                                                                                            2260.2
                                        0.02
48.73
* BR Open Area (m2)
* BR Open Vel (m/s)
* Coef of Q
                                                * Frctn Loss (m)
* C & E Loss (m)
                                                                                            0.01 *
                                                                                                               0.00
                                          0.81
                                                                                            0.00
                                                                                                               0.00
                                               * Shear Total (N/m2)
/ * Power Total (N/m s)
                                                                                            2.10
                                                                                                               2.10
*Energy only
                                                                                                               1.70
```

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

| BRIDGE OUTPUT Profile | #Regional | | | | | | | |
|------------------------|-------------|------|---------------------|-------|----------|-------|----------|-------|
| ***** | ****** | とななな | ***** | *** | **** | ***** | *** | it it |
| * E.G. US. (m) | * 178.6 |) * | Element | *Insi | de BR US | *Insi | de BR DS | ** |
| * W.S. US. (m) | * 178.5 | 5 * | E.G. Elev (m) | * | 178.59 | t | 178.56 | ** |
| * Q Total (m3/s) | * 62.6 |) # | W.S. Elev (m) | * | 178.50 | ** | 178.47 | な |
| * Q Bridge (m3/s) | * 62.6 |) * | Crit W.S. (m) | * | 177.00 | * | 177.00 | 水 |
| * Q Weir (m3/s) | te | te | Max Chl Dpth (m) | ** | 2.64 | * | 2.61 | 7. |
| * Weir Sta Lft (m) | * | ** | Vel Total (m/s) | te | 1.28 | * | 1.28 | * |
| * Weir Sta Rgt (m) | * | 40 | Flow Area (m2) | * | 48.73 | * | 48.73 | * |
| ⇒ Weir Submerg | * | ** | Froude # Chl | * | 0.27 | * | 0.27 | * |
| * Weir Max Depth (m) | * | * | Specif Force (m3) | * | 79.45 | * | 78.09 | * |
| * Min El Weir Flow (m) | * 179.0 | 2 * | Hvdr Depth (m) | * | | * | | * |
| * Min El Prs (m) | * 177.8 | 3 × | W.P. Total (m) | * | 69.58 | * | 69.58 | ** |
| * Delta EG (m) | * 0.0 | 7 * | Conv. Total (m3/s) | * | 2260.3 | * | 2260.2 | ** |
| * Delta WS (m) | * 0.0 | 7 * | Top Width (m) | * | | * | | 25 |
| * BR Open Area (m2) | * 48.7 | 3 * | Frctn Loss (m) | * | 0.03 | * | 0.00 | ** |
| * BR Open Vel (m/s) | * 1.2 | 3 * | C & E Loss (m) | * | 0.00 | * | 0.02 | 14 |
| * Coef of Q | * | * | Shear Total (N/m2) | * | 5.27 | * | 5.27 | * |
| * Br Sel Method | *Energy onl | / * | Power Total (N/m s) | ¥ | 6.77 | * | 6.77 | * |
| ***** | ********* | **** | ******* | **** | **** | **** | **** | * * |

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

CROSS SECTION

RIVER: Turkey Creek REACH: Main RS: 9.4 INPUT Description: Station Elevation Data num= 15 Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev 0 182.5 22.451 182 30.035 181.5 43.553 179.5 43.553 57.953 176.06 58.553 175.86 60.553 175.86 61.153 176.06 75.553 75.553 179.5 84.157 181 86.382 181.5 87.423 182 124.022 176.5 176.5 Manning's n Values num= 3
Sta n Val Sta n Val Sta n Va .02 43.553 .017 75.553 .02 Bank Sta: Left Right 43.553 75.553 Right 6.353 Lengths: Left Channel Coeff Contr. Expan. 5.639 CROSS SECTION OUTPUT Profile #100 yr * Left OB * Channel * Right OB *

dric.rep

| CROSS SECTION OUTPUT Pro | ofile #Regional | dric.rep | | | |
|---|---|----------------------------|--|---|--|
| * E.G. Elev (m) * * Vel Head (m) * * W.S. Elev (m) * * Crit W.S. (m) * * E.G. Slope (m/m) * * Q Total (m3/s) * * Top Width (m) * Vel Total (m/s) * Max Chl Dpth (m) * * Conv. Total (m3/s) * * Length Wtd. (m) * * Alpha * Frctn Loss (m) * * C & E Loss (m) * * * * * * * * * * * * * * * * * * * | 178.53 * Element 0.04 * Wt. n-Val. 178.50 * Reach Len. * Flow Area (m2) 62.60 * Flow (m3/s) 32.00 * Top Width (0.87 * Avg. Vel. (2.64 * Hydr. Depth 6735.6 * Conv. (m3/s) 5.00 * wetted Per. 175.86 * Shear (N/m2 1.00 * Stream Powe 0.00 * Cum Volume 0.01 * Cum SA (100 | (m) | eft OB * 5.64 * * * * * * * * * * * * * * * * * * * | Channel * 0.017 * 5.00 * 72.14 * 72.14 * 62.60 * 32.00 * 0.87 * 2.25 * 6735.6 * 36.07 * 1.69 * 1.47 * 1.62 * 0.73 * | Right OB # # 6.35 # # # # # # # # # # # # # # # # # # # |
| CROSS SECTION | | | | | |
| RIVER: Turkey Creek
REACH: Main | RS: 9.3 | | | | |
| INPUT Description: Station Elevation Data Sta Elev Sta ************************************ | num= 16
Elev Sta Ele************************************ | .5 36.837
36 61.423 175 | lev St

181 47.67
.86 62.02
181 89.07 | 73 178
23 176.06 | |
| Manning's n Values
Sta n Val Sta | num= 3
n Val Sta n Va | ٠٦ | | | |
| 0 .02 47.673 | ***** | ;;
)2 | | | |
| Bank Sta: Left Right | Lengths: Left Channel | | oeff Contr | '. Expan. | |
| 47.673 73.173 | 4.02 3.772 | | .1 | .3 | |
| CROSS SECTION OUTPUT Pro | file #100 yr | ******* | *** | ***** | **** |
| * E.G. Elev (m) * * Vel Head (m) * * W.S. Elev (m) * * Crit W.S. (m) * * E.G. Slope (m/m) *0 * Q Total (m3/s) * * Top Width (m) * * Vel Total (m/s) * * Max Chl Dpth (m) * * Conv. Total (m3/s) * * Length Wtd. (m) * * Min Ch El (m) * * Alpha * * Fretn Loss (m) * * C & E Loss (m) | 178.04 | (m) | eft OB * 4.02 * * * * * * * * * * * * * * * * * * * | Channel * 0.017 * 3.77 * 44.98 * 44.98 * 39.50 * 25.50 * 0.88 * 1.76 * 3580.8 * 28.57 * 1.88 * 1.65 * 1.03 * 0.59 * | A:02 |
| ****** | | ************* | ***** | ************ | **** |
| ************************************** | 178.53 * Element 0.06 * Wt. n-Val. 178.47 * Reach Len. * Flow Area (m2) 62.60 * Flow (m3/s) 28.82 * Top Width (2.61 * Hydr. Depth 5321.4 * Conv. (m3/s) 3.78 * Wetted Per. 175.86 * Shear (N/m2 1.02 * Stream Powe 0.00 * Cum Volume 0.00 * Cum SA (100 | (m) | eft OB * 0.020 * 4.02 * 0.39 * 0.09 * 1.68 * 0.22 * 0.33 * 7.2 * 1.75 * 0.30 * 0.07 * 0.22 * | Channel * 0.017 * 3.77 * 56.97 * 62.43 * 25.50 * 1.10 * 223 * 5307.2 * 28.58 * 2.70 * 2.96 * 1.30 * 0.59 * | Right OB * 0.020 * 4.02 * 0.38 * 0.08 * 1.64 * 0.22 * 0.23 * 7.1 * 0.30 * 0.07 * 0.31 * 0.32 * |

CROSS SECTION

```
RIVER: Turkey Creek
                                 RS: 9.2
REACH: Main
INPUT
Description:
                                              28
Station Elevation Data
                                 num=
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
                                                                                                 Elev
              182 12.725
179.5 21.223
177 28.735
                                                                            180.5 17.868
         0
                                             14.44
                                                      181 16.148
                                  181.5
                                                                                              180
                                  179
176.5
                                          22.754
36.975
49.851
57.16
                                                      178.5
176.06
177
179.5
   19.579
                                                                24.249
37.575
                                                                          178
175.86
177.5
                                                                                    25.742 177.5
39.575 175.86
                                                                                                177.5
   27.224
            176.06 48.415
178.5 55.665
181 67.032
   40.175
                                   176.5
179
                                                                51.275
                                                                                    52.723
                                                                                                   178
   54.188
                                                                              180
                                                                 58.63
                                                                                    60.657
                                                                                                180.5
   65.963
                                   181.5
                                             68.12
                                                          182
Manning's n Values
                                 num=
                            Sta n Val Sta n Val
Sta n Val S
           .03 28.735 .017 48.415
                                Lengths: Left Channel Right 30.4 31.81 33.814
Bank Sta: Left Right 28.735 48.415
                                                                            Coeff Contr.
                                                                                                Expan.
                                                                              .1
* 178.03 * Element
                                                                        * Left OB * Channel * Right OB *
* E.G. Elev (m)
                                                                              0.030 *
                                                                                            0.017 * 31.81 * 34.61 * 37.38 *
                                                                                                          0.030
33.81
                                                                                                            3.12
                                                                                                            3.12
                                                                                                           1.03
                                                                                            19.68 *
                                                                                                            4.24
                                                                                          1.08 *
1.76 *
2957.7 *
19.77 *
2.74 *
                                                                                                           0.33
                                                                                                           0.74
                                                                                                            81.8
                                                                                                            4.49
                                                                                                           1.09
                                                                                             2.96
0.88
                                                                                                           0.36
                                                                                       *
                                                                                                    ş,
                                                                                   l6 * 0.50
                                                                                                    *
                                                                                                           0.25
Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.
CROSS SECTION OUTPUT Profile #Regional
                                                            * Left OB * Channel * Right OB *
* 0.030 * 0.017 * 0.030 *
* Wt. n-Val.
* W.S. Elev (m)
* Crit W.S. (m)
                            * 178.44 * Reach Len. (m)
                                                                              30.40
                                                                                            31.81
43.74
                                                                        *
                                                                                      *
                                                                                                    *
                                                                                                          33.81
                                                                                                           5.41
5.41
2.25
                            **
                                           # Flow Area (m2)
                                                                               5.64
* E.G. Slope (m/m)
* Q Total (m3/s)
                                          * Area (m2)
* Flow (m3/s)
                                                                                            43.74
57.99
                             *0.000176
                                                                        *
                                                                                      ¥
                                                                                                    **
                          *
                                  62.60
31.08
1.14
                             TC
TC
                                          * TOW (M3/S)

* TOP Width (m)

* Avg. Vel. (m/s)

* Hydr. Depth (m)

* Conv. (m3/s)

* Wetted Per (m)
* Top Width (m)
* vel Total (m/s)
                                                                        **
                                                                               5.80
                                                                                            19.68
                                                                                                    **
                                                                                                           5.60
                                                                                             1.33
                             *
                                                                               0.42
                                                                                                           0.42
                             ¥
  Max Chl Dpth (m)
Conv. Total (m3/s)
Length Wtd. (m)
                             * 2.58
* 4717.3
                                                                        **
                                                                               0.97
                                                                                                           0.97
                                                                                           4369.7
19.77
                                                                              178.1
                                                                                                          169.6
* Conv. Total (m3/s) * 4/1/.3 * Conv. (m3/s) * 1/8.1 * 4369

* Length Wtd. (m) * 31.88 * Wetted Per. (m) * 6.12 * 19.7

* Min Ch El (m) * 175.86 * Shear (N/m2) * 1.59 * 3.8

* Alpha * 1.26 * Stream Power (N/m s) * 0.67 * 5.0

* Frctn Loss (m) * 0.01 * Cum Volume (1000 m3) * 0.21 * 1.3

* C & E Loss (m) * 0.01 * Cum SA (1000 m2) * 0.21 * 0.5
                                                                                                           5.93
1.58
                                                                                             3.82
                                                                                             5.07
                                                                                                    *
                                                                                                           0.66
                                                                                             1.11
                                                                                                           0.30
                                                                                             \bar{0}.50
                                                                                                    *
```

Warning: The conveyance ratio (upstream conveyance divided by downstream conveyance) is less than 0.7 or greater than 1.4. This may indicate the need for additional cross sections.

CROSS SECTION

RIVER: Turkey Creek REACH: Main

RS: 9.1

TNPUT

Description:

Station Elevation Data 29 num=

```
dric.rep
Gric.rep

Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
  0 181.5 84.335 181.5 89.24 181 91.04 180.5 92.826 180.64 179.5 96.484 179 98.345 178.5 100.173 178 101.97 177.5 137.725 177 106.858 176.5 111.217 176.06 111.817 175.86 113.817 175.86 4.417 176.06 118.776 176.5 122.227 177 125.249 177.5 130.295 178 11.458 178.5 132.634 179 133.814 179.5 134.997 180 136.182 180.5 12.388 181 143.457 181.5 144.535 182 251.616 182
 94.617
103.725
114.417
131.458
Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
     0 .03 106.858
                    .017 118.776 .03
Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan. 106.858 118.776 0 0 0 .1 .3
CROSS SECTION OUTPUT Profile #100 yr
CROSS SECTION OUTPUT Profile #Regional
SUMMARY OF MANNING'S N VALUES
River:Turkey Creek
.03*
.03*
.03*
.02*
*Main
*Main
*Main
*Main
*Main
*Main
*Main
*Main
*Main
```

*Main

*маіп

.017*

dric.rep

| River: | Turkey | Creek | (|
|--------|--------|-------|---|
|--------|--------|-------|---|

| ******* | CTEEK
***** | ***** | **** | ***** | * * * * * * * * * * * * * * * * | **** |
|---------|------------------------|-------------------------------|--------------------------|-------------------------------------|---|-------------------------------------|
| neach | * | River St | | | Channel * | Right * |
| **** | **** | **** | **** | **** | ***** | ជជជ្ ជជ្ជជ្ជជ្ |
| *Main | * | 10 | * | 207.817* | 210.778* | 216.406* |
| *Main | * | 9.9 | * | 104.462* | 100.685* | 96.329* |
| *Main | * | 9.8 | * | 24.356* | 24.248* | 24.356* |
| *Main | * | 9.7 | * | 35.414* | 35.414* | 35.414* |
| *Main | * | 9.65 | *B | ridae * | ್ | * |
| *Main | ¥r | 9.6 | * | 8.508* | 3≉ | 8.362* |
| *Main | že | 9.5 | * | 39.545* | 39.545* | 39.545* |
| *Main | * | 9.45 | *B | ridae * | र्दर | ** |
| *Main | * | 9.4 | * | 5.639* | 5* | 6.353* |
| *Main | * | 9.3 | ** | 4.02* | 3.772* | 4.02* |
| *Main | * | 9.2 | * | 30.4* | 31.81* | 33.814* |
| *Main | * | 9.1 | * | 0* | 0* | 0* |
| ******* | وله وله وله وله وله ول | رد رد رد رد رد یک رد رد رد رد | این رو باز وی رو باز باز | د بد پی برد برد برد برد برد برد برد | بالد بالا برقد بالد بالد بالد بالد بالد بالد بالد بال | ىد يەر يو يىد يار يور يور يور يور ي |

SUMMARY OF CONTRACTION AND EXPANSION COEFFICIENTS River: Turkey Creek

| **** | **** | **** | **** | **** | **** |
|--------|-------|---------|---------|-------|------------|
| * Reac | h * | River S | ta. * c | ontr. | * Expan. * |
| ***** | **** | **** | **** | **** | ****** |
| *Main | * | 10 | * | .1* | .3* |
| *Main | * | 9.9 | * | .1* | .3* |
| *матп | * | 9.8 | * | .1* | .3* |
| ≉маіп | * | 9.7 | * | .3* | .5* |
| *Main | t | 9.65 | *Bridge | * | ** |
| ≄Main | * | 9.6 | * | .3* | .5* |
| *Main | * | 9.5 | te | .3* | .5* |
| *Main | tr | 9.45 | *Bridge | ネ | tr. |
| *Main | * | 9.4 | * | .3* | .5* |
| *маіп | * | 9.3 | n | .1* | .3* |
| *Main | Ħ | 9.2 | * | .1* | .3* |
| ≉Main | * | 9.1 | * | .1* | .3* |
| **** | ***** | **** | ***** | **** | ***** |

Appendix A.6

Alternative 3

Culvert Calculator Report Basin Drain -All Alternatives - Reg Check

Solve For: Headwater Elevation

| Culvert Summary | | | | |
|---------------------------|------------|------------------------|---------------|------|
| Allowable HW Elevation | 181.40 m | Headwater Depth/Height | 1.20 | |
| Computed Headwater Elevat | 180.32 m | Discharge | 8.1000 | m³/s |
| Inlet Control HW Elev. | 180.32 m | Tailwater Elevation | 179.70 | m |
| Outlet Control HW Elev. | 180.32 m | Control Type | Inlet Control | |
| Grades | | | | |
| Upstream Invert | 178.50 m | Downstream Invert | 178.20 | m |
| Length | 58.00 m | Constructed Slope | 0.005172 | m/m |
| Hydraulic Profile | | | | |
| Profile Comp | ositeS1S2 | Depth, Downstream | 1.05 | m |
| Slope Type | Steep | Normal Depth | 1.05 | |
| Flow Regime | N/A | Critical Depth | 1.14 | |
| Velocity Downstream | 3.62 m/s | Critical Slope | 0.004178 | m/m |
| Section | | | | |
| Section Shape | Box | Mannings Coefficient | 0.013 | |
| Section Material | Concrete | Span | 2.13 | m |
| Section Size 2130 x | : 1520 mm | Rise | 1.52 | m |
| Number Sections | 1 | | | |
| Outlet Control Properties | | | | |
| Outlet Control HW Elev. | 180.32 m | Upstream Velocity Head | 0.57 | |
| Ke | 0.20 | Entrance Loss | 0.11 | m |
| Inlet Control Properties | | | | |
| Inlet Control HW Elev. | 180.32 m | Flow Control | Transition | |
| Inlet Type 90° headwall w | 45° bevels | Area Full | 3.3 | 3 m² |
| К | 0.49500 | HDS 5 Chart | 10 |) |
| M | 0.66700 | HDS 5 Scale | | 2 |
| С | 0.03140 | Equation Form | : | 2 |
| Y | 0.82000 | | | |

Titcombe Drain Worksheet for Circular Channel

| Project Description | |
|---------------------|-------------------|
| Worksheet | Titcome_prelimin |
| Flow Element | Circular Channel |
| Method | Manning's Formu |
| Soive For | Full Flow Diamete |

| Input Data | | |
|------------------|--------|------|
| Mannings Coeffic | 0.013 | |
| Channel Slope | 005000 | m/m |
| Discharge | 3.2000 | m³/s |

| Results | | |
|-----------------|---------|------|
| Depth | 1.27 | m |
| Diameter | 1,269.0 | mm |
| Flow Area | 1.3 | m² |
| Wetted Perimet | 4.30 | m |
| Top Width | 0.00 | m |
| Critical Depth | 0.97 | m |
| Percent Full | 100.0 | % |
| Critical Slope | 005735 | m/m |
| Velocity | 2.53 | m/s |
| Velocity Head | 0.33 | m |
| Specific Energy | 1.60 | m |
| Froude Number | 0.00 | |
| Maximum Disch | 3.4423 | m³/s |
| Discharge Full | 3.2000 | m³/s |
| Slope Full | 005000 | m/m |
| Flow Type | N/A | |
| | | |

Notes: Discharge of 3.2 m3/s was taken from taking 50% of the 100 year flow of subcatchment 140 of turkey creek watershed. Drainage area D/S of Titcombe is approximately 274 ha, 55% of the entire subcatch #140. Drainage area therefore U/S Titcombe crossing is app. 50% of the entire subcatch.

From 1989 Maclaren report:

Catch # 140

DA = 496 Ha.

100 yr existing = 6.4 m3/s

100 yr efuture = 16.7 m3/s

Appendix B

Hydrologic Analysis
Pre & Post Development Conditions

Appendix B.1

Pre-Development Condition

Design Storm:

100-year MTO District I Chatham Rainfall Data:

Rainfall Intensity Coefficients:

2824.505 13.74 0.88 C: B:

Rational Method Calculation

Existing Conidtion

Alternative 1A

| | | Run-off | Travelled | Time of | Rainfall | 100-year | |
|----------|----------|-------------|------------|---------------|-----------|----------|----------------------|
| Drainage | Drainage | Coefficient | Distance | Concentration | Intensity | Peak | |
| ID | Area | ၁ | q | Tc | I | Flow | Remarks |
| | (ha) | | (m) | (hr) | (mm/h) | (m3/s) | |
| 100 | 6.36 | 0:30 | 850 | 0.91 | 2.89 | 0.37 | To TTcombe Drain |
| 101 | 2.53 | 0.30 | 733 | 0.82 | 73.9 | 0.16 | To Basin Drain |
| 102 | 5.60 | 0.30 | 833 | 0.26 | 143.5 | 0.68 | Pump to Mangin Drain |
| 103 | 2.60 | 0:30 | 747 | 0.83 | 73.2 | 91.0 | To Turkey Creek |
| 104 | 2.50 | 0:30 | 353 | 0.52 | 0.66 | 0.21 | Pump to Lenon Drain |
| 105 | 2.50 | 0:30 | 533 | 29.0 | 84.6 | 0.18 | To Lenon Drain |
| 106 | 5.60 | 0:30 | <i>L9L</i> | 0.85 | 72.0 | 0.34 | Pump to Cahill Drain |
| 107 | 3.10 | 0:30 | 881 | 0.92 | 6.79 | 0.18 | To Wolfe Drain |
| 108 | 3.96 | 0:30 | 834 | 68.0 | 9.69 | 0.23 | Pump to Wolfe Drain |
| 601 | 09'9 | 0:30 | 1737 | 1.45 | 48.8 | 0.27 | To Wolfe Drain |

O:\DRIC\19_WaterResources\Hydrology\{Option 1A 100-yr Rational.xls}\Exist 9:31 AM

Design Storm:

100-year MTO District I Chatham Rainfall Data:

Rational Method Calculation

Existing Conidtion

Alternative 1B

| | | Run-off | Travelled | Time of | Rainfall | 100-year | |
|----------|----------|-------------|-----------|---------------|-----------|----------|----------------------|
| Drainage | Drainage | Coefficient | Distance | Concentration | Intensity | Peak | |
| ID | Area | ပ | р | m Tc | | Flow | Remarks |
| | (ha) | | (m) | (hr) | (mm/h) | (m3/s) | |
| 100 | 6.36 | 0:30 | 885 | 0.93 | 67.5 | 0.36 | To TTcombe Drain |
| 101 | 2.70 | 0.30 | 468 | 0.62 | 0.68 | 0.20 | To Basin Drain |
| 102 | 5.38 | 0:30 | 029 | 0.78 | 76.3 | 0.34 | Pump to Mangin Drain |
| 103 | 4.50 | 0:30 | 847 | 06.0 | 0.69 | 0.26 | Pump to Turkey Creek |
| 104 | 2.74 | 0:30 | 451 | 0.61 | 90.2 | 0.21 | Pump to Lenon Drain |
| 105 | 7.21 | 0:30 | 1,016 | 1.02 | 63.3 | 0.38 | Pump to Cahill Drain |
| 106 | 6.17 | 0:30 | 1,498 | 1.31 | 52.6 | 0.27 | Pump to Wolfe Drain |
| 107 | 6.56 | 0:30 | 1737 | 1.45 | 48.8 | 0.27 | To Wolfe Drain |

O:\text{ORICM9_WaterResources\Hydrology\|Option 1B 100-yr Rational.xls]\text{Exist}

9:32 AM

Design Storm: 100-year
Rainfall Data: MTO District I Chatham
Rainfall Intensity Coefficients:

2824.505 13.74 0.88

C: B:

Rational Method Calculation

Existing Conidtion

Alternative 2A

| Droipogo | | Run-off | Travelled | Time of | Rainfall | 100 - year | |
|----------|----------|-------------|-----------|---------------|---------------|------------|------------------------|
| Di amage | Drainage | Coefficient | Distance | Concentration | Intensity | Peak | |
| aı | Area | ၁ | 7 | Tc |)••••(| Flow | Remarks |
| | (ha) | | (m) | (hr) | (mm/h) | (m^3/s) | |
| 100 | 6.36 | 0:30 | 088 | 0.928 | 2.79 | 0.36 | Drain to TTcombe Drain |
| 101 | 1.69 | 0.30 | 483 | 0.626 | 88.3 | 0.13 | Basin Drain |
| 102 | 5.19 | 0.30 | 847 | 0.904 | 6.89 | 0:30 | Pump to Mangin Drain |
| 103 | 3.31 | 0.30 | 732 | 0.820 | 73.8 | 0.21 | To Turkey Creek |
| 104 | 4.93 | 0.30 | 556 | 969.0 | 82.4 | 0.34 | Pump to Lennon Drain |
| 105 | 2.61 | 0:30 | 529 | 0.667 | 84.8 | 0.19 | To Cahill Drain |
| 106 | 5.30 | 0.30 | 696 | 0.985 | 64.9 | 0.29 | Pump to Cahill Drain |
| 107 | 7.06 | 0:30 | 866 | 1.007 | 63.9 | 86.0 | Pump to Wolfe Drain |

Design Storm: 100-year
Rainfall Data: MTO District I Chatham
Rainfall Intensity Coefficients:
A: 2824.505
B: 13.74
C: 0.88

Rational Method Calculation

Existing Conidtion

Alternative 2B

| | | Run-off | Travelled | Time of | Rainfall | 100-year | |
|----------|----------|-------------|-----------|---------------|-----------|-----------|------------------------|
| Drainage | Drainage | Coefficient | Distance | Concentration | Intensity | Peak | |
| ID | Area | ပ | 7 | Tc | _ | Flow | Remarks |
| | (ha) | | (m) | (hr) | (mm/h) | (m^3/s) | |
| 100 | 6.36 | 0.30 | 880 | 0.93 | 67.7 | 0.36 | Drain to TTcombe Drain |
| 101 | 2.13 | 0:30 | 482 | 69:0 | 88.2 | 0.16 | Basin Drain |
| 102 | 6.54 | 0:30 | 884 | 0.93 | 67.5 | 0.37 | Pump to Mangin Drain |
| 103 | 7.21 | 0:30 | 1453 | 1.29 | 53.4 | 0.32 | Pump to Turkey Creek |
| 104 | 2.34 | 0:30 | 421 | 0.58 | 92.8 | 0.18 | Pump to Lennon Drain |
| 105 | 5.77 | 0:30 | 1377 | 1.24 | 54.8 | 0.27 | Pump to Cahill Drain |
| 106 | 9.32 | 0:30 | 1023 | 1.03 | 63.0 | 0.49 | Pump to Wolfe Drain |

100-year Design Storm: Rainfall Data:

MTO District I Chatham

Rainfall Intensity Coefficients:

2824.505 13.74 0.88

C: B:

Rational Method Calculation

Existing Conidtion

Alternative 2B - Revised Proposed

| | | Run-off | Travelled | Time of Rainfall 100-year | Rainfall | 100-year | |
|----------|----------|-------------|-----------|---------------------------|-----------|----------|----------------------|
| Drainage | Drainage | Coefficient | Distance | Concentration Intensity | Intensity | Peak | |
| Œ | Area | S | ರ | Tc | I | Flow | Remarks |
| | (ha) | | (m) | (hr) | (mm/h) | (m3/s) | |
| 001 | 6.36 | 0.30 | 810 | 88.0 | 70.2 | 0.37 | To TTcombe Drain |
| 101 | 8.67 | 0.30 | 1260 | 1.17 | 57.2 | 0.42 | Pump To Basin Drain |
| 102 | 6.22 | 0:30 | 1080 | 1.06 | 9.19 | 0.32 | Pump to Lenon Drain |
| 103 | 19.43 | 0:30 | 3240 | 2.22 | 35.0 | 0.57 | Pump to Cahill Drain |

O:\DRIC\19_WaterResources\Hydrology\[Option 2B(Revised Propofile) 100-yr Rational.xls]Exist

9:36 AM

Design Storm: Rainfall Data:

100-year MTO District I Chatham

Inlet Time (t_i) = Rainfall Intensity Coefficients:

min s/m

1.5

Average Velocity =

2824.505 13.74 0.88 C B:

Rational Method Calculation

Existing Conidtion

Alternative 3

| | | Run-off | Travelled | Time of | Rainfall | 100-year | |
|----------|----------|-------------|-----------|-------------------------|-----------|----------|----------------------|
| Drainage | Drainage | Coefficient | Distance | Concentration Intensity | Intensity | Peak | |
| a | Area | ပ | p | Tc | П | Flow | Remarks |
| | (ha) | | (m) | (hr) | (mm/h) | (m3/s) | |
| 001 | 6.36 | 0:30 | 850 | 0.91 | 68.7 | 0.37 | To TTcombe Drain |
| 101 | 2.80 | 0.30 | 798 | 0.87 | 71.1 | 0.17 | Pump to Basin Drain |
| 102 | 0.34 | 0:30 | 342 | 0.50 | 101.7 | 0.03 | Pump to Turkey Creek |
| 103 | 0.34 | 0:30 | 342 | 0.50 | 101.7 | 0.03 | Pump to Turkey Creek |
| 104 | 0.14 | 0:30 | 140 | 0.29 | 138.1 | 0.02 | Pump to Cahill Drain |
| 105 | 0.19 | 0:30 | 194 | 0.35 | 124.6 | 0.02 | Pump to Cahill Drain |
| 106 | 0.17 | 0:30 | 174 | 0.33 | 129.1 | 0.02 | Pump to Cahill Drain |
| 107 | 0.19 | 0.30 | 191 | 0.35 | 125.3 | 0.02 | Pump to Cahill Drain |
| 108 | 2.16 | 0:30 | 774 | 0.85 | 72.1 | 0.13 | Pump to Wolfe Drain |
| 601 | 6.56 | 0:30 | 1737 | 1.45 | 48.8 | 0.27 | To Wolfe Drain |

OADRICA19_WaterResources/Hydrology/[Option 03 100-yr Rational.xls]Exist

Appendix B.2

Post Development Condition

Design Storm:

100-year MTO District I Chatham Rainfall Data:

Inlet Time (t_i) = Average Velocity = Rainfall Intensity Coefficients:

min s/m

5 1.5

2824.505 13.74 C: B:

0.88

Rational Method Calculation

Proposed Conidtion

Alternative 1A

| | | Run-off | Travelled | Time of | Rainfall | 100-year | |
|----------|----------|-------------|-----------|---|-----------|----------|----------------------|
| Drainage | Drainage | Coefficient | Distance | Concentration | Intensity | Peak | |
| ED CI | Area | C | で | $\mathbf{Tc} = \mathbf{t_i} + \mathbf{t_d}$ | _ | Flow | Remarks |
| | (ha) | | (m) | (hr) | (mm/h) | (m3/s) | |
| 100 | 6.36 | 06.0 | 850 | 0.24 | 149.6 | 2.40 | To TTcombe Drain |
| 101 | 2.53 | 06'0 | 733 | 0.22 | 155.9 | 0.99 | To Basin Drain |
| 102 | 5.60 | 06'0 | 833 | 0.24 | 150.5 | 2.12 | Pump to Mangin Drain |
| 103 | 2.60 | 06'0 | L7L | 0.22 | 155.2 | 1.02 | To Turkey Creek |
| 104 | 2.50 | 06.0 | 353 | 0.15 | 181.2 | 1.14 | Pump to Lenon Drain |
| 105 | 2.50 | 06'0 | 233 | 0.18 | 168.2 | 1.06 | To Lenon Drain |
| 106 | 5.60 | 06.0 | 192 | 0.23 | 154.0 | 2.17 | Pump to Cahill Drain |
| 107 | 3.10 | 06.0 | 881 | 0.25 | 148.0 | 1.16 | To Wolfe Drain |
| 108 | 3.96 | 06.0 | 834 | 0.24 | 150.4 | 1.50 | Pump to Wolfe Drain |
| 109 | 09'9 | 06.0 | 1737 | 0.41 | 114.9 | 1.91 | To Wolfe Drain |
| | | | | | | | |

ONDRIC(19_WaterResources/Hydrology/{Option 1A 100-yr Rational.xls]Prop

9:31 AM

100-year Design Storm:

MTO District I Chatham Rainfall Data:

Inlet Time $(t_i) =$ Rainfall Intensity Coefficients:

min s/m

1.5

Average Velocity (v) =2824.505 13.74 G: B:

0.88

Rational Method Calculation

Proposed Conidtion

Alternative 1B

| | | Run-off | Travelled | Time of | Rainfall | 100-year | |
|----------|----------|-------------|-----------|------------------|-----------|----------|----------------------|
| Drainage | Drainage | Coefficient | Distance | Concentration | Intensity | Peak | |
| Œ | Area | ပ | p | $Tc = t_i + t_d$ | — | Flow | Remarks |
| | (ha) | | (m) | (hr) | (mm/h) | (m3/s) | |
| 100 | 6.36 | 0.90 | 885 | 0.25 | 147.8 | 2.37 | To TTcombe Drain |
| 101 | 2.70 | 0.90 | 468 | 0.17 | 172.7 | 1.18 | To Basin Drain |
| 102 | 5.38 | 06.0 | 0/9 | 0.21 | 159.6 | 2.16 | Pump to Mangin Drain |
| 103 | 4.50 | 06.0 | 847 | 0.24 | 149.8 | 1.70 | Pump to Turkey Creek |
| 104 | 2.74 | 06.0 | 451 | 0.17 | 173.9 | 1.20 | Pump to Lenon Drain |
| 105 | 7.21 | 06'0 | 1,016 | 0.27 | 141.5 | 2.57 | Pump to Cahill Drain |
| 106 | 6.17 | 06:0 | 1,498 | 0.36 | 122.5 | 1.90 | Pump to Wolfe Drain |
| 107 | 6.56 | 06:0 | 1737 | 0.41 | 114.9 | 1.90 | To Wolfe Drain |

O:\text{DRIC\19_WaterResources\Hydrology\{Option 1B 100-yr Rational.xls\}Prop

9:35 AM

Design Storm: 100-year

Rainfall Data: MTO District I Chatham

Inlet Time (t_i) = Rainfall Intensity Coefficients:

min s/m

2

A: 2824.505 B: 13.74 C: 0.88

Average Velocity =

Rational Method Calculation

Proposed Conidtion

Alternative 2A

| | | Run-off | Travelled | Time of | Rainfall | 100-year | |
|----------|----------|-------------|-----------|-------------------------|-----------|-----------|------------------------|
| Drainage | Drainage | Coefficient | Distance | Concentration Intensity | Intensity | Peak | |
| ID | Area | υ | Ţ | $Tc = t_i + t_d$ | I | Flow | Remarks |
| | (ha) | | (m) | (hr) | (mm/h) | (m^3/s) | |
| 100 | 6.36 | 0.90 | 088 | 0.25 | 148.1 | 2.37 | Drain to TTcombe Drain |
| 101 | 1.69 | 0.90 | 483 | 0.17 | 171.7 | 0.73 | Basin Drain |
| 102 | 5.19 | 06:0 | 847 | 0.24 | 149.8 | 1.96 | Pump to Mangin Drain |
| 103 | 3.31 | 06:0 | 732 | 0.22 | 156.0 | 1.30 | To Turkey Creek |
| 104 | 4.93 | 06:0 | 955 | 0.19 | 166.7 | 2.07 | Pump to Lennon Drain |
| 105 | 2.61 | 06:0 | 529 | 0.18 | 168.5 | 1.11 | To Cahill Drain |
| 106 | 5.30 | 06:0 | 696 | 0.26 | 143.7 | 1.92 | Pump to Cahill Drain |
| 107 | 7.06 | 06:0 | 866 | 0.27 | 142.3 | 2.53 | Pump to Wolfe Drain |

O:\DRIC\(19_\)WaterResources\(\text{Hydrology\{Option 2A 100-yr Rational.xls}\)Sheet3 9:35 AM

Design Storm:

100-year MTO District I Chatham Rainfall Data:

Inlet Time (t_i) = Average Velocity = Rainfall Intensity Coefficients:

min s/w

1.5

2824.505 13.74 0.88 C: B:

Rational Method Calculation

Proposed Conidtion

Alternative 2B

| | Caroni car | Run-off | Travelled | Time of Rainfall | Rainfall
Intensity | 100-year | |
|-----------------|------------|-------------|-----------|------------------|-----------------------|-----------|------------------------|
| Dialilage
ID | Area | Coefficient | | $Tc = t_i + t_d$ | I | Flow | Remarks |
| | (ha) | | (m) | (hr) | (mm/h) | (m^3/s) | |
| 100 | 6.36 | 06.0 | 088 | 0.25 | 148.1 | 2.37 | Drain to TTcombe Drain |
| 101 | 2.13 | 06.0 | 482 | 0.17 | 171.7 | 0.92 | Basin Drain |
| 102 | 6.54 | 06.0 | 884 | 0.25 | 147.9 | 2.44 | Pump to Mangin Drain |
| 103 | 7.21 | 06:0 | 1453 | 0.35 | 124.0 | 2.25 | Pump to Turkey Creek |
| 104 | 2.34 | 06:0 | 421 | 0.16 | 176.1 | 1.04 | Pump to Lennon Drain |
| 105 | 5.77 | 06:0 | 1377 | 0.34 | 126.7 | 1.84 | Pump to Cahill Drain |
| 106 | 9.32 | 06:0 | 1023 | 0.27 | 141.2 | 3.32 | Pump to Wolfe Drain |

O:\text{ORICA19_WaterResources\text{Hydrology\text{\Option 2B 100-yr Rational.xls}\text{\Sheet3}}

16/11/2006 9:36 AM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | _ |
|----------------------------------|--|---------------|------------------|--------------------|---------|-------------|--------|--------|--------|--------|--------------|--------|--------|--------|----------|--------|--------|----------------|--------------|--------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|-----------|----------|----------|--------|--------|--------|--------|--------|
| | | | VIIO III | (m/s) | 1.19 | <u> 6</u> : | 1,44 | 1.44 | 1.67 | 1.67 | 3.98 | 3.98 | 3.98 | 2.90 | 2.44 | 2.44 | 2,44 | 2.44 | 2.44 | 2.44 | 2.44 | 2.19 | 2,13 | 2.19 | 2.19 | 2.19 | 2.19 | 2.19 | 2.19 | 2.19 | 2,19 | 2.19 | 2.19 | 2.19 | 2.19 | 2.19 | : | 61 T | <u> </u> | - 'da | 1.69 | 1.03 | 60.1 | 1,03 |
| 11/16/06 | 33015384 | | SOL | CAPACH Y
(m3/s) | 0.336 | 0.336 | 0.724 | 1 213 | 1.313 | 1.313 | 3.126 | 3.126 | 3.126 | 3.126 | 2.757 | 2.757 | 2.757 | 2.757 | 2.757 | 2.757 | 2.757 | 3.872 | 3.012 | 3.872 | 3,872 | 3.872 | 3.872 | 3.872 | 3.872 | 3.872 | 3.872 | 3.872 | 3.872 | 3.872 | 3.872 | 3.872 | | 0.336 | 0.724 | 0.724 | 2.135 | 2.133 | 2.133 | 2.133 |
| Date: | ::
<u>==</u>
:: | PIPE | CHARACTERISTICS | SLOPE
(%) | 0.30 | 0.30 | 0.30 | 0.30 | 0.30 | 0.30 | 1.70 | 1.70 | 1.70 | 1.70 | 0.00 | 0,50 | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | 0.30 | 0.30 | 0.00 | 0.30 | 0.30 | 0.30 | 0.30 | 0.30 | 0.30 | 0:30 | 0.30 | 0.30 | 0.30 | 0.30 | 0.30 | | 0.30 | 0.30 | 0.30 | 0.30 | 0.30 | 0.30 | 0.30 |
| | | | CHA | DIAMETER
(mm) | 009 | 009 | 800 | 800 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | | 009 | 800 | 800 | 1200 | 1200 | 1200 | 1200 |
| | | | | LENGTH | 90.00 | 90.00 | 00'06 | 90.00 | 90.06 | 00.06 | 90.00 | 90.00 | 90.00 | 90:00 | 90.00 | 90.08 | 90.00 | 90.00 | 90.00 | 90.00 | 90.00 | 90.00 | 90.00 | 90.00 | 00.00 | 90.00 | 90.00 | 90.00 | 00.00 | 90.00 | 90.09 | 90:00 | 90.00 | 90.00 | 90.00 | 90.00 | 3240.00 | 00.00 | 90.00 | 90.00 | 90.00 | 90.00 | 90.00 | 00:00 |
| | | WENT | | "O". | 0.166 | 0.318 | 0.454 | 0.701 | 0.942 | 1.147 | 1.240 | 1,347 | 1.451 | 1.849 | 1.949 | 2 109 | 2 329 | 2.400 | 2.469 | 2.535 | 2.596 | 2.658 | 2.713 | 2.766 | 2.017 | 2.916 | 2.962 | 3.008 | 3.052 | 3.095 | 3.130 | 3.211 | 3.249 | 3.286 | 3.323 | 3.358 | | 0.262 | 0.409 | 0.545 | 1.419 | 1,519 | 1,613 | 1,702 |
| | | CATCHMENT | RUNOFF | t. | 214.24 | 202.31 | 191,71 | 183.81 | 176.58 | 165.44 | 160,41 | 158.40 | 156.44 | 154.52 | 152.66 | 149.72 | 144 10 | 141.59 | 139.08 | 136.66 | 134.34 | 132.09 | 129.69 | 127.38 | 123.13 | 120.62 | 118.95 | 117.02 | 115.16 | 113.36 | 111.62 | 108.31 | 106.73 | 105.20 | 103.72 | 102.28 | | 214.24 | 202.31 | 193,47 | 185.43 | 179.75 | 174,43 | 169.43 |
| | tud) | Z | | 10101 | 6.26 | 7.52 | 9.56 | 9.60 | 10.50 | 11.40 | 12.67 | 13.05 | 13.43 | 13.80 | 14.42 | 15.03 | 10.03 | 16.88 | 17.50 | 18.11 | 18.73 | 19.41 | 20.10 | 20.78 | 21.46 | CI.27 | 23.52 | 24.20 | 24.89 | 25.57 | 26.26 | 27.63 | 28.31 | 29.00 | 29.68 | 30.36 | | 6.26 | 7.30 | 8.34 | 9.14 | 9.93 | 10.73 | 11.52 |
| SNOI | ssing S | CONCENTRATION | TIME (min) | 200 | 1.26 | 1,26 | 1.04 | 1.04 | 06.0 | 0.90 | 0.38 | 0.38 | 0.38 | 0.38 | 0.62 | 0.62 | 0.62 | 0.62 | 0.02 | 0.62 | 0.62 | 0.68 | 0.68 | 0.68 | 0.68 | 0.68 | 0.00 | 0.68 | 0.68 | 0.68 | 0.68 | 0.00 | 0.00 | 0.68 | 0.68 | 0.68 | | 1.26 | 1.04 | 1.04 | 62.0 | 0.79 | 0.79 | 0.79 |
| LCULAT | nal Cros | CON | 1 | H | 5.00 | 6.26 | 7.52 | 9.56 | 9.60 | 10.50 | 12.30 | 12.67 | 13.05 | 13.43 | 13.80 | 14.42 | 15.03 | 15.65
16.26 | 16.88 | 17.50 | 18.11 | 18.73 | 19.41 | 20.10 | 20.78 | 21.46 | 52.13 | 23.52 | 24.20 | 24.89 | 25.57 | 26.26 | 27.63 | 28.31 | 29.00 | 29.68 | | 5.00 | 6.26 | 7.30 | 8.34 | 9.14 | 9.93 | 10,73 |
| S'IORM SEWER CALCULATIONS
FOR | Detroit Fiver International Crossing Study Metroit Fiver Internative 28 - Revised Profiles | | | ACCUM. | 280 | 0.57 | 98.0 | 1.38 | 1.93 | 2.21 | 2.50 | 3.07 | 3.35 | 4.32 | 4.61 | 4.90 | 5.18 | 5.83 | 5,12
6,41 | 6.70 | 6.98 | 7.26 | 7.55 | 7.84 | 8.13 | 8.42 | 9.70 | 9.28 | 9.57 | 9.86 | 10.14 | 10.42 | 10.70 | 11.28 | 11.57 | 11,85 | | 0.44 | 0.73 | 1.02 | 2.76 | 3.05 | 3.34 | 3.63 |
| RM SEV | ver Inte | MENT | RISTICS | "AC" | 0.28 | 0.29 | 0.29 | 0.52 | 0.55 | 0.29 | 0.29 | 0.28 | 0.28 | 26.0 | 0.29 | 0.29 | 0.29 | 0.65 | 62.0 | 0.29 | 0.28 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.28 | 0.26 | 0.29 | 0.20 | 0.29 | | <u>.</u> | E
E | g. = | ;
; | 5 | - | 6779 |
| Sic | roit Fi | CATCHMENT | CHARAC (ERISTICS | ပ | 080 | 06.0 | 0.90 | 0.90 | 06.0 | 06.0 | 0.90 | 0 0 | 06.0 | 06.0 | 06.0 | 06.0 | 06:0 | 0.90 | 0.60 | 08.0 | 0.90 | 06.0 | 06.0 | 06'0 | 06:0 | 0:00 | 0.90 | 08.0 | 0.90 | 06'0 | 0.90 | 0.90 | 08:0 | 0.30 | 800 | 0.90 | | 06.0 | 0.00 | 0.00 | 00.0 | 0.00 | 0.09 | 0.90 |
| | Del | | | A | (ha) | 0.210 | 0.320 | 0.580 | 0.610 | 0.320 | 0.320 | 0.320 | 0.310 | 1.080 | 0.320 | 0.320 | 0.320 | 0.720 | 0.320 | 0.320 | 0.310 | 0.320 | 0.320 | 0.320 | 0.320 | 0.320 | 0.320 | 0.320 | 0.320 | 0.320 | 0.320 | 0.310 | 0.310 | 0.320 | 0.320 | 0.320 | 13.170 | 0.490 | 0.320 | 0.320 | 0.320 | 0.320 | 0.320 | 0.320 |
| | | | CATCHMENT | AREA | NUMBERS | - 0 | v 6. | ٠ - | . 2 | 9 | 7 | ထင | n ⊊ | 2 = | 12 | 13 | 14 | 15 | 16 | 17 | 0 0 | e 02 | 21 | 22 | 23 | 24 | 25 | 26 | 28 | 23 | 30 | 31 | 32 | 33 | ÷ (| 35
36 | Sub Total | 50 | 49 | 43 | 47 | 46 | 45 | 44 |
| | 'n | | 01 | HW. | | 7 6 | | មេ | ာဖ | 7 | 6 0 (| on (| 2 : | = 2 | <u> </u> | 14 | 15 | 16 | 17 | £ ; | £ 6 | | . 22 | 23 | 24 | 25 | 26 | 27 | 2, Ç | G 8 | 31 | 32 | 33 | 34 | 35 | 36 | ñ | 49 | 48 | 47 | 46 | 45 | ş | \$ |
| | Kevin Cht | | FROM | HM | | | 7 6 | 2 | · w | 9 | 7 | ∞ , | n (| = ∓ | 12 | 13 | 17 | 15 | 16 | 17 | <u>π</u> : | £ 02 | 3 5 | - 22 | 23 | 24 | 25 | 26 | 7.7 | 29 50 | 30 | 31 | 32 | 33 | ě | 35 | as
— | OS: | 49 | . 6 | 2 1- | 46 | : 45 | \$ \$ |
| | Designed by Kevin Chen | | LOCATION | | | To 2BR - P1 | | | | | | | | | | | | | <u> </u> | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | í | | | | | | | | | | |
|-------------|------------------------|-------------|----------------|--------|----------|----------|--|----------|---------------|---------------|-----------|----------------------|---------|----------|--------|----------|----------|
| d by k | Designed by Kevin Chen | ڃ | | ā | etroit f | iver In | Detroit Fiver International Crossing Study Metroit Fiver Internative 2B - Revised Profiles | nal Cro | ssing S | tudy | | | | | File : | 33015384 | |
| | | | | | CATC | | | CON | CONCENTRATION | NC | CATCHMENT | MENT | | H T | PIPE | TICS | |
| LOCATION | FROM | 0 | CATCHMENT | | CHARAC | <u> </u> | | | I IME (min) | | יויי | <u></u> | HENGTH | DIAMETER | SLOPE | CAPACITY | VELOCITY |
| | MH | ¥ | AREA | Α (6) | ပ | "AC | ACCUM. | INLET | IN PIPE | TOTAL | (mm/hr) | (m. ¹ ,51 | (m) | (mm) | (%) | (m.3/s) | (m/s) |
| T | 73 | 6 | 43 | 0.320 | 06.0 | 0.29 | 3.92 | 11.52 | 0.79 | 12.32 | 164.74 | 1.786 | 90.00 | 1200 | 0:30 | 2.135 | 1.89 |
| - | ? ? | 7 = | 54 | 0.320 | 0.90 | 0.29 | 4.20 | 12.32 | 0.79 | 13.11 | 160.31 | 1.866 | 90.00 | 1200 | 0.30 | 2.135 | 1.89 |
| | 7 7 | | ; - | 0.320 | 06.0 | 0.29 | 4.49 | 13.11 | 0.79 | 13.90 | 156.13 | 1.942 | 00'06 | 1200 | 0.30 | 2.135 | 1.89 |
| | - 4 | ÷ 6 | : 6 | 0.320 | 06.0 | 0.29 | 4.78 | 13.90 | 0.79 | 14.70 | 152.17 | 2.014 | 90.00 | 1200 | 0.30 | 2.135 | 1.89 |
| | 9 % | | or or | 0.310 | 06:0 | 0.28 | 5.06 | 14.70 | 0.79 | 15.49 | 148.42 | 2.080 | 90.00 | 1200 | 0.30 | 2.135 | 1.89 |
| | F) (2 | 9 Z | n ee | 0.320 | 0.90 | 0.29 | 5.35 | 15.49 | 0.68 | 16.18 | 144.87 | 2.145 | 90.00 | 1500 | 0.30 | 3.872 | 2.19 |
| | 90 | | Sub Total | 4.320 | | | | | | | | | | | | | |
| | | | | | 6 | 9 | ç | 2 | 780 | 7.
20. | 214.24 | 0.075 | 90.00 | 450 | 1.00 | 0.285 | 1.79 |
| | 113 | 12a | 11a | 0.140 | 0.30 | 0.13 | 0.0 | 2.80 | 0.84 | 6.67 | 206.16 | 0.164 | 90.00 | 450 | 1,00 | 0.285 | 1,79 |
| | 12a | 13a | 12a
13a | 0.160 | 0.90 | 0.32 | 0.61 | 6.67 | 0.69 | 7.36 | 198.71 | 0.337 | 90.00 | 900 | 1.00 | 0.614 | 2.17 |
| | <u>5</u> | - | 2 | 0.680 | | | | | | | , | 000 | 00 00 | 450 | 00.5 | 0.285 | 1.79 |
| | 143 | 15a | 143 | 0.180 | 0.90 | 0.16 | 0.16 | 5.00 | 0.84 | 5.84 | 214.24 | 0.090 | 90.00 | 450 | 00.1 | 0.285 | 1.79 |
| | 15a | 16a | 15a | 0.180 | 0.90 | 0.16 | 0.32 | 5.84 | 0.82 | 7.53 | 198.71 | 0.268 | 00.00 | 450 | 1.00 | 0.285 | 1,79 |
| | 16a | 17.9 | 16a | 0.180 | 0.90 | 0.16 | 0.49 | 76.6 | 0.04 | | 191.81 | 0.449 | 00'06 | 900 | 1.00 | 0.614 | 2.17 |
| | 17a | 47 | 17a | 0.400 | 0.90 | 0.36 | 0.85 | <u>.</u> | 60.0 | 2 | | ! | | | | | |
| | | 0 | | 0.940 | 0 | 0.29 | 17.49 | 30.36 | 0.53 | 30.89 | 100.89 | 4.887 | 90.00 | 1500 | 0.50 | 4.998 | 2.83 |
| 1 | 37 | MH POND | | 0.320 | | 23.0 | | | | | Peak Flow | 4.887 | | | | | 1000 |
| | | [| Drainage Area | 0 320 | 00.0 | 0.29 | 0.29 | 5.00 | 1.18 | 6.18 | 214.24 | 0.171 | 90.00 | 450 | 0.50 | 0.202 | 1.27 |
| To 2BR - P2 | <u>.</u> ر | 76 | 5 6 | 0.320 | | 0.29 | 0.58 | 6.18 | 0.98 | 7.16 | 203.00 | 0.324 | 90.00 | 600 | 0.50 | . 0.434 | 1,54 |
| | 75 | 2 2 | 23 | 0.310 | | 0.28 | 0.86 | 7.16 | 0.81 | 76.7 | 194.63 | 0.461 | 90.00 | 800 | 0.50 | 0.935 | 1.86 |
| | 3 | 5 | } | | | | ;
; | | o
o | 0 | 214 24 | 0 182 | 00 06 | 450 | 06:0 | 0.270 | 1.70 |
| | 63 | 62 | 63 | 0.340 | | 0.31 | 0.31 | 5.00 | 0.66 | 0.00
19.00 | 205.74 | 0.339 | 90,00 | 900 | 06:0 | 0.583 | 2.06 |
| | 62 | 61 | 62 | 0.320 | 06.0 | 67.0 | 0.09 | 9.00 | 0.60 | 7.21 | 199.25 | 0.487 | 90.00 | 800 | 06:0 | 1.254 | 2.50 |
| | 19 | 9 9 | - 6 | 0.320 | | 0.29 | 1,17 | 7.21 | 0.74 | 7.95 | 194.21 | 0.629 | 90.00 | 800 | 0.60 | 1.024 | 2.04 |
| | 9 6 | n er | 59 | 0.310 | | 0.28 | 1,45 | 11.00 | 0.74 | 11.74 | 167.78 | 0.673 | 90.00 | 800 | 0.60 | 1.024 | 2.04 |
| | 3 % | 22 | 58 | 0.320 | | 0.29 | 1.74 | 11.74 | 0.74 | 12.47 | 163.51 | 0.787 | 90.00 | 800 | 0.60 | 1.024 | 20.4 |
| | 57 | 26 | 23 | 0.320 | | | 2.03 | 12.47 | 0.74 | 13,21 | 159.46 | 0.894 | 90.00 | 800 | 0.00 | 1.024 | 2.04 |
| | 56 | 52 | 99 | 0.320 | | | 2.31 | 13.21 | 0.74 | 13.94 | 25.62 | 1001 | 00.00 | 1001 | 0.00 | 1.857 | 2.36 |
| | 55 | 54 | 55 | 0.310 | 0.90 | 0.28 | 2.59 | 13.94 | 0.63 | 14,08 | 08:181 | 60. | 1080.00 | | } | | |
| | | ć | 7 | 0 180 | 06.0 | 0.16 | 0.16 | 2.00 | 0.84 | 5.84 | 214.24 | 0.096 | 90.00 | 450 | 1.00 | 0.285 | 1.79 |
| | e e | e 7 | <u> </u> | | | | C 0 | 5 84 | 0.84 | 6.67 | 206.16 | 0.185 | 90.00 | 450 | 1.00 | 0.285 | 1,79 |
| | 2a | 33 | 7.3 | 0.180 | | | 0.49 | 6.67 | 0.84 | 7.51 | 198.71 | 0.268 | 90.00 | 450 | 1.00 | 0.285 | 1.79 |
| | 33 | 43 | Ē, . | 00.100 | | | 0.00 | 200 | 0.69 | 5 69 | 214.24 | 0.385 | 90.00 | 009 | 1.00 | 0.614 | 2.17 |
| | ર્વલ | 53 | ا
د د
د | 00.100 | | | 0.83 | 5 ES | 090 | 6.38 | 207.53 | 0.466 | 90.00 | 009 | 1.00 | 0.614 | 2.17 |
| . — | £ , | င်
ငြို | <u> </u> | 0.190 | | | 000 | 6.38 | 69 0 | 7.07 | 201.24 | 0.552 | 90.00 | 009 | 1.00 | 0.614 | 2.17 |
| | | £6 | ec - | 00.600 | | | > | Š | ; | | | | | | | | |
| _ | 7.2 | R | 7.0 | 0.180 | 0.00 | 0.16 | 0.16 | 5.00 | 0.84 | 5.84 | 214.24 | 960.0 | 00.00 | 450 | 1.00 | 0.285 | 1.79 |
| | 2 6 | 5 5 | 83 | 0.180 | | | 0.32 | 5.84 | 0.84 | 6.67 | 206.16 | 0.185 | 00.00 | 450 | 1,00 | 0.285 | 1.79 |
| | ŏ | ř ; | | 0 100 | | | CF C | 6.00 | 6 | 7.51 | 108 71 | กวยน | 00 00 | 450 | 1.00 | 0.285 | 1.79 |
| | | 5 | | = | | | 50 50 50 | D.0.1 | ē. | - | | V. 6 | O CO CO | | | | |

| Designed by Kevin Chen LOCATION FROM TO MH MH 54 MH POND | | | | | - | • | | | | | | | File: | 33015384 | |
|---|---------------|---------|--|-----------------------------|-----------------------|---|-----------------------------|--------------|---------------------|----------------|---------------|------------------|-------------------------|--------------------|-------------------|
| <u> </u> | | Det | Detroit Fiver International Crossing Study Metroit Fiver Internative 2B - Revised Profiles | iver Interi
Iternative 2 | ernation
2B - Revi | national Crossi
B - Revised Profiles | ssing 5 | tud) | | | | | | | |
| | CATCHMENT | | CATC | IMENT | | CON | CONCENTRATION
TIME (min) | Z | CATCHMENT
RUNOFF | rent
FF | | СНА | PIPE
CHARACTERISTICS | TICS | |
| | AREA | A (fta) | | 1 1 | ACCUM. | INLET | IN PIPE | TOTAL | "p"
(amuhr) | "O"
(m.lvs) | LENGTH
(m) | DIAMETER
(mm) | SLOPE
(%) | CAPACITY
(m3/s) | VELOCITY
(m/s) |
| | P'5 | 0 560 | 06.0 | 0:20 | 5.60 | 14.68 | 0.49 | 15.17 | 148.51 | 2.303 | 90.00 | 1000 | 1.00 | 2.398 | 3.05 |
| | Dralage Area | 6.220 | | | | | | | Peak Flow | 2.303 | | | | | |
| - | Diaminge Area | 0.320 | 08.0 | 0.29 | 0.29 | 5.00 | 0.59 | 5.59 | 214,24 | 0.171 | 90.00 | 450 | 2.00 | 0.403 | 2.54 |
| 64 65
65 | . 59 | 0.320 | 06.0 | 0.29 | 0.58 | 5.59 | 0.49 | 6.08 | 208.46 | 0.333 | 90.06 | 009 | 2.00 | 0.868 | 3.07 |
| | 99 | 0.320 | 06.0 | 0.29 | 0.86 | 6.08 | 0.40 | 6.48 | 203.93 | 0.488 | 90.00 | 800 | 2.00 | 1,870 | 3.72 |
| | 29 | 0.350 | 06.0 | 0.32 | 1,18 | 6.48 | 1.04 | 7.52 | 200.35 | 0.654 | 90.00 | 600 | 0.30 | 1.313 | 1.67 |
| 69 69 | 89 | 0.280 | 0.90 | 0.25 | 1.43 | 7.52 | 0.90 | 8.42 | 191.69 | 1.235 | 90.06 | 1000 | 0.30 | 1,313 | 1.67 |
| | 69 | 1.090 | 06.0 | 96.0 | 2.41 | 8.42 | 0.90 | 9.32 | 178 51 | 1331 | 00.06 | 1200 | 0.30 | 2.135 | 1.89 |
| | 70 | 0.310 | 06.0 | 0.28 | 2.69 | 9.32 | 87.0 | 100 | 173.26 | 1.676 | 90.00 | 1200 | 0.30 | 2.135 | 1.89 |
| | 71 | 0.890 | 0.90 | 0.80 | 3,49 | 10.11 | 0.79
0.70 | 11.70 | 168.34 | 1,767 | 90.00 | 1200 | 0.30 | 2.135 | 1.89 |
| | 73 | 0.330 | 06.0 | 0.30 | 50.7 | 11.70 | 07.0 | 12.50 | 163.70 | 1.845 | 90.00 | 1200 | 0.30 | 2.135 | 1.89 |
| | 7.4 | 0.310 | 0.30 | 0.28 | 4.07 | 12.50 | 0.70 | 13.29 | 159.33 | 1.923 | 90.00 | 1200 | 0.30 | 2.135 | 1.89 |
| 75 76 | 75 | 0.320 | 0.60 | 67.0 | 05.9 | 13.20 | 62.0 | 14.09 | 155.21 | 1.993 | 90.00 | 1200 | 0.30 | 2.135 | 1.89 |
| | 92 | 0.310 | 0.30 | 97.0 | 20.2 | 14.09 | 0.79 | 14.88 | 151.30 | 2.059 | 90.00 | 1200 | 0.30 | 2.135 | 1.89 |
| 77 78 | 77 | 0.310 | 08.0 | 0.20 | - of 4 | 14.88 | 0.79 | 15.67 | 147.60 | 2.123 | 90.00 | 1200 | 0.30 | 2.135 | 1.89 |
| 78 79 | 78 | 0.310 | 0.80 | 0.40 | 2 | | | | | | 1260.00 | | | | |
| | B.7 | 0.240 | 06.0 | 0.22 | 0.22 | 5.00 | 1.18 | 6.18 | 214.24 | 0.128 | 90.00 | 450 | 0.50 | 0.202 | 1.27 |
| 87 85 | 70 | 0.3.10 | 06:0 | 0.28 | 0.50 | 6.18 | 0.40 | 6.58 | 203.00 | 0.278 | 90.00 | 600 | 3.00 | 1.063 | 3,75
4,66 |
| 60 60 | 60 60 | 0.320 | 0.90 | 0.29 | 97.0 | 6.58 | 0.33 | 6.91 | 199.49 | 0,433 | 90.06 | 800 | 3.00 | 2.290 | DC.#. |
| | 32 | 0.310 | 0.90 | 0.28 | 1.06 | 6.91 | 0.33 | 7.24 | 196.69 | 0.579 | 90.00 | 800 | 3.00 | 2 290 | 4.56 |
| | 83 | 0.320 | 06.0 | 0.29 | 1.35 | 7.24 | 0.33 | 7.57 | 193.97 | 0.725 | 90.00 | 1000 | 3.00 | 4.153 | 5.29 |
| | 82 | 0.320 | 0.90 | 0.29 | 1.64 | 7.57 | 0.28 | 7.85 | 191,33 | 1 007 | 90.00 | 1000 | 1.50 | 2.936 | 3.74 |
| | 81 | 0.310 | 0.90 | 0.28 | 1.92 | 7.85 | 0.40 | 8.66 | 186.08 | 1,132 | 90.00 | 1000 | 1.50 | 2.936 | 3.74 |
| 80 79 | 80 | 0.310 | 0.90 | 0.28 | 7.20 | 0.23 | 2 | 9 | | | | | | ! | 6 |
| THE ONLY | 6/ | 0.460 | 0.90 | 0.41 | 7.80 | 15.67 | 0.49 | 16,16 | 144, 10 | 3.115 | 90.00 | 1200 | 0.80 | 3.487 | 30.5 |
| | Drain | 8.670 | | | | | | | Peak Flow | 3.115 | | | 1 | 500.0 | 10.4 |
| 88 89 | 88 | 0.310 | 06.0 | 0.28 | 0.28 | 2.00 | 1.18 | 6.18 | 214.24 | 0.166 | 00.00 | 450 | 0.00 | 0.202 | 2.54 |
| 06 80 | 83 | 0.320 | 06.0 | 0.29 | 0.57 | 6.18 | 0.59 | 6.78 | 203.00 | 918.0 | 90.00 | 430 | 200.4 | 0.155 | 3.07 |
| | 06 | 0.310 | 06:0 | 0.28 | 0.85 | 6.78 | 0.49 | 7.26 | 197.84 | 0.404 | 00.00 | 800 | 200.2 | 0.868 | 3.07 |
| 91 92 | 91 | 0.330 | 0.90 | 0.30 | - - | 7.26 | 0.49 | C).) | 183.73 | 0.01 | 00.00 | 1000 | 0.30 | 1.313 | 1.67 |
| | 36 | 0.320 | 06.0 | 0.29 | 1.43 | 7.75 | 0.90 | 0.00
0.00 | 169.91 | 0.133 | 90.02 | 1000 | 0.30 | 1,313 | 1.67 |
| | 93 | 0.320 | 08.0 | 0.29 | 1.72 | 8.65 | 0.80 | 60.8 | 176.07 | 0.012 | 00 06 | 1000 | 0.30 | 1,313 | 1.67 |
| 96 16 | 66 | 0.320 | 0.90 | 0.29 | 2.01 | 9.55 | 0.30 | | 20.02 | 100.0 | 00:00 | 1000 | 0.30 | 1.313 | 1.67 |
| | 66 | 0.330 | 0.90 | 0.30 | 2.30 | 10,4:1 | 0.90 | E.T. | 171.18 | 1.092 | 720.00 | 200 | |) | |
| | ! | | c c | 9 | 5 | 5.00 | ۳.
د | 8 | 214 24 | 0.091 | 90.00 | 450 | 0.50 | 0.202 | 1.27 |
| | <u> </u> | 0.170 | | 200 | 1 TP C | , y | Su O | 7.16 | 203.00 | 0.248 | 90.00 | 009 | 0.50 | 0.434 | 1.54 |
| | <u> </u> | 0.320 | 5; 6
6 | 0.79 | 57.0 | 91.2 | 80.0 | 8,14 | 19.16.3 | 0.393 | 90.00 | 600 | 0.50 | 0.434 | 1.54 |
| 103 102 | 10.3 | 0.020 | 6 0 | 0.29 | : 1
: 1
: 1 | 60 | 0.91 | A Q4 | 186.06 | 0.527 | 90.00 | 800 | 0.50 | 0.935 | 1.86 |
| _ | 105 | 0.35.0 | 500 | 0.29 | 1.31 | 8.0.5 | 18.0 | 97.6 | 181.19 | 0.655 | 00'06 | 008 | 0.50 | 0.935 | 1.86 |
| 100 | | 0.520 | 0.00 | 000 | 1 40 | 52.0 | 0.81 | 10.56 | 175.62 | 0.775 | 90.00 | 800 | 0.50 | 0.935 | 1.86 |

| Company by Novin Chem Controlled Crossing Study Fiver International Crossing Study Fiver International Crossing Study Fiver International Crossing Study Fiver International Controlled | Carteringer | Designed by | TO
MH
98 | | Detroit | I Fiver Ir | ror
nternatic
live 2B - Re | inal Cro
vised Prof | ssing S | tud) | | | | | | | 90/3 | |
|--|--|-------------|---|--------------|---------|--------------|----------------------------------|------------------------|------------|-------|----------------|----------------|--------|-----|----------------|----------|------|-----------------|
| TO CATCHWENT CONCENTRATION CONCENTRATI | CATCHWENT CATC | OCATION | 01
MM
98 | | | ATC 4MENT | | | | | | | | | ; = | | 384 | |
| March Character Characte | TO GATOMENT COLMANCE FIRST COLMANCE | OCATION | 01
MH
86 | | | CITOIGES CAS | | 100 | CENTRATIC | z | САТСНІ | MENT | | | I I | m | | |
| Mile Marie | Mile Marie | | _ | - | | AL ERISTIC | - 1 | | TIME (mln) | | RUNC |)FF | | | CHARAC | ERISTICS | 1 | |
| 10 10 10 10 10 10 10 10 | 99 99 89 0220 030 022 171 112 1055 0.04 1056 105 0.05 105 | | | <u> </u>
 | | | | THE | N
E | TOTAL | -ր-
(ասչիւ) | "O"
(m,t/s) | LENGTH | | | | | LOCITY
(m/s) |
| 9 9 9 9 123 114 1122 9 9 0 0 0 0 0 131 1132 9 114 1132 9 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 9 9 9 9 1 100 100 100 100 100 100 100 10 | | | | | 1 | 1.88 | 10.56 | 0.40 | 10.96 | 170.48 | 0.888 | 90.00 | 900 | | | | 3.72 |
| Fig. Str. Control | HIFFORD GG 023 L45 11.40 0.00 12.30 11.30 11.00 0.00 12.30 11.30 11.00 11.00 0.00 13.10 11.00 0.00 13.10 11.00 0.00 13.10 11.00 0.00 13.10 11.00 0.00 0 | | | | | | 2.17 | 11.00 | 0.40 | 11.40 | 167.78 | 1.008 | 90.00 | 900 | | | .0 | 3.72 |
| MH POND | Maif-Cloth 56 1290 0.50 0.57 12.20 0.52 12.20 0.57 12.20 0.57 12.20 0.50 0.57 12.20 0.50 0.57 | | | | | | 2.45 | 11.40 | 06.0 | 12.30 | 165.41 | 1,122 | 90.00 | 100 | | | 5 | 1.67 |
| Example Area 6.350 Defining Area 6.350 Example 13.7400 Biggo m/s 6.0000 m/s | Delingo Area 6,380 Constructions 224,3 13,740 13,740 16,133 10,130 10,13 | | | | | | 5, 73 | 12 30 | 0.62 | 12 92 | 160.39 | 2.543 | 90.00 | 120 | | | 25 | 2.44 |
| Soom Parameters 32-450 132-450 0.0150 | Som Primeters 282.151 292.151 202.151 202.151 203.00 203.0 | | GIOT UNIV | - | |
 | | | | 1 | Peak Flow | 2.543 | | | | | | |
| 2024.51 13.7400 145.7 | 2024.51 327.40 31.740 0.0100 0 | | | | 2000 | | , | | | | | | | | | | | |
| 194.51
19.40
19.40
19.40
19.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
10.00
1 | Portmetics 37400 8800 6130 m/s 6000 m/s | IGN PAR | METERS;
== a/(t+b)^c | | | | | | | | | | | | | | | |
| 13.7400 14.8803 16.8803 16.8803 17.804 66.0000 17.80 17.80 66.0000 17.80 17.80 66.0000 17.80 17. | 13.74.00 0.0.86. | | 100 Year Storm Parameter | ī | | | | | | | | | | | | | | |
| 137.400 1193. L 0.130 1193. L 0.130 1195. L | 13.740 0.8800 mings 0.0130 week 0.0000 miss varie 0.0000 miss | | 9 = 2824.51 | | | | | | | | | | | | | | | |
| 0.0800 ms where 0.0130 ms week-0.0000 ms with 2.0000 ms was 0.0000 ms with 2.0000 ms week-0.0000 ms with 2.0000 ms was 0.00000 ms with 2.00000 ms was 0.00000 ms was 0.000000 ms was 0.00000 ms was 0.000000 ms was 0.00000 ms was 0.000000 ms was 0.00000 ms was 0.000000 ms was 0.00000 ms was 0. | υίαγε 6.01.30 π/s - νόθο 6.00000 π/s - νόθο 6.00000 π/s | | | | | | | | | | | | | | | | | |
| week 08000 m/s x.veb 60000 m/s | x verbe 6 00000 mrs | | | | | | | | | | | | | | | | | |
| ms and the control of | sus | | 1 | | | | | | | | | | | | | | | |
| nis | mis | | 100000000000000000000000000000000000000 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | v, | | | | | | | | | | | | | | I |
| | | | | v9. | | | | | | | | | | | | | | |
| | | | | v. v. | | | 1 | | | | | | | | | | | |
| | | | | v9. | | | 1 | | | | | | | | | | | |
| | | | | v sa | | | 1 | | | | | | | | | | | |
| | | | | v. so | | | | | | | | | | | | | | |
| | | | | v s | | | 1 | | | | | | | | | | | |
| | | | | v so | | | 1 | | | | | | | | | | | |
| | | | | v s | | | 1 | | | | | | | | | | | |
| | | | | v s | | | 1 | | | | | | | | | | | |
| | | | | v sa | | | 1 | | | | | | | | | | | |
| | | | | v s | | | 1 | | | | | | | | | | | |
| | | | | v s | | | | | | | | · | | | | | | |
| | | | | v. so | | | · · | | | | | · | | | | | | |
| | | | | v s | | | . | | | | | · | | | | | | |
| | | | | v sa | | | , | | | | | · | | | | | | |

100-year Design Storm:

MTO District I Chatham Rainfall Data:

Inlet Time (t_i) = Rainfall Intensity Coefficients:

min m/s

1.5 S

Average Velocity =

2824.505 13.74 0.88 C: B:

Rational Method Calculation

Proposed Conidtion

Alternative 3

| | | Run-off | Travelled | Time of | Rainfall | 100-year | |
|----------|----------|-------------|-----------|-------------------------|-----------|----------|----------------------|
| Drainage | Drainage | Coefficient | Distance | Concentration Intensity | Intensity | Peak | |
| ID | Area | ပ | р | $Tc = t_i + t_d$ | Ι | Flow | Remarks |
| | (ha) | | (m) | (hr) | (mm/h) | (m3/s) | |
| 100 | 6.36 | 06:0 | 850 | 0.24 | 149.6 | 2.40 | To TTcombe Drain |
| 101 | 2.80 | 0.90 | 798 | 0.23 | 152.4 | 1.08 | Pump to Basin Drain |
| 102 | 0.34 | 06.0 | 342 | 0.15 | 182.1 | 0.16 | Pump to Turkey Creek |
| 103 | 0.34 | 06:0 | 342 | 0.15 | 182.1 | 0.16 | Pump to Turkey Creek |
| 104 | 0.14 | 06.0 | 140 | 0.11 | 199.7 | 0.07 | Pump to Cahill Drain |
| 105 | 0.19 | 06.0 | 194 | 0.12 | 194.7 | 0.10 | Pump to Cahill Drain |
| 106 | 0.17 | 06.0 | 174 | 0.12 | 196.5 | 0.09 | Pump to Cahill Drain |
| 107 | 0.19 | 06:0 | 191 | 0.12 | 194.9 | 0.09 | Pump to Cahill Drain |
| 108 | 2.16 | 06'0 | 774 | 0.23 | 153.7 | 0.84 | Pump to Wolfe Drain |
| 109 | 6.56 | 0.90 | 1737 | 0.41 | 114.9 | 1.90 | To Wolfe Drain |

OMDRICA19_WaterResources\Hydrology\|Option 03 100-yr Rational.xls]Prop

9:37 AM

Appendix C

Stormwater Management Computations

Appendix C.1


Alternative 1A

Project Name: Detroit River International Crossing Stormwater Management Study

November 14, 2006

9:58 AM

Alternative 1A



Controlled Condition

100 Year - Post Dev't. 2825 13.74 0.880

| Constant | Inflows |
|----------|---------|
| | |

| 1/5 | ; |
|-----|---|
| | |
| | |
| | |

| | 1 | 00 | | | | 1 |
|-------|-----------|---------|--------|----------|-------------------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m³) | (m ³) | |
| 14.4 | 149.6 | 2380.56 | 2063.1 | 318.1 | 1745.0 | 1 |
| 24.4 | 114.5 | 1822.33 | 2672.7 | 538.4 | 2134.3 | |
| 34,4 | 93.3 | 1485.01 | 3069.0 | 758.7 | 2310.4 | |
| 44.4 | 79.1 | 1257.93 | 3354.5 | 978.9 | 2375.6 | <<<< |
| 54,4 | 68.8 | 1094.07 | 3574.0 | 1199.2 | 2374.8 | |
| 64.4 | 61.0 | 969.93 | 3750.4 | 1419.4 | 2331.0 | |
| 74.4 | 54.8 | 872.45 | 3897.0 | 1639.7 | 2257.3 | |
| 84.4 | 49.9 | 793.76 | 4021.7 | 1859.9 | 2161.8 | |
| 94.4 | 45.8 | 728.82 | 4130.0 | 2080.2 | 2049.8 | |
| 104.4 | 42.4 | 674.27 | 4225.4 | 2300.5 | 1925.0 | |
| 114.4 | 39.5 | 627.76 | 4310.6 | 2520.7 | 1789.9 | |
| 124.4 | 36.9 | 587.60 | 4387.4 | 2741.0 | 1646.5 | |
| 134.4 | 34.7 | 552.56 | 4457.3 | 2961.2 | 1496.1 | |
| 144.4 | 32.8 | 521.70 | 4521.4 | 3181.5 | 1339.9 | |
| 154.4 | 31.1 | 494.31 | 4580.6 | 3401.7 | 1178.8 | |
| 164.4 | 29.5 | 469.81 | 4635.4 | 3622.0 | 1013.5 | |
| 174.4 | 28.1 | 447.77 | 4686.6 | 3842.2 | 844.4 | |
| 184.4 | 26.9 | 427.82 | 4734.6 | 4062.5 | 672.1 | |
| 194.4 | 25.7 | 409.69 | 4779.7 | 4282.8 | 496.9 | |
| 204.4 | 24.7 | 393.12 | 4822.2 | 4503.0 | 319.2 | |
| 214.4 | 23.7 | 377.92 | 4862.5 | 4723.3 | 139.3 | |
| 224.4 | 22.9 | 363.92 | 4900.8 | 4943.5 | -42.8 | |
| 234.4 | 22.1 | 350.98 | 4937.2 | 5163.8 | -226.6 | |
| 244.4 | 21.3 | 338.99 | 4971.9 | 5384.0 | -412.2 | |


Project Name: Detroit River International Crossing
Stormwater Management Study
Alternative 1A

November 14, 2006

9:58 AM

101 2.53 ha Area = "C" == 0.9 AC= 2.277 Tc = 13.1 min 10.0 Time Increment = min Release Rate = 156.9 l/s m³ 915 Max.Storage =

Controlled Condition



Constant Inflows

| | | 101 | | | | 7 |
|-------|-----------|--------|--------|-------------------|-------------------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | - |
| (min) | (mm/hr) | (l/s) | (m3) | (m ³) | (m ³) | |
| 13.1 | 155.9 | 987.16 | 778.5 | 123.8 | 654.8 | 1 |
| 23.1 | 118.1 | 747.36 | 1037.8 | 217.9 | 819.9 | |
| 33.1 | 95.6 | 605.12 | 1203.4 | 312.1 | 891.3 | |
| 43.1 | 80.6 | 510.45 | 1321.4 | 406.3 | 915.1 | <<<< |
| 53.1 | 69.9 | 442.65 | 1411.5 | 500.4 | 911.0 | |
| 63.1 | 61.9 | 391.57 | 1483.5 | 594.6 | 888.9 | |
| 73.1 | 55.5 | 351.63 | 1543.2 | 688.8 | 854.4 | |
| 83.1 | 50.5 | 319.48 | 1593.8 | 783.0 | 810.8 | |
| 93.1 | 46.3 | 293.03 | 1637.6 | 877.1 | 760.5 | |
| 103.1 | 42.8 | 270.85 | 1676.2 | 971.3 | 704.9 | |
| 113.1 | 39.8 | 251.97 | 1710.5 | 1065.5 | 645.1 | |
| 123.1 | 37.2 | 235.70 | 1741.5 | 1159.6 | 581.9 | |
| 133.1 | 35.0 | 221.52 | 1769.6 | 1253.8 | 515.9 | |
| 143.1 | 33.0 | 209.05 | 1795.4 | 1348.0 | 447.5 | |
| 153.1 | 31.3 | 197.98 | 1819.2 | 1442.1 | 377.1 | |
| 163.1 | 29.7 | 188.10 | 1841.2 | 1536.3 | 304.9 | |
| 173.1 | 28.3 | 179.21 | 1861.8 | 1630.5 | 231.3 | |
| 183.1 | 27.0 | 171.18 | 1881.0 | 1724.6 | 156.4 | |
| 193.1 | 25.9 | 163.87 | 1899.1 | 1818.8 | 80.3 | |
| 203.1 | 24.8 | 157.21 | 1916.1 | 1913.0 | 3.2 | |
| 213.1 | 23.9 | 151.09 | 1932.3 | 2007.1 | -74.9 | |
| 223.1 | 23.0 | 145.46 | 1947.6 | 2101.3 | -153.7 | |
| 233.1 | 22.2 | 140.27 | 1962.1 | 2195.5 | -233.3 | |
| 243.1 | 21.4 | 135.45 | 1976.0 | 2289.6 | -313.6 | |


O:\DRIC\19_WaterResources\Hydrology\|Option 1A 100-yr Rational.xls|Exist

Project Name: Detroit River International Crossing Stormwater Management Study


November 14, 2006

9:58 AM

Alternative 1A



Controlled Condition



| \sim | instant Inflow | 5 |
|--------|----------------|-----|
| Г | | l/s |
| Г | | |
| | | |
| | | |
| - | | |

| | | 102 | | | | |
|-------|-----------|---------|--------|-------------------|-------------------|----------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m ³) | (m ³) | |
| 14.3 | 150.5 | 2108.53 | 1803.5 | 577.4 | 1226.1 | 1 |
| 24.3 | 115.0 | 1611.58 | 2345.4 | 982.4 | 1363.0 | <<<< |
| 34.3 | 93.6 | 1312.08 | 2696.8 | 1387.4 | 1309.3 | |
| 44.3 | 79.3 | 1110.79 | 2949.5 | 1792.4 | 1157.1 | |
| 54.3 | 68.9 | 965.68 | 3143.6 | 2197.5 | 946.2 | |
| 64.3 | 61.1 | 855.85 | 3299.6 | 2602.5 | 697.1 | |
| 74.3 | 54.9 | 769.65 | 3429.0 | 3007.5 | 421.5 | |
| 84.3 | 50.0 | 700.09 | 3539.2 | 3412.5 | 126.7 | |
| 94.3 | 45.9 | 642.72 | 3634.8 | 3817.6 | -182.8 | |
| 104.3 | 42.4 | 594.53 | 3719.0 | 4222.6 | -503.6 | |
| 114.3 | 39.5 | 553.46 | 3794.2 | 4627.6 | -833.4 | |
| 124.3 | 37.0 | 518.01 | 3861.9 | 5032.6 | -1170.7 | |
| 134.3 | 34.8 | 487.08 | 3923.6 | 5437.6 | -1514.1 | |
| 144.3 | 32.8 | 459.84 | 3980.1 | 5842.7 | -1862.6 | |
| 154.3 | 31.1 | 435.67 | 4032.3 | 6247.7 | -2215.4 | |
| 164.3 | 29.6 | 414.05 | 4080,6 | 6652.7 | -2572.1 | |
| 174.3 | 28.2 | 394.61 | 4125.8 | 7057.7 | -2931.9 | |
| 184.3 | 26.9 | 377.02 | 4168.0 | 7462.7 | -3294.7 | |
| 194.3 | 25.8 | 361.02 | 4207.8 | 7867.8 | -3660.0 | |
| 204.3 | 24.7 | 346.40 | 4245.3 | 8272.8 | -4027.5 | <u> </u> |
| 214.3 | 23.8 | 333.00 | 4280.8 | 8677.8 | -4397.0 | |
| 224.3 | 22.9 | 320.65 | 4314.5 | 9082.8 | -4768.3 | |
| 234.3 | 22.1 | 309.25 | 4346.6 | 9487.9 | -5141.3 | |
| 244.3 | 21.3 | 298.68 | 4377.2 | 9892.9 | -5515.7 | |

O:\DRIC\19_WaterResources\Hydrology\[Option IA 100-yr Rational.xls]Exist


Project Name: Detroit River International Crossing
Stormwater Management Study
Alternative 1A

November 14, 2006

9:58 AM

103 2.60 Area = ha "C" = 0.9 AC= 2.34 Tc = 13.3 min 10.0 min Time Increment = 159.9 Release Rate = 1/s m³ 944 Max.Storage =

Controlled Condition



Constant Inflows

| | | 103 | | | I | 1 |
|-------|-----------|---------|--------|-------------------|-------------------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m ³) | (m ³) | |
| 13.3 | 155.2 | 1009.34 | 805.5 | 127.6 | 677.8 | 1 |
| 23.3 | 117.6 | 765.20 | 1069.7 | 223.6 | 846.2 | |
| 33.3 | 95.3 | 620.06 | 1238.9 | 319.5 | 919.3 | |
| 43.3 | 80.4 | 523.32 | 1359.6 | 415.5 | 944.1 | <<<< |
| 53.3 | 69.8 | 453.97 | 1451.8 | 511.4 | 940.4 | |
| 63.3 | 61.7 | 401.69 | 1525.6 | 607.4 | 918.2 | |
| 73.3 | 55.5 | 360.79 | 1586.7 | 703.3 | 883.4 | |
| 83.3 | 50.4 | 327.86 | 1638.6 | 799.3 | 839.3 | |
| 93.3 | 46.2 | 300.75 | 1683.6 | 895.3 | 788.3 | |
| 103.3 | 42.7 | 278.02 | 1723.1 | 991.2 | 731.9 | |
| 113.3 | 39.8 | 258.66 | 1758.4 | 1087.2 | 671.2 | |
| 123.3 | 37.2 | 241.98 | 1790.2 | 1183.1 | 607.0 | |
| 133.3 | 35.0 | 227.44 | 1819.0 | 1279.1 | 540.0 | |
| 143.3 | 33.0 | 214.64 | 1845.5 | 1375.0 | 470.5 | |
| 153.3 | 31.3 | 203.29 | 1869.9 | 1471.0 | 398.9 | |
| 163.3 | 29.7 | 193.15 | 1892.5 | 1566.9 | 325.6 | |
| 173.3 | 28,3 | 184.04 | 1913.6 | 1662.9 | 250.7 | |
| 183.3 | 27.0 | 175.79 | 1933.3 | 1758.9 | 174.5 | |
| 193.3 | 25.9 | 168.30 | 1951.9 | 1854.8 | 97.1 | |
| 203.3 | 24.8 | 161.45 | 1969.4 | 1950.8 | 18.7 | l |
| 213.3 | 23.9 | 155.18 | 1986.0 | 2046.7 | -60.7 | |
| 223.3 | 23.0 | 149.40 | 2001.7 | 2142.7 | -141.0 | |
| 233.3 | 22.1 | 144.07 | 2016.7 | 2238.6 | -222.0 | |
| 243.3 | 21.4 | 139.12 | 2030.9 | 2334.6 | -303.6 | |


O:\DRIC\19_WaterResources\Hydrology\[Option 1A 100-yr Rational.xls]Exist

Project Name: Detroit River International Crossing Stormwater Management Study

November 14, 2006

9:58 AM

Alternative 1A



Controlled Condition

| OUTHORICA COTT | 4111011 |
|----------------|-----------|
| 100 Year - Po | st Dev't. |
| a= | 2825 |
| b= | 13.74 |
| c= | 0.880 |

| (| Constant Inflow | s |
|---|-----------------|-----|
| ĺ | | 1/s |
| | | |
| | | |
| ļ | | |

| | | 104 | | | | 1 |
|-------|-----------|---------|--------|-------------------|-------------------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m ³) | (m ³) | |
| 8.9 | 181.2 | 1133.71 | 606.9 | 111.3 | 495.6 | |
| 18.9 | 131.4 | 821.88 | 933.1 | 236.1 | 697.0 | |
| 28.9 | 103.9 | 649.73 | 1127.5 | 360.8 | 766.7 | |
| 38.9 | 86.3 | 539.82 | 1260.7 | 485.6 | 775.1 | <<<< |
| 48.9 | 74.1 | 463.24 | 1359.8 | 610.3 | 749.4 | i |
| 58.9 | 65.0 | 406.65 | 1437.6 | 735.1 | 702.6 | |
| 68.9 | 58.0 | 363.03 | 1501.2 | 859.8 | 641.4 | |
| 78.9 | 52.5 | 328.32 | 1554.7 | 984.6 | 570.1 | |
| 88.9 | 48.0 | 300.00 | 1600.6 | 1109.3 | 491.3 | |
| 98.9 | 44.2 | 276.44 | 1640.8 | 1234.1 | 406.7 | |
| 108.9 | 41.0 | 256.51 | 1676.4 | 1358.9 | 317.5 | |
| 118.9 | 38.3 | 239.42 | 1708.3 | 1483.6 | 224.7 | |
| 128.9 | 35.9 | 224.58 | 1737.2 | 1608.4 | 128.9 | |
| 138.9 | 33.8 | 211.59 | 1763.6 | 1733.1 | 30.5 | l |
| 148.9 | 32.0 | 200.10 | 1787.9 | 1857.9 | -69.9 | ŀ |
| 158.9 | 30.4 | 189.86 | 1810.4 | 1982.6 | -172.2 | |
| 168.9 | 28.9 | 180.68 | 1831.3 | 2107.4 | -276.1 | |
| 178.9 | 27.6 | 172.40 | 1850.8 | 2232.I | -381.3 | |
| 188.9 | 26.4 | 164.90 | 1869.1 | 2356.9 | -487.7 | |
| 198.9 | 25.3 | 158.05 | 1886.4 | 2481.6 | -595.2 | |
| 208.9 | 24.3 | 151.79 | 1902.7 | 2606.4 | -703.7 | • |
| 218.9 | 23.3 | 146.03 | 1918.2 | 2731.1 | -813.0 | |
| 228.9 | 22.5 | 140.72 | 1932.9 | 2855.9 | -923.0 | |
| 238.9 | 21.7 | 135.81 | 1946,9 | 2980.7 | -1033.8 | |


Project Name : Detroit River International Crossing
Stormwater Management Study
Alternative 1A

November 14, 2006

9:58 AM

105 2.50 Area = ha "C" = 0.9 AC= 2.25 Tc = 10.9 min 10.0 Time Increment = min Release Rate = 177.6 l/s m^3 847 Max.Storage =

Controlled Condition



| Č | Constant Inflow | s |
|---|-----------------|-----|
| | | 1/s |
| | | |
| | | |

| | | 105 | | | | 1 |
|-------|-----------|---------|--------|-------------------|---------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m ³) | (m³) | _ |
| 10.9 | 168.2 | 1052.40 | 689.7 | 116.4 | 573.3 | 1 |
| 20.9 | 124.7 | 780.00 | 979.2 | 222.9 | 756.3 | |
| 30.9 | 99.8 | 624.05 | 1157.8 | 329.4 | 828.4 | |
| 40.9 | 83.5 | 522.40 | 1282.7 | 436.0 | 846.7 | <<<< |
| 50.9 | 72.0 | 450.61 | 1376.8 | 542.5 | 834.3 | |
| 60.9 | 63.5 | 397.05 | 1451.3 | 649.0 | 802.3 | |
| 70.9 | 56.8 | 355.47 | 1512.6 | 755.6 | 757.1 | |
| 80.9 | 51.5 | 322.21 | 1564.4 | 862.1 | 702,3 | |
| 90.9 | 47.2 | 294.95 | 1609.1 | 968.6 | 640.4 | |
| 100.9 | 43.5 | 272.19 | 1648.2 | 1075.2 | 573.1 | |
| 110.9 | 40.4 | 252.88 | 1683.0 | 1181.7 | 501.3 | |
| 120.9 | 37.8 | 236.28 | 1714.3 | 1288.2 | 426.1 | |
| 130.9 | 35.5 | 221.85 | 1742.7 | 1394.8 | 347.9 | |
| 140.9 | 33.4 | 209.18 | 1768.7 | 1501.3 | 267.3 | |
| 150.9 | 31.6 | 197.96 | 1792.6 | 1607.8 | 184.7 | |
| 160.9 | 30.0 | 187.95 | 1814.7 | 1714.4 | 100.3 | |
| 170.9 | 28.6 | 178.96 | 1835.3 | 1820.9 | 14.4 | |
| 180.9 | 27.3 | 170.84 | 1854.6 | 1927.4 | -72.9 | |
| 190.9 | 26.1 | 163.48 | 1872.7 | 2034.0 | -161.3 | l |
| 200.9 | 25.1 | 156.76 | 1889.7 | 2140.5 | -250.8 | |
| 210.9 | 24.1 | 150.60 | 1905.9 | 2247.0 | -341.2 | |
| 220.9 | 23.2 | 144.94 | 1921.2 | 2353.6 | -432.4 | |
| 230.9 | 22.3 | 139.71 | 1935.7 | 2460. I | -524.4 | |
| 240.9 | 21.6 | 134.87 | 1949.6 | 2566.6 | -617.0 | |

O:\DRIC\19_WaterResources\Hydrology\|Option 1A 100-yr Rational.xls||Exist

Project Name: Detroit River International Crossing
Stormwater Management Study
Alternative 1A

November 14, 2006


9:58 AM

Area = 5.60 ha
"C" = 0.9
AC = 5.04
Tc = 13.5 min
Time Increment = 10.0 min

Release Rate =

Max.Storage =

Controlled Condition



| (| Constant Inflow | 'S |
|---|-----------------|-----|
| | | 1/s |
| | | |
| | | |

338.5

2049

1/s


 m^3

| | | 106 | | | | 1 |
|-------|-----------|---------|--------|-------------------|-------------------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m ³) | (m ³) | |
| 13.5 | 154.0 | 2158.36 | 1751.1 | 274.6 | 1476.5 | 1 |
| 23.5 | 117.0 | 1639.46 | 2313.8 | 477.7 | 1836.1 | |
| 33.5 | 94.9 | 1329.98 | 2675.0 | 680.8 | 1994.2 | |
| 43.5 | 80.2 | 1123.29 | 2933.3 | 883.9 | 2049.4 | <<<< |
| 53.5 | 69.6 | 974.94 | 3130.9 | 1087.0 | 2043.8 | |
| 63.5 | 61.6 | 862.99 | 3289.1 | 1290.1 | 1999.0 | |
| 73.5 | 55.3 | 775.34 | 3420.3 | 1493.2 | 1927.0 | |
| 83.5 | 50.3 | 704.74 | 3531.7 | 1696.3 | 1835.3 | |
| 93.5 | 46.1 | 646.58 | 3628.2 | 1899.4 | 1728.8 | |
| 103.5 | 42.7 | 597.80 | 3713.2 | 2102.5 | 1610.6 | |
| 113.5 | 39.7 | 556.27 | 3788.9 | 2305.6 | 1483.3 | |
| 123.5 | 37.1 | 520.44 | 3857.2 | 2508.7 | 1348.4 | |
| 133.5 | 34.9 | 489.21 | 3919.2 | 2711.8 | 1207.4 | |
| 143.5 | 33.0 | 461.73 | 3976.1 | 2914.9 | 1061.2 | |
| 153.5 | 31.2 | 437.35 | 4028.6 | 3118.0 | 910.5 | |
| 163.5 | 29.7 | 415.56 | 4077.2 | 3321.1 | 756.1 | |
| 173.5 | 28.3 | 395.97 | 4122.6 | 3524.2 | 598.3 | |
| 183.5 | 27.0 | 378.25 | 4165.0 | 3727.3 | 437.7 | |
| 193.5 | 25.8 | 362.14 | 4205.0 | 3930.4 | 274.5 | |
| 203.5 | 24.8 | 347.43 | 4242.6 | 4133.5 | 109.1 | |
| 213.5 | 23.8 | 333.94 | 4278.3 | 4336.6 | -58.4 | |
| 223.5 | 22.9 | 321.53 | 4312.1 | 4539.7 | -227.6 | |
| 233.5 | 22.1 | 310.06 | 4344.3 | 4742.8 | -398.6 | |
| 243.5 | 21.4 | 299.42 | 4375.0 | 4945.9 | -571.0 | |

Project Name: Detroit River International Crossing
Stormwater Management Study
Alternative 1A

November 14, 2006

9:58 AM



Controlled Condition

| 100 Year - Po | st Dev't. |
|---------------|-----------|
| a= | 2825 |
| b= | 13.74 |
| c= | 0.880 |

Constant Inflows

| | | 107 | | | | 1 |
|-------|-----------|---------|--------|-------------------|---------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | İ |
| (min) | (mm/hr) | (l/s) | (m3) | (m ³) | (m³) | |
| 14.8 | 148.0 | 1148.00 | 1018.7 | 157.0 | 861.7 | 1 |
| 24.8 | 113.6 | 881.25 | 1310.7 | 263.1 | 1047.6 | |
| 34.8 | 92.7 | 719.30 | 1501.4 | 369.2 | 1132.2 | |
| 44.8 | 78.6 | 609.97 | 1639.2 | 475.3 | 1163.8 | <<<< |
| 54.8 | 68.5 | 530.91 | 1745.3 | 581.5 | 1163.8 | |
| 64.8 | 60.7 | 470.94 | 1830.7 | 687.6 | 1143.1 | |
| 74.8 | 54.6 | 423.80 | 1901.7 | 793.7 | 1108.0 | |
| 84.8 | 49.7 | 385.71 | 1962.2 | 899.9 | 1062.3 | |
| 94.8 | 45.7 | 354.25 | 2014.7 | 1006.0 | 1008.7 | |
| 104.8 | 42.3 | 327.81 | 2061.1 | 1112.1 | 948.9 | |
| 114.8 | 39.4 | 305.26 | 2102.4 | 1218.3 | 884.2 | |
| 124.8 | 36.8 | 285.78 | 2139.7 | 1324.4 | 815.4 | |
| 134.8 | 34.7 | 268.78 | 2173.7 | 1430.5 | 743.2 | |
| 144.8 | 32.7 | 253.80 | 2204.9 | 1536.7 | 668.2 | |
| 154.8 | 31.0 | 240.50 | 2233.6 | 1642.8 | 590.8 | |
| 164.8 | 29.5 | 228.61 | 2260.3 | 1748.9 | 511.4 | |
| 174.8 | 28.1 | 217.90 | 2285.2 | 1855.1 | 430.1 | |
| 184.8 | 26.8 | 208.21 | 2308.5 | 1961.2 | 347.3 | l |
| 194.8 | 25.7 | 199.40 | 2330.5 | 2067.3 | 263.1 | |
| 204.8 | 24.7 | 191.35 | 2351.2 | 2173.4 | 177.7 | |
| 214.8 | 23.7 | 183.96 | 2370.8 | 2279.6 | 91.2 | |
| 224.8 | 22.8 | 177.16 | 2389.4 | 2385.7 | 3.6 | |
| 234.8 | 22.0 | 170.87 | 2407.1 | 2491.8 | -84.8 | |
| 244.8 | 21.3 | 165.04 | 2424.0 | 2598.0 | -174.0 | |

O:\DRIC\19_WaterResources\Hydrology\{Option 1A 100-yr Rational.xls}\Exist

Project Name: Detroit River International Crossing
Stormwater Management Study
Alternative 1A

November 14, 2006

9:58 AM

108 3.96 Area = "C" = 0.9 3.564 AC= Tc = 14.3 min Time Increment = 10.0 min Release Rate = l/s 231.4

Max.Storage =

Controlled Condition

100 Year - Post Dev't.

a= 2825
b= 13.74
c= 0.880

Constant Inflows

1471

m³

| | . | 108 | | | | |
|-------|--------------|---------|--------|-------------------|-------------------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m ³) | (m ³) |] |
| 14.3 | 150.4 | 1490.51 | 1275.9 | 198.1 | 1077.8 | |
| 24.3 | 115.0 | 1139.33 | 1658.9 | 336.9 | 1321.9 | |
| 34.3 | 93.6 | 927.64 | 1907.2 | 475.8 | 1431.5 | l |
| 44.3 | 79.3 | 785.35 | 2085.9 | 614.6 | 1471.3 | <<<< |
| 54.3 | 68.9 | 682.78 | 2223.1 | 753.4 | 1469.7 | |
| 64.3 | 61.1 | 605.13 | 2333.4 | 892.3 | 1441.1 | |
| 74.3 | 54.9 | 544.19 | 2424.9 | 1031.1 | 1393.8 | |
| 84.3 | 50.0 | 495.02 | 2502.8 | 1169.9 | 1332.9 | |
| 94.3 | 45.9 | 454.45 | 2570.4 | 1308.8 | 1261.6 | |
| 104.3 | 42.4 | 420.38 | 2629.9 | 1447.6 | 1182.3 | İ |
| 114.3 | 39.5 | 391.35 | 2683.1 | 1586.5 | 1096.6 | |
| 124.3 | 37.0 | 366.28 | 2731.0 | 1725.3 | 1005.7 | |
| 134.3 | 34.8 | 344.41 | 2774.6 | 1864.1 | 910.4 | |
| 144.3 | 32.8 | 325.16 | 2814.5 | 2003.0 | 811.6 | |
| 154.3 | 31.1 | 308.06 | 2851.4 | 2141.8 | 709.6 | |
| 164.3 | 29.6 | 292.78 | 2885.6 | 2280.7 | 605.0 | |
| 174.3 | 28.2 | 279.03 | 2917.5 | 2419.5 | 498.1 | |
| 184.3 | 26.9 | 266.59 | 2947.4 | 2558.3 | 389.1 | |
| 194.3 | 25.8 | 255.28 | 2975.5 | 2697.2 | 278.4 | |
| 204.3 | 24.7 | 244.95 | 3002.1 | 2836.0 | 166.1 | |
| 214.3 | 23.8 | 235.47 | 3027.2 | 2974.8 | 52.3 | |
| 224.3 | 22.9 | 226.74 | 3051.0 | 3113.7 | -62.7 | |
| 234.3 | 22.1 | 218.67 | 3073.7 | 3252.5 | -178.8 | |
| 244.3 | 21.3 | 211.20 | 3095.3 | 3391.4 | -296.0 | |

O:\DRIC\19_WaterResources\Hydrology\[Option 1A 100-yr Rational.xls]Exist

Project Name: Detroit River International Crossing
Stormwater Management Study
Alternative 1A

November 14, 2006

9:58 AM

109 6.60 Area = "C" = 0.9 5.94 AC= Tc = 24.3 min Time Increment = 10.0 min Release Rate = 270.3 l/s m³ Max.Storage = 2847

Controlled Condition

| 100 Year - Po | st Dev't. |
|---------------|-----------|
| a= | 2825 |
| b= | 13.74 |
| c= | 0.880 |

Constant Inflows

| | | 109 | | | | 1 |
|-------|-----------|---------|--------|-------------------|-------------------|---|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m ³) | (m ³) | |
| 24.3 | 114.9 | 1897.41 | 2766,4 | 394.1 | 2372.3 | 1 |
| 34.3 | 93.6 | 1545.12 | 3179.9 | 556.3 | 2623.6 | |
| 44.3 | 79.2 | 1308.26 | 3477,4 | 718.5 | 2758.9 | |
| 54.3 | 68.9 | 1137.47 | 3705.9 | 880.6 | 2825.3 | |
| 64.3 | 61.1 | 1008.17 | 3889.5 | 1042.8 | 2846.7 | < |
| 74.3 | 54.9 | 906.68 | 4042.0 | 1205.0 | 2837.0 | l |
| 84.3 | 49.9 | 824.78 | 4171.7 | 1367.2 | 2804.6 | |
| 94.3 | 45.9 | 757.21 | 4284.3 | 1529.3 | 2755.0 | |
| 104.3 | 42.4 | 700.47 | 4383.5 | 1691.5 | 2692.0 | ŀ |
| 114.3 | 39.5 | 652.09 | 4472.1 | 1853.7 | 2618.3 | |
| 124.3 | 37.0 | 610.34 | 4551.9 | 2015.9 | 2536.0 | |
| 134.3 | 34.8 | 573.90 | 4624.5 | 2178.1 | 2446.5 | l |
| 144.3 | 32.8 | 541.82 | 4691.1 | 2340.2 | 2350.9 | |
| 154.3 | 31.1 | 513.35 | 4752.6 | 2502.4 | 2250.1 | |
| 164.3 | 29.5 | 487.89 | 4809.6 | 2664.6 | 2145.0 | |
| 174.3 | 28.2 | 464.98 | 4862.8 | 2826.8 | 2036.0 | |
| 184.3 | 26.9 | 444.25 | 4912.6 | 2989.0 | 1923.6 | ľ |
| 194.3 | 25.8 | 425.41 | 4959.4 | 3151.1 | 1808.3 | |
| 204.3 | 24.7 | 408.19 | 5003.6 | 3313.3 | 1690.3 | |
| 214.3 | 23.8 | 392.40 | 5045.4 | 3475.5 | 1569.9 | 1 |
| 224.3 | 22.9 | 377.85 | 5085.1 | 3637.7 | 1447.5 | |
| 234.3 | 22.1 | 364.41 | 5122.9 | 3799.9 | 1323.1 | |
| 244.3 | 21.3 | 351.96 | 5159.0 | 3962.0 | 1196.9 | |
| 254.3 | 20.6 | 340.38 | 5193.4 | 4124.2 | 1069.2 | |

O:\DRIC\19_WaterResources\Hydrology\|Option 1A 100-yr Rational.xls|Exist

Stormwater Management Pond Area Requirement Calculation Sheet Alternative 1A

| Stormerwater Management Facility No. | 1A-P1 | 1A-P2 | 1A-P3 | 1A-P4 | 1A-P5 | 1A-P6 | 1A-P7 | 1A-P8 | 1A-P9 | 1A-P9 |
|--|---------|--------|---------|--------|--------|--------|---------|--------|---------|---------|
| Drainage ID | 100 | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 | 109 |
| Drainage Area (ha) | 6.4 | 2.5 | 5.6 | 2.6 | 2.5 | 5.5 | 5.6 | 3.1 | 4.0 | 9.9 |
| Imperviousness of Drainage Area | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| Runoff Volume (25mm Storm) (mm) | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 |
| Permanent Pool Volume Required ² (m ³) | 1,336 | 531 | 1,176 | 546 | 525 | 525 | 1,176 | 651 | 832 | 1,386 |
| Extended Detention Volume ³ (m ³) | 254 | 101 | 224 | 104 | 100 | 100 | 224 | 124 | 158 | 264 |
| Erosion Control Volume ⁴ , 25mm Storm (m ³) | 1,590 | 633 | 1,400 | 650 | 625 | 625 | 1,400 | 775 | 066 | 1,650 |
| Total Extended Detention Vol. Req't ⁵ (m ³) | 1,590 | 633 | 1,400 | 650 | 625 | 625 | 1,400 | 775 | 066 | 1,650 |
| Assumed Permanent Pool Depth | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 |
| Assumed Quantity Storage Depth | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 |
| Designed Slope V :1 H : | 5.00 | 5.00 | 5.00 | 5.00 | 5.00 | 5.00 | 5.00 | 5.00 | 5.00 | 5.00 |
| | | | | | | | | | | |
| Trial and Error Method Assuming square lot | | | | | | | | | | |
| Assumed Bottom width | 25.00 | 15.25 | 22.25 | 12,00 | 11.50 | 11.50 | 22.25 | 14.00 | 17.25 | 25.00 |
| Volume | 1668.75 | 860.72 | 1411.97 | 654.75 | 625.88 | 625.88 | 1411.97 | 777.75 | 1003.22 | 1668.75 |
| Pond Bottom Area Requirement (m²) | 625 | 233 | 495 | 144 | 132 | 132 | 495 | 196 | 298 | 625 |
| Pond Bottom width requirement assuming a square lot | 25.00 | 15.25 | 22.25 | 12.00 | 11.50 | 11.50 | 22.25 | 14.00 | 17.25 | 25.00 |
| Pond Area at Normal Water Level | 1,600 | 915 | 1,388 | 729 | 702 | 702 | 1,388 | 841 | 1,040 | 1,600 |
| Pond Area Requirement (m²) | 3,364 | 2,328 | 3,053 | 2,025 | 1,980 | 1,980 | 3,053 | 2,209 | 2,525 | 3,364 |
| Pond Area Requirement with 10 m buffer (m²) | 6,084 | 4,658 | 5,663 | 4,225 | 4,160 | 4,160 | 5,663 | 4,489 | 4,935 | 6,084 |
| Total Quantity Control Volume @ 1.80m depth from NWL = | 4,468 | 2,919 | 3,996 | 2,479 | 2,414 | 2,414 | 3,996 | 2,745 | 3,209 | 4,468 |
| Total Quality and Quantity Control Volume == | 6,136 | 3,780 | 5,408 | 3,133 | 3,040 | 3,040 | 5.408 | 3,523 | 4.212 | 6,136 |
| Approximate Volume of Excavation = | 17,779 | 12,960 | 16,318 | 11,578 | 11,375 | 11,375 | 16,318 | 12,415 | 13,866 | 17,779 |
| The state of the s | | | | | | | | | | |

Notes:

¹ Based on Imperviousness for the site (25mm * Imperviousness)

² Calculated using Table 3.2 Of the MOE 2003 SWM Planning and Design Manual, 85% Imperviousness (250m ³/ha - 40m³/ha)

³ Based on 40m³/ha

⁴ Area x Runoff Volume

⁵ Greater of Extended Detention or Erosion Control ⁶ Average release over 24 hours.

Appendix C.2


Alternative 1B

Project Name: Detroit River International Crossing Stormwater Management Study

November 14, 2006

10:30 AM

Alternative 1B



Controlled Condition

| Commonica Com | 4151011 |
|---------------|-----------|
| 100 Year - Po | st Dev't. |
| a= | 2825 |
| b= | 13.74 |
| c_ | 0.880 |

| Constant | Inflows |
|----------|---------|
| | 1/ |

| | l/s |
|-------|-------|
| 00 | |
| Storm | Runof |
| | |

| 100 | | | | |] | |
|-------|-----------|---------|--------|----------------|-------------------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m³) | (m ³) | |
| 14.8 | 147.8 | 2352.02 | 2093.3 | 320.9 | 1772.4 | |
| 24.8 | 113.5 | 1806.15 | 2691.2 | 537.2 | 2154.0 | |
| 34.8 | 92.7 | 1474.54 | 3081.8 | 753 <i>.</i> 5 | 2328.3 | |
| 44.8 | 78.6 | 1250.58 | 3364.1 | 969.8 | 2394.2 | |
| 54.8 | 68.4 | 1088.60 | 3581.5 | 1186.2 | 2395.4 | <<<< |
| 64.8 | 60.7 | 965.71 | 3756.6 | 1402.5 | 2354.1 | |
| 74.8 | 54.6 | 869.08 | 3902.2 | 1618.8 | 2283.4 | |
| 84.8 | 49.7 | 791.00 | 4026.2 | 1835.1 | 2191.1 | |
| 94.8 | 45.7 | 726.52 | 4133.9 | 2051.4 | 2082.5 | |
| 104.8 | 42.3 | 672.32 | 4228.9 | 2267.7 | 1961.2 | |
| 114.8 | 39.3 | 626.09 | 4313.7 | 2484.1 | 1829.7 | |
| 124.8 | 36.8 | 586.15 | 4390.3 | 2700.4 | 1689.9 | |
| 134.8 | 34.6 | 551.29 | 4459.9 | 2916.7 | 1543.2 | |
| 144.8 | 32.7 | 520.58 | 4523.8 | 3133.0 | 1390.8 | |
| 154.8 | 31.0 | 493.30 | 4582.8 | 3349.3 | 1233.4 | |
| 164.8 | 29.5 | 468.91 | 4637.5 | 3565.7 | 1071.8 | |
| 174.8 | 28.1 | 446.96 | 4688.6 | 3782.0 | 906,6 | |
| 184.8 | 26.8 | 427.09 | 4736.4 | 3998.3 | 738.1 | |
| 194.8 | 25.7 | 409.01 | 4781.4 | 4214.6 | 566.8 | |
| 204.8 | 24.7 | 392.50 | 4823.8 | 4430.9 | 392.9 | |
| 214.8 | 23.7 | 377.35 | 4864.0 | 4647.3 | 216.8 | |
| 224.8 | 22.8 | 363.40 | 4902.2 | 4863.6 | 38.6 | |
| 234.8 | 22.0 | 350.50 | 4938.5 | 5079.9 | -141.4 | |
| 244.8 | 21.3 | 338.54 | 4973.2 | 5296.2 | -323.0 | |


OADRICA19_WaterResources\Hydrology\Quantity Reqt\[Alt1B_Qual_Vol.xls]107

Project Name: Detroit River International Crossing
Stormwater Management Study


November 14, 2006

10:30 AM

Alternative 1B



Controlled Condition



| Constant | Inflow | S |
|----------|--------|-----|
| | | l/s |
| | | |
| | | |


| 101 | | | | | ŀ | |
|-------|-----------|---------|--------|----------|-------------------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| 1 | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m³) | (m ³) | |
| 10.2 | 172.7 | 1166.71 | 714.0 | 123.6 | 590.5 | Ì |
| 20.2 | 127.0 | 858.16 | 1040.1 | 244.7 | 795.4 | |
| 30.2 | 101.2 | 683.72 | 1238.9 | 365.8 | 873.1 | |
| 40.2 | 84.5 | 570.84 | 1376.9 | 486.9 | 889.9 | <<<< |
| 50.2 | 72.8 | 491.49 | 1480.4 | 608.1 | 872.3 | |
| 60.2 | 64.0 | 432.49 | 1562.2 | 729.2 | 833.0 | |
| 70.2 | 57.3 | 386.81 | 1629.3 | 850.3 | 778.9 | |
| 80.2 | 51.9 | 350.34 | 1685.8 | 971.5 | 714.4 | |
| 90.2 | 47.4 | 320.50 | 1734.5 | 1092,6 | 641.9 | |
| 100.2 | 43.8 | 295.61 | 1777.2 | 1213.7 | 563.5 | |
| 110.2 | 40.6 | 274.52 | 1815.1 | 1334.9 | 480,2 | |
| 120.2 | 38.0 | 256.40 | 1849.1 | 1456.0 | 393.1 | |
| 130.2 | 35.6 | 240.65 | 1880.0 | 1577.1 | 302.9 | |
| 140.2 | 33.6 | 226.84 | 1908.2 | 1698.2 | 209.9 | |
| 150.2 | 31.8 | 214.62 | 1934.2 | 1819.4 | 114.8 | Ī |
| 160.2 | 30.2 | 203.72 | 1958.2 | 1940.5 | 17.7 | |
| 170.2 | 28.7 | 193.94 | 1980.6 | 2061.6 | -81.1 | |
| 180.2 | 27.4 | 185.12 | 2001.5 | 2182.8 | -181.3 | |
| 190.2 | 26.2 | 177.11 | 2021.1 | 2303.9 | -282,8 | |
| 200.2 | 25.1 | 169.80 | 2039.6 | 2425.0 | -385.4 | |
| 210.2 | 24.1 | 163.11 | 2057.1 | 2546.2 | -489.0 | |
| 220.2 | 23.2 | 156.96 | 2073.7 | 2667.3 | -593.6 | |
| 230.2 | 22.4 | 151.28 | 2089.5 | 2788.4 | -698.9 | |
| 240.2 | 21.6 | 146.03 | 2104.5 | 2909.6 | -805.0 | |

OADRIC\19_WaterResources\Hydrology\Quantity Reqt\[Alt1B_Qual_Vol.xls]107

Project Name: Detroit River International Crossing
Stormwater Management Study
Alternative 1B

November 14, 2006

10:30 AM



Controlled Condition

| 100 Year - Post Dev't. | | | | | | | |
|------------------------|-------|--|--|--|--|--|--|
| a= | 2825 | | | | | | |
| ხ≔ | 13.74 | | | | | | |
| c= | 0.880 | | | | | | |


| Constant Inflow | S |
|-----------------|-----|
| | l/s |
| | |
| | |

| | 1: | 02 | | | i | 1 |
|-------|-----------|---------|--------|-------------------|-------------------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m ³) | (m ³) | |
| 12.4 | 159.6 | 2148.49 | 1604.2 | 257.3 | 1346.9 | |
| 22.4 | 120.1 | 1616.27 | 2176.6 | 464.1 | 1712.5 | |
| 32,4 | 96.9 | 1303.93 | 2538.3 | 670.9 | 1867.5 | |
| 42.4 | 81.5 | 1097.36 | 2794.6 | 877.6 | 1917.0 | <<<< |
| 52.4 | 70.6 | 950.05 | 2989.5 | 1084.4 | 1905.1 | i |
| 62.4 | 62.4 | 839.40 | 3145.0 | 1291.2 | 1853.8 | |
| 72.4 | 55.9 | 753.07 | 3273.3 | 1498.0 | 1775.4 | |
| 82.4 | 50.8 | 683.72 | 3382.1 | 1704.7 | 1677.4 | |
| 92.4 | 46.6 | 626.73 | 3476.2 | 1911.5 | 1564.7 | |
| 102.4 | 43.0 | 579.00 | 3558.9 | 2118.3 | 1440.7 | |
| 112.4 | 40.0 | 538.43 | 3632.6 | 2325.1 | 1307.5 | |
| 122.4 | 37.4 | 503.48 | 3698.9 | 2531.8 | 1167.1 | |
| 132.4 | 35.1 | 473.04 | 3759.1 | 2738.6 | 1020.5 | |
| 142.4 | 33.2 | 446.28 | 3814.2 | 2945.4 | 868.9 | |
| 152.4 | 31.4 | 422.56 | 3865.1 | 3152.1 | 712.9 | |
| 162.4 | 29.8 | 401.38 | 3912.2 | 3358.9 | 553.2 | |
| 172.4 | 28.4 | 382.35 | 3956.1 | 3565.7 | 390.4 | |
| 182.4 | 27.1 | 365.15 | 3997.1 | 3772.5 | 224.7 | |
| 192.4 | 26.0 | 349.52 | 4035.7 | 3979.2 | 56.5 | |
| 202.4 | 24.9 | 335.25 | 4072.1 | 4186.0 | -113.9 | |
| 212.4 | 23.9 | 322.17 | 4106.6 | 4392.8 | -286.2 | |
| 222.4 | 23.0 | 310.14 | 4139.3 | 4599.6 | -460.3 | |
| 232.4 | 22.2 | 299.02 | 4170.4 | 4806.3 | -636.0 | |
| 242.4 | 21.4 | 288.73 | 4200.0 | 5013.1 | -813.1 | |

O:\DRIC\19_WaterResources\Hydrology\Quantity Reqt\[Alt1B_Qual_Vol.xls]107

Project Name : Detroit River International Crossing Stormwater Management Study


Alternative 1B



Controlled Condition

November 14, 2006

10:30 AM



| ows |
|-----|
| l/s |
| |
| _ |
| |

| | 10 | 03 | | | | 1 |
|-------|-----------|---------|--------|-------------------|-------------------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (1/s) | (m3) | (m ³) | (m ³) | |
| 14.4 | 149.8 | 1686.11 | 1457.9 | 225.6 | 1232.3 | 1 |
| 24.4 | 114.6 | 1290.37 | 1890.0 | 382.2 | 1507.8 | |
| 34.4 | 93.4 | 1051.35 | 2170.7 | 538.7 | 1632.0 | |
| 44.4 | 79.1 | 890.49 | 2372.9 | 695.2 | 1677.6 | <<<< |
| 54.4 | 68.8 | 774.44 | 2528.3 | 851.8 | 1676.5 | |
| 64.4 | 61.0 | 686.53 | 2653.2 | 1008.3 | 1644.9 | |
| 74.4 | 54.8 | 617.51 | 2757.0 | 1164.9 | 1592.1 | |
| 84.4 | 49.9 | 561.79 | 2845.3 | 1321.4 | 1523.8 | |
| 94.4 | 45.8 | 515.82 | 2921.9 | 1478.0 | 1443.9 | |
| 104.4 | 42.4 | 477.20 | 2989.5 | 1634.5 | 1354.9 | |
| 114.4 | 39.5 | 444.27 | 3049.8 | 1791.1 | 1258.7 | |
| 124.4 | 36.9 | 415.84 | 3104.1 | 1947.6 | 1156.5 | |
| 134.4 | 34.7 | 391.04 | 3153.6 | 2104.2 | 1049.4 | |
| 144.4 | 32.8 | 369.20 | 3199.0 | 2260.7 | 938.2 | |
| 154.4 | 31.1 | 349.81 | 3240.8 | 2417.3 | 823.5 | |
| 164.4 | 29.5 | 332.47 | 3279.7 | 2573.8 | 705.8 | ł |
| 174.4 | 28.1 | 316.87 | 3315.9 | 2730.4 | 585.5 | 1 |
| 184.4 | 26.9 | 302.75 | 3349.8 | 2886.9 | 462.9 | 1 |
| 194.4 | 25.7 | 289.91 | 3381.7 | 3043.5 | 338.3 | |
| 204.4 | 24.7 | 278.19 | 3411.9 | 3200.0 | 211.8 | |
| 214.4 | 23.8 | 267.43 | 3440.4 | 3356.6 | 83.8 | 1 |
| 224.4 | 22.9 | 257.52 | 3467.4 | 3513.1 | -45.7 | |
| 234.4 | 22.1 | 248.37 | 3493.2 | 3669.7 | -176.5 | |
| 244.4 | 21.3 | 239.88 | 3517.8 | 3826.2 | -308.5 | l |


O:\DRIC\19_WaterResources\Hydrology\Quantity Reqt\[Alt1B_Qual_Vol.xls]107

Project Name : Detroit River International Crossing Stormwater Management Study


November 14, 2006

10:30 AM

Alternative 1B



Controlled Condition



| Constant Inflow | /S |
|-----------------|------|
| |] /s |
| | ļ |
| | ļ |

| | 1 | 04 | | | | |
|-----------|-----------|---------|--------|-------------------|-------------------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
|
(min) | (mm/hr) | (l/s) | (m3) | (m ³) | (m ³) | |
| 10.0 | 173.9 | 1192.28 | 716.2 | 124.8 | 591.4 | |
| 20.0 | 127.7 | 875.16 | 1050.8 | 249.4 | 801.4 | |
|
30.0 | 101.6 | 696.48 | 1254.1 | 374.0 | 880.1 | |
| 40.0 | 84.8 | 581.08 | 1395.0 | 498.6 | 896.4 | <<<< |
|
50.0 | 72.9 | 500,07 | 1500.5 | 623.2 | 877.3 | |
|
60.0 | 64.2 | 439.89 | 1583.9 | 747.9 | 836.0 | |
|
70.0 | 57.4 | 393.32 | 1652.2 | 872.5 | 779.7 | |
| 80.0 | 52.0 | 356.16 | 1709.8 | 997.1 | 712.7 | |
| 90.0 | 47.5 | 325.77 | 1759.4 | 1121.7 | 637.6 | |
| 100.0 | 43.8 | 300.43 | 1802.8 | 1246.3 | 556.4 | |
| 110.0 | 40.7 | 278.96 | 1841.3 | 1371.0 | 470.3 | |
| 120,0 | 38.0 | 260.52 | 1875.9 | 1495.6 | 380.3 | |
| 130.0 | 35.7 | 244.50 | 1907.3 | 1620.2 | 287.1 | |
| 140.0 | 33.6 | 230.45 | 1935.9 | 1744.8 | 191.1 | |
| 150.0 | 31.8 | 218.02 | 1962.3 | 1869.4 | 92.9 | |
| 160.0 | 30.2 | 206.94 | 1986.8 | 1994.1 | -7.3 | |
| 170.0 | 28.7 | 197.00 | 2009.5 | 2118.7 | -109.2 | |
| 180.0 | 27.4 | 188.02 | 2030.7 | 2243.3 | -212.6 | |
| 190.0 | 26.2 | 179.88 | 2050.7 | 2367.9 | -317.2 | |
| 200.0 | 25.2 | 172.45 | 2069.5 | 2492.5 | -423.0 | |
| 210.0 | 24.2 | 165.65 | 2087.3 | 2617.2 | -529.9 | |
| 220.0 | 23.3 | 159.40 | 2104.1 | 2741.8 | -637.7 | |
| 230.0 | 22.4 | 153.63 | 2120.2 | 2866.4 | -746.2 | |
| 240.0 | 21.6 | 148.29 | 2135.4 | 2991.0 | -855.6 | |


O:\DRIC\19_WaterResources\Hydrology\Quantity Reqt\[Alt1B_Qual_Vol.xis]107

Project Name: Detroit River International Crossing
Stormwater Management Study

November 14, 2006

10:30 AM

Alternative 1B



Controlled Condition

100 Year - Post Dev't.

a= 2825
b= 13.74
c= 0.880

| Constan | t Inflows |
|---------|-----------|
| | 1/s |
| | |


| \neg | | | | 05 | · | |
|--------|-------------------|-------------------|--------|---------|-----------|-------------------------------|
| , | Storage | Released | Runoff | Storm | Rainfall | Time |
| ; | Volume | Volume | Volume | Runoff | Intensity | |
| | (m ³) | (m ³) | (m3) | (l/s) | (mm/hr) | (min) |
| | 2119.6 | 374.8 | 2494.4 | 2552.29 | 141.5 | 16.3 |
| ı | 2521.1 | 605.0 | 3126.1 | 1981.87 | 109.9 | 26.3 |
| | 2711.2 | 835.1 | 3546.3 | 1628.74 | 90.3 | 36.3 |
| | 2788.1 | 1065.2 | 3853.3 | 1387.42 | 76.9 | 46.3 |
| | 2796.3 | 1295.3 | 4091.6 | 1211.49 | 67.2 | 56.3 |
| | 2759.0 | 1525.5 | 4284.5 | 1077.23 | 59.7 | 66.3 |
| | 2689.9 | 1755.6 | 4445.5 | 971.20 | 53.8 | 76.3 |
| | 2597.4 | 1985.7 | 4583.1 | 885.23 | 49.1 | 86.3 |
| | 2487.1 | 2215.8 | 4702.9 | 814.03 | 45.1 | 96.3 |
| ļ | 2362.8 | 2446.0 | 4808.8 | 754.04 | 41.8 | 106.3 |
| | 2227.3 | 2676.1 | 4903.4 | 702.76 | 39.0 | 116.3 |
| | 2082.8 | 2906.2 | 4989.0 | 658.41 | 36.5 | 126.3 |
| | 1930.6 | 3136.3 | 5066.9 | 619.63 | 34.3 | 136.3 |
| - 1 | 1772.0 | 3366.4 | 5138.5 | 585.42 | 32.5 | 146.3 |
| | 1608.0 | 3596.6 | 5204.6 | 555.02 | 30.8 | 156.3 |
| | 1439.3 | 3826.7 | 5266.0 | 527.79 | 29.3 | 166.3 |
| | 1266.5 | 4056.8 | 5323,3 | 503.27 | 27.9 | 176.3 |
| 1 | 1090.1 | 4286.9 | 5377.0 | 481.06 | 26.7 | 186.3 |
| | 910.5 | 4517.1 | 5427.6 | 460.85 | 25.5 | 196.3 |
| 1 | 728.1 | 4747.2 | 5475.3 | 442.37 | 24.5 | 206.3 |
| | 543.2 | 4977.3 | 5520.5 | 425.40 | 23.6 | 216.3 |
| 1 | 356.I | 5207.4 | 5563.5 | 409.76 | 22.7 | 226.3 |
| | 166.8 | 5437.6 | 5604.4 | 395.31 | 21.9 | 236.3 |
| 1 | -24.3 | 5667.7 | 5643.4 | 381.90 | 21.2 | 246.3
RIC\19_WaterResource |

Project Name: Detroit River International Crossing Stormwater Management Study

November 14, 2006

10:30 AM

Alternative 1B



Controlled Condition

| 100 Year - Po | st Dev't. |
|---------------|-----------|
| a= | 2825 |
| b= | 13.74 |
| c= | 0.880 |

Constant Inflows

| S |
|-----|
| I/s |
| |
| |
| |
| |
| |

| | | 06 | | | g. | |
|-------|-----------|---------|--------|-------------------|-------------------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m ³) | (m ³) | |
| 21.6 | 122.5 | 1890.43 | 2455.0 | 353.8 | 2101.2 | |
| 31.6 | 98.4 | 1518.58 | 2883.3 | 517.3 | 2365.9 | |
| 41.6 | 82.6 | 1274.48 | 3184.5 | 680.8 | 2503.7 | 1 |
| 51.6 | 71.3 | 1101.28 | 3412.5 | 844.3 | 2568.2 | |
| 61.6 | 62.9 | 971.64 | 3593.8 | 1007.8 | 2586.0 | <<<< |
| 71.6 | 56.4 | 870.77 | 3743.1 | 1171.3 | 2571.9 | |
| 81.6 | 51.2 | 789.90 | 3869.5 | 1334.7 | 2534.7 | |
| 91.6 | 46.9 | 723.55 | 3978.6 | 1498.2 | 2480.4 | |
| 101.6 | 43.3 | 668.08 | 4074.4 | 1661.7 | 2412.7 | • |
| 111.6 | 40.2 | 620.96 | 4159.6 | 1825.2 | 2334.4 | |
| 121.6 | 37.6 | 580.41 | 4236.2 | 1988.7 | 2247.5 | |
| 131.6 | 35.3 | 545.13 | 4305.8 | 2152.2 | 2153.6 | |
| 141.6 | 33.3 | 514.13 | 4369.5 | 2315.6 | 2053.8 | |
| 151.6 | 31.5 | 486.68 | 4428.1 | 2479.1 | 1949.0 | |
| 161.6 | 29.9 | 462.17 | 4482.4 | 2642.6 | 1839.8 | |
| 171.6 | 28.5 | 440.16 | 4533.1 | 2806.1 | 1727.0 | l |
| 181.6 | 27.2 | 420.27 | 4580.4 | 2969.6 | 1610.8 | 1 |
| 191.6 | 26,1 | 402.21 | 4624.9 | 3133.1 | 1491.8 | |
| 201.6 | 25.0 | 385.73 | 4666.8 | 3296.5 | 1370.3 | |
| 211.6 | 24.0 | 370.63 | 4706.5 | 3460.0 | 1246.5 | |
| 221.6 | 23.1 | 356.74 | 4744.2 | 3623.5 | 1120.6 | |
| 231.6 | 22.3 | 343.91 | 4779.9 | 3787.0 | 993.0 | |
| 241.6 | 21.5 | 332.03 | 4814.1 | 3950.5 | 863.6 | 1 |
| 251.6 | 20.8 | 321.00 | 4846.7 | 4114.0 | 732.7 | l |


O:\DRIC\19_WaterResources\Hydrology\Quantity Reqt\[Alt1B_Qual_Vol.xls]107

Project Name : Detroit River International Crossing Stormwater Management Study

November 14, 2006

10:30 AM

Alternative 1B



Controlled Condition

| COMMONG COM | 4111011 |
|---------------|------------|
| 100 Year - Po | ost Dev't. |
| a= | 2825 |
| b= | 13.74 |
| c= | 0.880 |

| (| Constant Inflow | S |
|---|-----------------|-----|
| 1 | | l/s |
| 1 | | |
| 1 | | |
| 1 | | 1 |

| | 1 | 07 | | | |] |
|-------|-----------|---------|--------|-------------------|---------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m ³) | (m³) | |
| 24.3 | 114.9 | 1885.91 | 2749.7 | 391.7 | 2358.0 | |
| 34.3 | 93.6 | 1535.76 | 3160.6 | 552.9 | 2607.7 | |
| 44.3 | 79.2 | 1300.33 | 3456.3 | 714.1 | 2742.2 | |
| 54.3 | 68.9 | 1130.58 | 3683.4 | 875.3 | 2808.1 | |
| 64.3 | 61.1 | 1002.06 | 3866.0 | 1036.5 | 2829.5 | <<<< |
| 74.3 | 54.9 | 901.19 | 4017.5 | 1197.7 | 2819.8 | 1 |
| 84.3 | 49.9 | 819.78 | 4146.5 | 1358.9 | 2787.6 | |
| 94.3 | 45.9 | 752.63 | 4258.4 | 1520.1 | 2738.3 | |
| 104.3 | 42,4 | 696.22 | 4357.0 | 1681.2 | 2675.7 | |
| 114.3 | 39.5 | 648.14 | 4444.9 | 1842.4 | 2602.5 | |
| 124.3 | 37.0 | 606.64 | 4524.3 | 2003.6 | 2520.7 | |
| 134.3 | 34.8 | 570.43 | 4596.5 | 2164.8 | 2431.7 | İ |
| 144.3 | 32.8 | 538.54 | 4662.7 | 2326.0 | 2336.7 | |
| 154.3 | 31.1 | 510.24 | 4723.8 | 2487.2 | 2236.5 | |
| 164.3 | 29.5 | 484.93 | 4780.4 | 2648.4 | 2132.0 | |
| 174.3 | 28.2 | 462.16 | 4833.3 | 2809.6 | 2023.7 | |
| 184.3 | 26.9 | 441.56 | 4882.8 | 2970.8 | 1912.0 | |
| 194.3 | 25.8 | 422.83 | 4929.3 | 3132.0 | 1797.3 | |
| 204.3 | 24.7 | 405.72 | 4973.3 | 3293.2 | 1680.1 | |
| 214.3 | 23.8 | 390.02 | 5014.8 | 3454,4 | 1560.5 | |
| 224.3 | 22.9 | 375.56 | 5054.3 | 3615.6 | 1438.7 | |
| 234.3 | 22.1 | 362.20 | 5091.9 | 3776.8 | 1315.1 | |
| 244.3 | 21.3 | 349.82 | 5127.7 | 3938.0 | 1189.8 | |
| 254.3 | 20.6 | 338.31 | 5162.0 | 4099.1 | 1062.8 | 1 |

O:\DRIC\19_WaterResources\Hydrology\Quantity Reqt\[Alt1B_Qual_Vol.xls]107

Stormwater Management Pond Area Requirement Calculation Sheet Alternative 1B

| Stormerwater Management Facility No. | 1B-P1 | 1B-P2 | 1B-P3 | 1B-P4 | 1B-P5 | 1B-P6 | 1B-P7 | 1B-P8 |
|--|---------|--------|---------|---------|--------|---------|---------|---------|
| Drainage ID | 100 | 101 | 102 | 103 | 104 | 105 | 106 | 107 |
| Drainage Area (ha) | 6.4 | 2.7 | 5.4 | 4.5 | 2.7 | 7.2 | 6.2 | 6.6 |
| Imperviousness of Drainage Area | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 |
| Runoff Volume ¹ (25mm Storm) (mm) | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 |
| Permanent Pool Volume Required ² (m ³) | 1,336 | 567 | 1,130 | 945 | 575 | 1,514 | 1,296 | 1,378 |
| Extended Detention Volume ³ (m ³) | 254 | 108 | 215 | 180 | 110 | 288 | 247 | 262 |
| Erosion Control Volume ⁴ , 25mm Storm (m ³) | 1,590 | 675 | 1,345 | 1,125 | 685 | 1,803 | 1,543 | 1,640 |
| Total Extended Detention Vol. Req't ⁵ (m ³) | 1,590 | 675 | 1,345 | 1,125 | 685 | 1,803 | 1,543 | 1,640 |
| Assumed Permanent Pool Depth | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 |
| Assumed Quantity Storage Depth | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 |
| Designed Slope | 5.00 | 5.00 | 5.00 | 5.00 | 5.00 | 5.00 | 5.00 | 5.00 |
| | | | | | | | | |
| Trial and Error Method Assuming square lot | | | | | | | | |
| | 25.00 | 12.75 | 21.50 | 19.00 | 12.75 | 26.50 | 23.75 | 25.00 |
| Volume | 1668.75 | 699.47 | 1345.88 | 1137.75 | 699.47 | 1818.38 | 1549.22 | 1668.75 |
| Pond Bottom Area Requirement (m²) | 625 | 163 | 462 | 361 | 163 | 702 | 564 | 625 |
| | 000 | , · | 27.50 | 000 | 10 75 | 00 | 20 75 | 00 30 |
| Pond Bottom width requirement assuming a square lot | 25.00 | 12.75 | 02.12 | 19.00 | 12.73 | 76.50 | 67.67 | 23.00 |
| Pond Area at Normal Water Level | 1,600 | 770 | 1,332 | 1,156 | 770 | 1,722 | 1,502 | 1,600 |
| Pond Area Requirement (m²) | 3,364 | 2,093 | 2,970 | 2,704 | 2,093 | 3,540 | 3,221 | 3,364 |
| Pond Area Requirement with 10 m buffer (m ²) | 6,084 | 4,323 | 5,550 | 5,184 | 4,323 | 6,320 | 5,891 | 6,084 |
| Total Quantity Control Volume @ 1.80m depth from NWL = | 4,468 | 2,577 | 3,872 | 3,474 | 2,577 | 4,736 | 4,250 | 4,468 |
| Total Quality and Quantity Control Volume = | 6,136 | 3,276 | 5,218 | 4,612 | 3,276 | 6,555 | 5,799 | 6,136 |
| Approximate Volume of Excavation = | 17,779 | 11,887 | 15,933 | 14,694 | 11,887 | 18,610 | 17,105 | 17,779 |

Notes:

OADRICA19, WaterResources\Hydrology\Pond Area Reqt Cale_Option 1B.xls}Option 1B

9:38 AM 16/11/2006

¹ Based on Imperviousness for the site (25mm * Imperviousness) ² Calculated using Table 3.2 Of the MOE 2003 SWM Planning and Design Manual, 85% Imperviousness (250m ³/ha - 40m³/ha)

³ Based on 40m³/ha

⁴ Area x Runoff Volume

⁵ Greater of Extended Detention or Erosion Control ⁶ Average release over 24 hours.

Appendix C.3

Alternative 2A

Project Name: Detroit River International Crossing

November 16, 2006

9:41 AM

Stormwater Management Study Alternative 2A

Project No.: 33015384

| · | | |
|------------------|-------|-----|
| | 100 | |
| Area = | 6.36 | ha |
| "C" = | 0.9 | |
| AC= | 5.724 | |
| Tc = | 14.8 | min |
| Time Increment = | 2.0 | min |
| Release Rate = | 0.4 | l/s |
| Max.Storage = | 3688 | m3 |
| | | • |

| One Hundred Y | ear |
|---------------|----------|
| a= | 2824.505 |
| b= | 13.74 |
| c= | 0.880 |

| Rooftop 1 | 0.0 | 1/s |
|---------------|-----|-----|
| Rooftop 2 | 0.0 | l/s |
| External Area | 0.0 | l/s |
| | | 1/s |

| Time | Rainfall | Storm | Runoff | Released | Storage |
|-------|-----------|---------|--------|----------|---------|
| | Intensity | Runoff | Volume | Volume | Volume |
| (min) | (mm/hr) | (l/s) | (m3) | (m3) | (m3) |
| 14.8 | 148.1 | 2356,05 | 2089.0 | 0.3 | 2088.7 |
| 16.8 | 139.5 | 2219.63 | 2234.4 | 0.4 | 2234.1 |
| 18.8 | 131.9 | 2099.04 | 2364.9 | 0.4 | 2364.5 |
| 20.8 | 125.2 | 1991.63 | 2482.9 | 0.4 | 2482.5 |
| 22.8 | 119.1 | 1895.32 | 2590.3 | 0.5 | 2589.8 |
| 24.8 | 113.6 | 1808.44 | 2688.6 | 0.5 | 2688.0 |
| 26.8 | 108.7 | 1729.65 | 2779.0 | 0,6 | 2778.4 |
| 28.8 | 104.2 | 1657.85 | 2862.6 | 0.6 | 2861.9 |
| 30.8 | 100.1 | 1592.13 | 2940.1 | 0.7 | 2939.5 |
| 32.8 | 96.3 | 1531.73 | 3012.4 | 0.7 | 3011.7 |
| 34.8 | 92.8 | 1476.03 | 3080.0 | 0.8 | 3079.2 |
| 36.8 | 89.5 | 1424.48 | 3143.3 | 0.8 | 3142.6 |
| 38.8 | 86.5 | 1376.63 | 3203.0 | 0.8 | 3202.1 |
| 40.8 | 83.7 | 1332.09 | 3259.2 | 0.9 | 3258.3 |
| 42.8 | 81.1 | 1290.52 | 3312.3 | 0.9 | 3311.4 |
| 44.8 | 78.7 | 1251.62 | 3362.7 | 1.0 | 3361.7 |
| 46.8 | 76.4 | 1215.15 | 3410.5 | 1.0 | 3409.5 |
| 48.8 | 74.2 | 1180.87 | 3456,0 | 1.1 | 3455.0 |
| 50.8 | 72.2 | 1148.60 | 3499.4 | 1.1 | 3498.3 |
| 52.8 | 70.3 | 1118.15 | 3540.8 | 1.1 | 3539.7 |
| 54.8 | 68.5 | 1089.38 | 3580.4 | 1.2 | 3579.2 |
| 56.8 | 66.7 | 1062.15 | 3618.4 | 1.2 | 3617.1 |
| 58.8 | 65.1 | 1036.32 | 3654.8 | 1.3 | 3653.5 |
| 60.8 | 63.6 | 1011.81 | 3689.7 | 1.3 | 3688.4 |

Project Name: Detroit River International Crossing

November 16, 2006

9:42 AM

Stormwater Management Study Alternative 2A

Project No.: 33015384

| | | • |
|------------------|-------|-----|
| | 101 | |
| Area = | 1.69 | ha |
| "C" = | 0.9 | |
| AC= | 1.521 | |
| Tc = | 10.4 | min |
| Time Increment = | 2.0 | min |
| Release Rate = | 0.1 | l/s |
| Max.Storage = | 959 | m3 |
| | | • |

| One Hundred Y | ear |
|---------------|----------|
| a= | 2824.505 |
| b= | 13.74 |
| c= | 0.880 |

| Rooftop 1 | 0.0 | l/s |
|---------------|-----|-----|
| Rooftop 2 | 0.0 | l/s |
| External Area | 0.0 | l/s |
| | | l/s |

| Time | Rainfall | Storm | Runoff | Released | Storage |
|-------|-----------|--------|--------|----------|---------|
| | Intensity | Runoff | Volume | Volume | Volume |
| (min) | (mm/hr) | (l/s) | (m3) | (m3) | (m3) |
| 10.4 | 171.7 | 725.83 | 451.5 | 1.0 | 451.4 |
| 12.4 | 160.0 | 676.67 | 502.1 | 0.1 | 502.0 |
| 14.4 | 150.0 | 634.11 | 546.6 | 0.1 | 546.5 |
| 16.4 | 141.2 | 596.89 | 586.1 | 0.1 | 586.0 |
| 18.4 | 133.4 | 564.04 | 621.6 | 0.1 | 621.4 |
| 20.4 | 126.5 | 534.83 | 653.6 | 0.2 | 653.4 |
| 22.4 | 120.3 | 508.67 | 682.6 | 0.2 | 682.5 |
| 24.4 | 114.7 | 485.10 | 709.2 | 0.2 | 709.0 |
| 26.4 | 109.7 | 463.75 | 733.7 | 0.2 | 733.4 |
| 28.4 | 105.1 | 444.31 | 756.2 | 0.2 | 756,0 |
| 30.4 | 100.9 | 426.53 | 777.1 | 0.2 | 776.9 |
| 32.4 | 97.0 | 410.21 | 796.6 | 0.3 | 796.4 |
| 34.4 | 93.5 | 395.16 | 814.8 | 0.3 | 814.6 |
| 36.4 | 90.2 | 381.25 | 831.9 | 0.3 | 831.6 |
| 38.4 | 87.1 | 368.34 | 847.9 | 0.3 | 847.6 |
| 40.4 | 84.3 | 356.33 | 863.0 | 0.3 | 862.7 |
| 42.4 | 81.6 | 345.13 | 877.3 | 0.3 | 877.0 |
| 44.4 | 79.1 | 334.66 | 890.9 | 0.3 | 890.5 |
| 46.4 | 76.8 | 324.84 | 903.7 | 0.4 | 903.3 |
| 48.4 | 74.6 | 315.61 | 915.9 | 0.4 | 915.5 |
| 50.4 | 72.6 | 306.93 | 927.5 | 0.4 | 927.2 |
| 52.4 | 70.7 | 298.74 | 938.7 | 0.4 | 938.2 |
| 54.4 | 68.8 | 291.01 | 949.3 | 0.4 | 948.9 |
| 56.4 | 67.1 | 283.69 | 959.4 | 0.4 | 959.0 |

Project Name: Detroit River International Crossing

November 16, 2006

9:43 AM

Stormwater Management Study Alternative 2A

Project No. : 33015384

| | | • |
|------------------|-------|-----|
| | 102 | |
| Arca = | 5.19 | ha |
| "C" = | 0.9 | |
| AC= | 4.671 | |
| Tc = | 14.4 | min |
| Time Increment = | 2.0 | min |
| Release Rate = | 0.3 | l/s |
| Max.Storage = | 3005 | m3 |
| | | - |

| One Hundred Y | ear |
|---------------|----------|
| a= | 2824.505 |
| b= | 13.74 |
| c= | 0.880 |

| Rooftop 1 | 0.0 | 1/s |
|---------------|-----|-----|
| Rooftop 2 | 0.0 | 1/s |
| External Area | 0.0 | l/s |
| | | l/s |

| Time | Rainfall | Storm | Runoff | Released | Storage |
|-------|-----------|---------|--------|----------|---------|
| | Intensity | Runoff | Volume | Volume | Volume |
| (min) | (mm/hr) | (l/s) | (m3) | (m3) | (m3) |
| 14.4 | 149.8 | 1944.65 | 1681.5 | 0.3 | 1681.2 |
| 16.4 | 141.0 | 1830.67 | 1802.6 | 0.3 | 1802.3 |
| 18.4 | 133.2 | 1730.07 | 1911.2 | 0.3 | 1910.8 |
| 20.4 | 126.3 | 1640.59 | 2009.2 | 0.4 | 2008.8 |
| 22.4 | 120.2 | 1560.45 | 2098.3 | 0.4 | 2097.9 |
| 24.4 | 114.6 | 1488.23 | 2179.8 | 0.4 | 2179.3 |
| 26.4 | 109.6 | 1422.80 | 2254.7 | 0.5 | 2254.2 |
| 28.4 | 105.0 | 1363.22 | 2323.8 | 0.5 | 2323.3 |
| 30.4 | 100.8 | 1308.72 | 2388.0 | 0.5 | 2387.4 |
| 32.4 | 96,9 | 1258.68 | 2447.7 | 0.6 | 2447.1 |
| 34.4 | 93,4 | 1212.56 | 2503.5 | 0.6 | 2502.9 |
| 36.4 | 90.1 | 1169.90 | 2555.8 | 0.7 | 2555.2 |
| 38.4 | 87.0 | 1130.33 | 2605.0 | 0.7 | 2604.3 |
| 40.4 | 84.2 | 1093.51 | 2651.4 | 0.7 | 2650.7 |
| 42.4 | 81.6 | 1059.16 | 2695.2 | 0.8 | 2694.4 |
| 44.4 | 79.1 | 1027.04 | 2736.7 | 0.8 | 2735.9 |
| 46.4 | 76.8 | 996.93 | 2776.1 | 0.8 | 2775.3 |
| 48.4 | 74.6 | 968.64 | 2813.6 | 0.9 | 2812.7 |
| 50.4 | 72.5 | 942.01 | 2849.3 | 0.9 | 2848.4 |
| 52.4 | 70.6 | 916.90 | 2883.4 | 0.9 | 2882.4 |
| 54.4 | 68.8 | 893.18 | 2915.9 | 1.0 | 2915.0 |
| 56.4 | 67.1 | 870.74 | 2947.2 | 1.0 | 2946.1 |
| 58.4 | 65.4 | 849.46 | 2977.1 | 1.1 | 2976.0 |
| 60.4 | 63.9 | 829.27 | 3005.8 | 1.1 | 3004.7 |

Project Name: Detroit River International Crossing

November 16, 2006

9:43 AM

Stormwater Management Study Alternative 2A

Project No.: 33015384

| | | 110,00111011 |
|-----|-------|------------------|
| | 103 | |
| ha | 3.31 | Area = |
| | 0.9 | "C" = |
| | 2.979 | AC= |
| min | 13.1 | Tc = |
| min | 2.0 | Time Increment = |
| l/s | 0.2 | Release Rate = |
| m3 | 1905 | Max.Storage = |
| | | |

| One Hundred Y | ear |
|---------------|----------|
| a= | 2824.505 |
| b= | 13.74 |
| c= | 0.880 |

| Rooftop 1 | 0.0 | 1/s |
|---------------|-----|-----|
| Rooftop 2 | 0.0 | l/s |
| External Area | 0.0 | l/s |
| | | l/s |

| Time | Rainfall | Storm | Runoff | Released | Storage |
|-------|-----------|---------|--------|----------|---------|
| | Intensity | Runoff | Volume | Volume | Volume |
| (min) | (mm/hr) | (l/s) | (m3) | (m3) | (m3) |
| 13.1 | 156.0 | 1291.98 | 1018.1 | 0.2 | 1017.9 |
| 15.1 | 146.5 | 1212.89 | 1101.3 | 0.2 | 1101.1 |
| 17.1 | 138.1 | 1143.47 | 1175.5 | 0.2 | 1175.3 |
| 19.1 | 130.7 | 1082.02 | 1242.2 | 0.2 | 1241.9 |
| 21.1 | 124.0 | 1027.22 | 1302.5 | 0.3 | 1302.2 |
| 23.1 | 118.1 | 978.03 | 1357.5 | 0.3 | 1357.2 |
| 25.1 | 112.7 | 933.61 | 1407.9 | 0.3 | 1407.6 |
| 27.1 | 107.9 | 893.29 | 1454.3 | 0.3 | 1453.9 |
| 29.1 | 103.4 | 856.51 | 1497.2 | 0.4 | 1496.8 |
| 31.1 | 99.4 | 822.83 | 1537.0 | 0.4 | 1536.6 |
| 33.1 | 95.6 | 791.85 | 1574.2 | 0.4 | 1573.8 |
| 35.1 | 92.2 | 763.26 | 1609.0 | 0.4 | 1608.5 |
| 37.1 | 89.0 | 736.79 | 1641.6 | 0.5 | 1641.1 |
| 39.1 | 86.0 | 712.21 | 1672.3 | 0.5 | 1671.8 |
| 41.1 | 83.2 | 689.32 | 1701.2 | 0.5 | 1700.7 |
| 43.1 | 80.7 | 667.94 | 1728.6 | 0.5 | 1728.1 |
| 45.1 | 78.2 | 647.93 | 1754.6 | 0.6 | 1754.0 |
| 47.1 | 76.0 | 629.16 | 1779.3 | 0.6 | 1778.7 |
| 49.1 | 73.8 | 611.52 | 1802,7 | 0.6 | 1802.1 |
| 51.1 | 71.8 | 594.89 | 1825.1 | 0.6 | 1824.5 |
| 53.1 | 69.9 | 579.21 | 1846.5 | 0.7 | 1845.8 |
| 55.1 | 68.1 | 564.38 | 1867.0 | 0.7 | 1866.3 |
| 57.1 | 66.5 | 550.34 | 1886.6 | 0.7 | 1885.9 |
| 59.1 | 64.8 | 537.03 | 1905.4 | 0.7 | 1904.6 |

Project Name: Detroit River International Crossing

November 16, 2006

9:43 AM

Stormwater Management Study Alternative 2A

Project No. : 33015384

| | 104 | |
|------------------|-------|-----|
| Area = | 4.93 | ha |
| "C" = | 0.9 | |
| AC= | 4.437 | |
| Tc = | 11.2 | min |
| Time Increment = | 2.0 | min |
| Release Rate = | 0.3 | l/s |
| Max.Storage = | 2809 | m3 |
| | | • |

| One Hundred Y | ear |
|---------------|----------|
| a= | 2824.505 |
| b= | 13.74 |
| c= | 0.880 |

| Rooftop 1 | 0.0 | l/s |
|---------------|-----|-----|
| Rooftop 2 | 0.0 | l/s |
| External Area | 0.0 | 1/s |
| | | l/s |

| Time | Rainfall | Storm | Runoff | Released | Storage | |
|-------|-----------|---------|--------|----------|---------|------|
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m3) | (m3) | |
| 11.2 | 166.7 | 2056.59 | 1379.3 | 0.2 | 1379.1 | |
| 13.2 | 155.8 | 1921.51 | 1519.3 | 0.3 | 1519.0 | |
| 15.2 | 146.3 | 1804.06 | 1642.9 | 0.3 | 1642.6 | |
| 17.2 | 137.9 | 1700.96 | 1753.1 | 0.4 | 1752.8 | |
| 19.2 | 130.5 | 1609.67 | 1852.2 | 0.4 | 1851.8 | |
| 21.2 | 123.9 | 1528.25 | 1941.9 | 0.4 | 1941.5 | |
| 23.2 | 118.0 | 1455.16 | 2023.6 | 0.5 | 2023.2 | |
| 25.2 | 112.6 | 1389.14 | 2098.5 | 0.5 | 2098.0 | |
| 27.2 | 107.8 | 1329.21 | 2167.5 | 0.6 | 2166,9 | |
| 29.2 | 103.3 | 1274.55 | 2231.3 | 0.6 | 2230.7 | |
| 31.2 | 99.3 | 1224.47 | 2290.6 | 0.6 | 2289.9 | |
| 33.2 | 95.5 | 1178.42 | 2345.8 | 0.7 | 2345.2 | |
| 35.2 | 92.1 | 1135.92 | 2397.5 | 0.7 | 2396.8 | |
| 37.2 | 88.9 | 1096.56 | 2446.1 | 0.8 | 2445.3 | |
| 39.2 | 85.9 | 1060.00 | 2491.7 | 0.8 | 2490.9 | |
| 41.2 | 83.2 | 1025.96 | 2534.8 | 0.8 | 2534.0 | |
| 43.2 | 80.6 | 994.16 | 2575.5 | 0.9 | 2574.7 | |
| 45.2 | 78.2 | 964,41 | 2614.2 | 0.9 | 2613.3 | |
| 47.2 | 75.9 | 936.49 | 2650.9 | 1.0 | 2649.9 | |
| 49.2 | 73.8 | 910.24 | 2685.8 | 1.0 | 2684.8 | |
| 51.2 | 71.8 | 885.52 | 2719.1 | 1,0 | 2718.1 | |
| 53.2 | 69.9 | 862.18 | 2750.9 | 1.1 | 2749.9 | |
| 55.2 | 68.1 | 840.13 | 2781.4 | 1,1 | 2780.3 | |
| 57.2 | 66.4 | 819.24 | 2810.5 | 1.2 | 2809.4 | <<<< |

Project Name: Detroit River International Crossing

November 16, 2006

9:44 AM

Stormwater Management Study Alternative 2A

Project No.: 33015384

| | | _ |
|------------------|-------|-----|
| | 105 | |
| Arca = | 2.61 | ha |
| "C" = | 0.9 | |
| AC= | 2.349 | |
| Tc = | 10.9 | min |
| Time Increment = | 2.0 | min |
| Release Rate = | 0.2 | l/s |
| Max.Storage = | 1485 | m3 |
| | | |

| One Hundred Y | еаг |
|---------------|----------|
| a= | 2824.505 |
| h- | 13.74 |
| c= | 0.880 |

| _ | | |
|---------------|-----|-----|
| Rooftop 1 | 0.0 | l/s |
| Rooftop 2 | 0.0 | l/s |
| External Area | 0.0 | 1/s |
| | | l/s |

| l | Time | Rainfall | Storm | Runoff | Released | Storage | |
|---|-------|-----------|---------|--------|----------|---------|-----|
| l | | Intensity | Runoff | Volume | Volume | Volume | |
| L | (min) | (mm/hr) | (1/s) | (m3) | (m3) | (m3) | |
| ľ | 10.9 | 168.5 | 1100.45 | 718.2 | 0.1 | 718.1 | |
| l | 12.9 | 157.3 | 1027.35 | 793.8 | 0.1 | 793.7 | |
| l | 14.9 | 147.6 | 963.90 | 860.4 | 0.2 | 860.3 | |
| l | 16.9 | 139.1 | 908.27 | 919.8 | 0.2 | 919.6 | |
| l | 18.9 | 131.6 | 859.07 | 973.0 | 0.2 | 972.8 | |
| | 20.9 | 124.8 | 815.24 | 1021.2 | 0.2 | 1021.0 | |
| l | 22.9 | 118.8 | 775.93 | 1065.1 | 0.3 | 1064.8 | 1 |
| ١ | 24.9 | 113.4 | 740,45 | 1105.2 | 0.3 | 1105.0 | |
| ı | 26.9 | 108.5 | 708.27 | 1142.2 | 0.3 | 1141.9 | |
| | 28.9 | 104.0 | 678.94 | 1176.4 | 0.3 | 1176.0 | |
| ۱ | 30.9 | 99.9 | 652.08 | 1208.1 | 0.4 | 1207.7 | |
| l | 32.9 | 96.1 | 627.40 | 1237.7 | 0.4 | 1237.3 | |
| 1 | 34.9 | 92.6 | 604.63 | 1265.3 | 0.4 | 1264.9 | |
| ı | 36.9 | 89.4 | 583.56 | 1291.2 | 0.4 | 1290.8 | |
| l | 38.9 | 86.4 | 563.99 | 1315.6 | 0.4 | 1315.2 | |
| I | 40.9 | 83.6 | 545.78 | 1338.6 | 0.5 | 1338.1 | |
| ı | 42.9 | 81.0 | 528.78 | 1360.4 | 0.5 | 1359.9 | |
| I | 44.9 | 78.5 | 512.87 | 1381.0 | 0.5 | 1380.5 | |
| I | 46.9 | 76.3 | 497.95 | 1400.6 | 0.5 | 1400.0 | |
| I | 48.9 | 74.1 | 483.92 | 1419.2 | 0.6 | 1418.6 | |
| I | 50.9 | 72.1 | 470.72 | 1436.9 | 0.6 | 1436.4 | |
| ļ | 52.9 | 70.2 | 458.26 | 1453.9 | 0.6 | 1453.3 | |
| ı | 54.9 | 68.4 | 446.48 | 1470.1 | 0.6 | 1469.5 | |
| ۱ | 56.9 | 66.7 | 435.34 | 1485.7 | 0.6 | 1485.0 | <<< |

Project Name: Detroit River International Crossing

November 16, 2006

9:44 AM

Stormwater Management Study Alternative 2A

Project No.: 33015384

| | 106 | |
|------------------|------|-----|
| Area = | 5.3 | ha |
| "C" = | 0.9 | |
| AC= | 4.77 | |
| Tc = | 15.8 | min |
| Time Increment = | 2.0 | min |
| Release Rate = | 0.3 | 1/s |
| Max.Storage = | 3088 | m3 |
| | | • |

| One Hundred Y | еаг |
|---------------|----------|
| a= | 2824.505 |
| b= | 13.74 |
| c= | 0.880 |

| Rooftop 1 | 0.0 |] l/s |
|-------------------|-----|-------|
|
Rooftop 2 | 0.0 | l/s |
|
External Area | 0.0 | 1/s |
| | | I/s |

| Time | Rainfall | Storm | Runoff | Released | Storage | |
|-------|-----------|---------|--------|----------|---------|------|
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m3) | (m3) | |
| 15.8 | 143.7 | 1905.35 | 1802.5 | 0.3 | 1802.2 | |
| 17.8 | 135.6 | 1798.50 | 1917.2 | 0.3 | 1916.9 | |
| 19.8 | 128.5 | 1703.69 | 2020.6 | 0.3 | 2020.2 | |
| 21.8 | 122.1 | 1618.95 | 2114.3 | 0.4 | 2114.0 | |
| 23.8 | 116.3 | 1542.73 | 2199.9 | 0.4 | 2199.5 | |
| 25.8 | 111.1 | 1473.79 | 2278.5 | 0.4 | 2278.0 | |
| 27.8 | 106.4 | 1411.11 | 2350.9 | 0.5 | 2350.4 | |
| 29.8 | 102.1 | 1353.87 | 2418.0 | 0.5 | 2417.5 | |
| 31.8 | 98.1 | 1301.37 | 2480.4 | 0.6 | 2479.9 | |
| 33.8 | 94.5 | 1253.03 | 2538.6 | 0.6 | 2538.1 | |
| 35.8 | 91.1 | 1208.37 | 2593.2 | 0.6 | 2592.5 | |
| 37.8 | 88.0 | 1166.99 | 2644.4 | 0.7 | 2643.7 | |
| 39.8 | 85.1 | 1128.51 | 2692.6 | 0.7 | 2691.9 | |
| 41.8 | 82.4 | 1092.65 | 2738.2 | 0.7 | 2737.5 | |
| 43.8 | 79.9 | 1059.14 | 2781.3 | 0.8 | 2780.5 | |
| 45.8 | 77.5 | 1027.75 | 2822.2 | 0.8 | 2821.4 | |
| 47.8 | 75.3 | 998.28 | 2861.1 | 0.8 | 2860.3 | |
| 49.8 | 73.2 | 970.56 | 2898.1 | 0.9 | 2897.2 | |
| 51.8 | 71.2 | 944.44 | 2933.4 | 0.9 | 2932.5 | |
| 53.8 | 69.4 | 919.77 | 2967.2 | 0.9 | 2966.3 | |
| 55.8 | 67.6 | 896.44 | 2999.5 | 1,0 | 2998.5 | |
| 57.8 | 65.9 | 874.34 | 3030.5 | 1.0 | 3029.5 | |
| 59.8 | 64.4 | 853.37 | 3060.2 | 1.0 | 3059.1 | |
| 61.8 | 62.9 | 833.45 | 3088.8 | 1.1 | 3087.7 | <<<< |

Project Name: Detroit River International Crossing

November 16, 2006 9:44

9:44 AM

Stormwater Management Study Alternative 2A

Project No. : 33015384

| | | 4 |
|------------------|-------|-----|
| | 107 | |
| Area = | 7.06 | ha |
| "C" = | 0.9 | |
| AC= | 6.354 | |
| Tc = | 16.1 | min |
| Time Increment = | 2.0 | min |
| Release Rate = | 0.4 | l/s |
| Max.Storage = | 4119 | m3 |
| | | - |

| One Hundred Year | | | | | |
|------------------|----------|--|--|--|--|
| a= | 2824.505 | | | | |
| b= | 13.74 | | | | |
| c= | 0.880 | | | | |

| | | - |
|---------------|-----|-----|
| Rooftop I | 0.0 | l/s |
| Rooftop 2 | 0.0 | l/s |
| External Area | 0.0 | I/s |
| | | I/s |

| Time | Rainfall | Storm | Runoff | Released | Storage | |
|-------|-----------|---------|--------|----------|---------|-----|
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m3) | (m3) | |
| 16.1 | 142.3 | 2513.93 | 2426.8 | 0.4 | 2426.4 | |
| 18.1 | 134.4 | 2374.39 | 2577.0 | 0.4 | 2576.6 | |
| 20.1 | 127.4 | 2250.41 | 2712.5 | 0.5 | 2712.0 | |
| 22.1 | 121.1 | 2139.48 | 2835.5 | 0.5 | 2835.0 | |
| 24.1 | 115.5 | 2039.62 | 2947.9 | 0.5 | 2947.4 | |
| 26.1 | 110.3 | 1949.22 | 3051.2 | 0.6 | 3050.6 | |
| 28.1 | 105.7 | 1866.96 | 3146.5 | 0.6 | 3145.8 | |
| 30.1 | 101.4 | 1791.78 | 3234.8 | 0.7 | 3234.1 | |
| 32.1 | 97.5 | 1722.79 | 3316.9 | 0.7 | 3316.2 | |
| 34.1 | 93.9 | 1659.23 | 3393.7 | 0.8 | 3392.9 | |
| 36.1 | 90.6 | 1600.48 | 3465.6 | 0.8 | 3464.8 | |
| 38.1 | 87.5 | 1546.01 | 3533.1 | 0.9 | 3532.3 | |
| 40.1 | 84.7 | 1495.34 | 3596.8 | 0.9 | 3595.9 | |
| 42.1 | 82.0 | 1448.10 | 3656.9 | 1.0 | 3656.0 | |
| 44.1 | 79.5 | 1403.93 | 3713.9 | 1.0 | 3712.9 | |
| 46.1 | 77.1 | 1362.55 | 3767.9 | 1.1 | 3766.9 | |
| 48.1 | 74.9 | 1323.69 | 3819.3 | 1.1 | 3818.2 | |
| 50.1 | 72.9 | 1287.12 | 3868.2 | 1.1 | 3867.1 | |
| 52.1 | 70.9 | 1252.64 | 3914.9 | 1.2 | 3913.7 | |
| 54.1 | 69.1 | 1220.08 | 3959.6 | 1,2 | 3958.3 | |
| 56.1 | 67.3 | 1189.28 | 4002.3 | 1.3 | 4001.0 | |
| 58.1 | 65.7 | 1160.09 | 4043.3 | 1.3 | 4042.0 | |
| 60.1 | 64.1 | 1132.39 | 4082.6 | 1.4 | 4081.3 | |
| 62.1 | 62.6 | 1106.06 | 4120.5 | 1.4 | 4119.0 | <<< |

Stormwater Management Pond Area Requirement Calculation Sheet Alternative 2A

| Stormwater Management Facility No. | 2A-P1 | 2A-P2 | 2A-P3 | 2A-P4 | 2A-P5 | 2A-P6 | 2A-P7 | 2A-P8 |
|--|---------|--------|---------|--------|---------|--------|---------|---------|
| Drainage ID | 100 | 101 | 102 | 103 | 104 | 105 | 106 | 107 |
| Drainage Area (ha) | 6.4 | 1.7 | 5.2 | 3.3 | 4.9 | 2.6 | 5.3 | 7.1 |
| Imperviousness of Drainage Area | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 |
| Runoff Volume 1 (25mm Storm) (mm) | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 |
| Permanent Pool Volume Required ² (m ³) | 1,336 | 357 | 1,092 | 693 | 1,035 | 548 | 1,113 | 1,483 |
| Extended Detention Volume ³ (m ³) | 254 | 68 | 208 | 132 | 197 | 104 | 212 | 282 |
| Erosion Control Volume ⁴ , 25mm Storm (m ³) | 1,590 | 425 | 1,300 | 825 | 1,233 | 653 | 1,325 | 1,765 |
| Total Extended Detention Vol. Req't ⁵ (m ³) | 1,590 | 425 | 1,300 | 825 | 1,233 | 653 | 1,325 | 1,765 |
| Assumed Permanent Pool Depth | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 |
| Assumed Quantity Storage Depth | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 |
| Designed Slope V:1 H: | 5.00 | 5.00 | 5.00 | 5.00 | 5.00 | 5.00 | 5.00 | 5.00 |
| | | | | | | | | |
| Trial and Error Method Assuming square lot | | | | | | | | |
| Assumed Bottom width | 25.00 | 10.00 | 22.00 | 15.00 | 18.00 | 8.00 | 24.00 | 26.00 |
| Volume | 1668.75 | 543.75 | 1389.75 | 843.75 | 1059.75 | 444.75 | 1572.75 | 1767.75 |
| Pond Bottom Area Requirement (m²) | 625 | 100 | 484 | 225 | 324 | 64 | 929 | 929 |
| | | | | | | , | | |
| Pond Bottom width requirement assuming a square lot | 25.00 | 10.00 | 22.00 | 15.00 | 18.00 | 8.00 | 24.00 | 26.00 |
| Pond Area at Normal Water Level | 1,600 | 625 | 1,369 | 006 | 1,089 | 529 | 1,521 | 1,681 |
| Pond Area Requirement (m²) | 3,364 | 1,849 | 3,025 | 2,304 | 2,601 | 1,681 | 3,249 | 3,481 |
| Pond Area Requirement with 10 m buffer (m²) | 6,084 | 3,969 | 5,625 | 4,624 | 5,041 | 3,721 | 5,929 | 6,241 |
| Total Quantity Control Volume @ 1.80m depth from NWL = | 4,468 | 2,227 | 3,955 | 2,884 | 3,321 | 1,989 | 4,293 | 4,646 |
| Total Quality and Quantity Control Volume = | 6,136 | 2,770 | 5,344 | 3,727 | 4,381 | 2,434 | 5,866 | 6,414 |
| Approximate Volume of Excavation = | 17,779 | 10,783 | 16,189 | 12,850 | 14,217 | 10,030 | 17,238 | 18,330 |
| | | | | | | | | |

Notes:

O:\DRIC\19_WaterResources\Hydrology\Pond Area Regt Calc_Option 2A.xls]Option 2A

¹ Based on Imperviousness for the site (25mm * Imperviousness)
² Calculated using Table 3.2 Of the MOE 2003 SWM Planning and Design Manual, 85% Imperviousness (250m ³/ha - 40m³/ha)
³ Based on 40m³/ha
⁴ Area × Runoff Volume
⁵ Greater of Extended Detention or Erosion Control
⁶ Average release over 24 hours.

Appendix C.4

Alternative 2B

Project Name: Detroit River International Crossing

November 16, 2006

9:46 AM

Stormwater Management Study Alternative 2B

Project No.: 33015384

| - | | |
|-----|-------|------------------|
| | 100 | |
| ha | 6.36 | Area = |
| | 0.9 | "C" = |
| | 5.724 | AC= |
| min | 14.8 | Tc = |
| min | 2.0 | Time Increment = |
| l/s | 0.4 | Release Rate = |
| m3 | 3688 | Max.Storage = |
| | | |

| One Hundred Year | | | | | |
|------------------|-------|--|--|--|--|
| a= 2824.505 | | | | | |
| b= 13.74 | | | | | |
| c= | 0.880 | | | | |

| Rooftop 1 | 0.0 | 1/s |
|---------------|-----|-----|
| Rooftop 2 | 0.0 | l/s |
| External Area | 0.0 | 1/s |
| | | l/s |

| Time | Rainfall | Storm | Runoff | Released | Storage |
|-------|-----------|---------|--------|----------|---------|
| | Intensity | Runoff | Volume | Volume | Volume |
| (min) | (տու/իւ) | (l/s) | (m3) | (m3) | (m3) |
| 14.8 | 148.1 | 2356.05 | 2089.0 | 0.3 | 2088.7 |
| 16.8 | 139.5 | 2219.63 | 2234.4 | 0.4 | 2234.1 |
| 8.81 | 131.9 | 2099.04 | 2364.9 | 0.4 | 2364.5 |
| 20.8 | 125.2 | 1991.63 | 2482.9 | 0.4 | 2482.5 |
| 22.8 | 119.1 | 1895.32 | 2590.3 | 0.5 | 2589.8 |
| 24.8 | 113.6 | 1808.44 | 2688.6 | 0.5 | 2688.0 |
| 26.8 | 108.7 | 1729.65 | 2779.0 | 0.6 | 2778.4 |
| 28.8 | 104.2 | 1657.85 | 2862.6 | 0.6 | 2861.9 |
| 30.8 | 100.1 | 1592.13 | 2940.1 | 0.7 | 2939.5 |
| 32.8 | 96.3 | 1531.73 | 3012.4 | 0.7 | 3011.7 |
| 34.8 | 92.8 | 1476.03 | 3080.0 | 0.8 | 3079.2 |
| 36.8 | 89.5 | 1424,48 | 3143.3 | 0.8 | 3142.6 |
| 38.8 | 86.5 | 1376.63 | 3203.0 | 0.8 | 3202.1 |
| 40.8 | 83.7 | 1332.09 | 3259.2 | 0.9 | 3258.3 |
| 42.8 | 81.1 | 1290.52 | 3312.3 | 0.9 | 3311.4 |
| 44.8 | 78.7 | 1251.62 | 3362.7 | 1.0 | 3361.7 |
| 46.8 | 76.4 | 1215.15 | 3410.5 | 1.0 | 3409.5 |
| 48.8 | 74.2 | 1180.87 | 3456.0 | 1.1 | 3455.0 |
| 50.8 | 72.2 | 1148.60 | 3499.4 | 1.1 | 3498.3 |
| 52.8 | 70.3 | 1118.15 | 3540.8 | 1.1 | 3539.7 |
| 54.8 | 68.5 | 1089.38 | 3580.4 | 1.2 | 3579.2 |
| 56.8 | 66.7 | 1062.15 | 3618.4 | 1.2 | 3617.1 |
| 58.8 | 65.1 | 1036.32 | 3654.8 | 1.3 | 3653.5 |
| 60.8 | 63.6 | 1011.81 | 3689.7 | 1.3 | 3688.4 |

Project Name: Detroit River International Crossing

November 16, 2006

9:47 AM

Stormwater Management Study Alternative 2B

Project No.: 33015384

| 101 |] |
|-------|--|
| 2.13 | ha |
| 0.9 |] |
| 1.917 | |
| 10.4 | min |
| 2.0 | min |
| 0.2 |]l/s |
| 1209 |]m3 |
| | 2.13
0.9
1.917
10.4
2.0
0.2 |

| One Hundred Year | | | | | |
|------------------|----------|--|--|--|--|
| a= | 2824.505 | | | | |
| b= | 13.74 | | | | |
| c= | 0.880 | | | | |

| Rooftop 1 | 0.0 | l/s |
|---------------|-----|-----|
| Rooftop 2 | 0.0 | l/s |
| External Area | 0.0 | l/s |
| | | l/s |

| Time | Rainfall | Storm | Runoff | Released | Storage | |
|-------|-----------|--------|--------|----------|---------|------|
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (1/s) | (m3) | (m3) | (m3) | |
| 10.4 | 171.7 | 915.18 | 568.6 | 0.1 | 568.5 | |
| 12.4 | 160.1 | 853.16 | 632.5 | 0.1 | 632.4 | |
| 14.4 | 150.0 | 799.48 | 688.6 | 0.1 | 688.5 | |
| 16.4 | 141,2 | 752.54 | 738.5 | 0.2 | 738.3 | |
| 18.4 | 133.4 | 711.11 | 783.2 | 0.2 | 783.0 | |
| 20.4 | 126.5 | 674.27 | 823.5 | 0.2 | 823.3 | |
| 22.4 | 120.3 | 641.28 | 860.2 | 0.2 | 860.0 | |
| 24.4 | 114.8 | 611.56 | 893.7 | 0.2 | 893.5 | |
| 26.4 | 109.7 | 584.63 | 924.5 | 0,3 | 924.2 | |
| 28.4 | 105.1 | 560.12 | 953.0 | 0.3 | 952.7 | |
| 30.4 | 100.9 | 537.70 | 979.3 | 0.3 | 979.0 | |
| 32.4 | 97.0 | 517.12 | 1003.9 | 0.3 | 1003.6 | |
| 34.4 | 93.5 | 498.15 | 1026.8 | 0.3 | 1026.5 | |
| 36.4 | 90.2 | 480.60 | 1048.4 | 0.3 | 1048.0 | |
| 38.4 | 87.1 | 464.33 | 1068.6 | 0.4 | 1068.2 | |
| 40.4 | 84.3 | 449.19 | 1087.6 | 0.4 | 1087.2 | |
| 42,4 | 81.6 | 435.06 | 1105.6 | 0.4 | 1105.2 | |
| 44.4 | 79.2 | 421.86 | 1122.7 | 0.4 | 1122.3 | |
| 46.4 | 76.8 | 409.48 | 1138.9 | 0.4 | 1138.4 | |
| 48.4 | 74.7 | 397.85 | 1154.3 | 0.5 | 1153.8 | |
| 50.4 | 72.6 | 386.90 | 1169.0 | 0.5 | 1168.5 | |
| 52.4 | 70.7 | 376.58 | 1183.0 | 0.5 | 1182.5 | |
| 54.4 | 68.8 | 366.83 | 1196.4 | 0.5 | 1195.8 | |
| 56.4 | 67.1 | 357.60 | 1209.2 | 0.5 | 1208.6 | <<<< |

Project Name: Detroit River International Crossing

November 16, 2006

9:47 AM

Stormwater Management Study Alternative 2B

Project No.: 33015384

| _ | 5015501 | Troject rio |
|-------|---------|------------------|
|] | 102 | |
| ha | 6.54 | Area = |
| | 0.9 | "C" = |
|] | 5.886 | AC= |
| min | 14.8 | Tc = |
| min | 2.0 | Time Increment = |
|]]l/s | 0.4 | Release Rate = |
|]m3 | 3794 | Max.Storage = |
| | | |

| One Hundred Y | ear |
|---------------|----------|
| a= | 2824.505 |
| b= | 13.74 |
| c= | 0.880 |

| Rooftop 1 | 0.0 | l/s |
|---------------|-----|-----|
| Rooftop 2 | 0.0 | 1/s |
| External Area | 0.0 | 1/s |
| | | l/s |

| Time | Rainfall | Storm | Runoff | Released | Storage |
|-------|-----------|---------|--------|----------|---------|
| | Intensity | Runoff | Volume | Volume | Volume |
| (min) | (mm/hr) | (l/s) | (m3) | (m3) | (m3) |
| 14.8 | 147.9 | 2419.42 | 2151.7 | 0.3 | 2151.3 |
| 16.8 | 139.3 | 2279.53 | 2300.8 | 0.4 | 2300.4 |
| 18.8 | 131.8 | 2155.85 | 2434.7 | 0.4 | 2434.3 |
| 20.8 | 125.0 | 2045.68 | 2555.7 | 0.5 | 2555.3 |
| 22.8 | 119.0 | 1946.88 | 2665.9 | 0.5 | 2665.4 |
| 24.8 | 113.5 | 1857.74 | 2766.8 | 0.6 | 2766.2 |
| 26.8 | 108.6 | 1776.89 | 2859.6 | 0.6 | 2859.0 |
| 28.8 | 104.1 | 1703.20 | 2945.4 | 0.6 | 2944.8 |
| 30.8 | 100.0 | 1635.75 | 3025.0 | 0.7 | 3024.4 |
| 32.8 | 96.2 | 1573.76 | 3099.3 | 0.7 | 3098.5 |
| 34.8 | 92.7 | 1516.58 | 3168.6 | 0.8 | 3167.9 |
| 36.8 | 89.4 | 1463.66 | 3233.7 | 0.8 | 3232.9 |
| 38.8 | 86.4 | 1414.54 | 3294.9 | 0.9 | 3294.1 |
| 40.8 | 83.7 | 1368.81 | 3352.7 | 0.9 | 3351.8 |
| 42.8 | 81.0 | 1326.12 | 3407.3 | 1.0 | 3406.3 |
| 44.8 | 78.6 | 1286.19 | 3459.0 | 1.0 | 3458.0 |
| 46.8 | 76.3 | 1248.73 | 3508.1 | 1.0 | 3507.1 |
| 48.8 | 74.2 | 1213.54 | 3554.9 | 1.1 | 3553.8 |
| 50.8 | 72.1 | 1180.39 | 3599.4 | 1.1 | 3598.3 |
| 52.8 | 70.2 | 1149.12 | 3642.0 | 1.2 | 3640.8 |
| 54.8 | 68.4 | 1119.57 | 3682.7 | 1.2 | 3681.4 |
| 56.8 | 66.7 | 1091.60 | 3721.6 | 1.3 | 3720.4 |
| 58.8 | 65.1 | 1065.08 | 3759.0 | 1.3 | 3757.7 |
| 60.8 | 63.6 | 1039.90 | 3794.9 | 1.4 | 3793.6 |

Project Name: Detroit River International Crossing

November 16, 2006

9:47 AM

Stormwater Management Study Alternative 2B

Project No.: 33015384

| | + + | _ |
|------------------|-------|-----|
| | 103 | |
| Area = | 7.21 | ha |
| "C" = | 0.9 |] |
| AC= | 6.489 |] |
| Tc = | 21.1 | min |
| Time Increment = | 2.0 | min |
| Release Rate = | 0.3 |]/s |
| Max.Storage = | 4298 |]m3 |
| | | _ |

| One Hundred Y | ear |
|---------------|----------|
| a= | 2824.505 |
| b= | 13.74 |
| c= | 0.880 |

| Rooftop 1 | 0.0 |] _{1/s} |
|---------------|-----|------------------|
| Rooftop 2 | 0.0 | l/s |
| External Area | 0.0 | l/s |
| | | 1/s |

| Time | Rainfall | Storm | Runoff | Released | Storage |
|-------|-----------|---------|--------|----------|---------|
| | Intensity | Runoff | Volume | Volume | Volume |
| (min) | (աու/իւ) | (l/s) | (m3) | (m3) | (m3) |
| 21.1 | 124.0 | 2236.91 | 2837.9 | 0.4 | 2837.5 |
| 23.1 | 118.1 | 2129.82 | 2957.6 | 0.4 | 2957.2 |
| 25.1 | 112.7 | 2033.12 | 3067.3 | 0.5 | 3066.8 |
| 27.1 | 107.8 | 1945.33 | 3168.3 | 0.5 | 3167.8 |
| 29.1 | 103.4 | 1865.27 | 3261.7 | 0.6 | 3261,2 |
| 31.1 | 99.3 | 1791.93 | 3348.5 | 0.6 | 3347.9 |
| 33.1 | 95.6 | 1724.49 | 3429.4 | 0.6 | 3428.8 |
| 35.1 | 92.1 | 1662.24 | 3505.1 | 0.7 | 3504.4 |
| 37.1 | 89.0 | 1604.61 | 3576.1 | 0.7 | 3575.4 |
| 39.1 | 86.0 | 1551.09 | 3643.0 | 0.8 | 3642.2 |
| 41.1 | 83.2 | 1501.24 | 3706.1 | 0.8 | 3705.3 |
| 43.1 | 80.6 | 1454.69 | 3765.7 | 0.8 | 3764.9 |
| 45.1 | 78.2 | 1411.12 | 3822.3 | 0.9 | 3821.4 |
| 47.1 | 76.0 | 1370.25 | 3876.0 | 0.9 | 3875.1 |
| 49.1 | 73.8 | 1331.82 | 3927.1 | 0.9 | 3926.2 |
| 51.1 | 71.8 | 1295.63 | 3975.9 | 1.0 | 3974.9 |
| 53.1 | 69.9 | 1261.48 | 4022.4 | 1.0 | 4021,4 |
| 55.1 | 68.1 | 1229.19 | 4067.0 | 1.1 | 4065.9 |
| 57.1 | 66,4 | 1198.62 | 4109.7 | 1.1 | 4108.6 |
| 59.1 | 64.8 | 1169.62 | 4150.6 | 1.1 | 4149.5 |
| 61.1 | 63.3 | 1142.09 | 4189.9 | 1.2 | 4188.8 |
| 63.1 | 61.9 | 1115.90 | 4227.8 | 1.2 | 4226.6 |
| 65.1 | 60.5 | 1090.97 | 4264.2 | 1.3 | 4263.0 |
| 67.1 | 59.2 | 1067.19 | 4299.4 | 1.3 | 4298.1 |

Project Name: Detroit River International Crossing

November 16, 2006

9:47 AM

Stormwater Management Study Alternative 2B

Project No. : 33015384

| | | _ |
|------|-------|------------------|
| | 104 | |
| ha | 2.34 | Area = |
| | 0.9 | "C" = |
| 6 | 2.106 | AC= |
| min | 9.7 | Tc = |
| min | 2.0 | Time Increment = |
| l/s | 0.2 | Release Rate = |
| 3 m3 | 1323 | Max.Storage = |
| | | · |

| One Hundred Y | ear |
|---------------|----------|
| a= | 2824.505 |
| b= | 13.74 |
| c⊨ | 0.880 |

| Rooftop 1 | 0.0 | l/s |
|---------------|-----|-----|
| Rooftop 2 | 0.0 | l/s |
| External Area | 0.0 | l/s |
| | | 1/s |

| Time | Rainfall | Storm | Runoff | Released | Storage |
|-------|-----------|---------|--------|----------|---------|
| | Intensity | Runoff | Volume | Volume | Volume |
| (min) | (mm/hr) | (1/s) | (m3) | (m3) | (m3) |
| 9.7 | 176.1 | 1030.97 | 598.6 | 0.1 | 598.5 |
| 11.7 | 163.8 | 959.23 | 672.1 | 0.1 | 672.0 |
| 13.7 | 153.3 | 897.38 | 736.5 | 0.1 | 736.3 |
| 15.7 | 144.1 | 843.47 | 793.4 | 0.2 | 793.3 |
| 17.7 | 136.0 | 796.03 | 844.3 | 0.2 | 844.1 |
| 19.7 | 128.8 | 753.95 | 890.2 | 0.2 | 890.0 |
| 21.7 | 122.4 | 716.36 | 931.7 | 0.2 | 931.5 |
| 23.7 | 116.6 | 682.55 | 969.7 | 0.3 | 969.4 |
| 25.7 | 111.4 | 651.98 | 1004.5 | 0.3 | 1004.2 |
| 27.7 | 106.6 | 624.20 | 1036,6 | 0.3 | 1036.3 |
| 29.7 | 102.3 | 598.82 | 1066.3 | 0.3 | 1066.0 |
| 31.7 | 98.3 | 575.55 | 1093.9 | 0.3 | 1093.6 |
| 33.7 | 94.6 | 554.14 | 1119.7 | 0.4 | 1119.4 |
| 35.7 | 91.3 | 534.35 | 1143.9 | 0,4 | 1143.5 |
| 37.7 | 88.1 | 516.02 | 1166.5 | 0.4 | 1166.1 |
| 39.7 | 85.2 | 498.98 | 1187.9 | 0.4 | 1187.5 |
| 41.7 | 82.5 | 483.10 | 1208.1 | 0.5 | 1207.6 |
| 43.7 | 80.0 | 468.26 | 1227.1 | 0.5 | 1226.7 |
| 45.7 | 77.6 | 454,36 | 1245,2 | 0.5 | 1244.8 |
| 47.7 | 75.4 | 441.31 | 1262.4 | 0.5 | 1261.9 |
| 49.7 | 73.3 | 429.04 | 1278.8 | 0.5 | 1278.3 |
| 51.7 | 71.3 | 417.48 | 1294.5 | 0.6 | 1293.9 |
| 53.7 | 69.4 | 406.56 | 1309.4 | 0,6 | 1308.8 |
| 55.7 | 67.7 | 396.23 | 1323.7 | 0.6 | 1323.1 |

Project Name: Detroit River International Crossing

November 16, 2006

9:47 AM

Stormwater Management Study Alternative 2B

Project No.: 33015384

| | | • |
|------------------|-------|-----|
| | 105 | |
| Area = | 5.77 | ha |
| "C" = | 0.9 | |
| AC= | 5.193 | |
| Tc = | 20.3 | min |
| Time Increment = | 2.0 | min |
| Release Rate = | 0.3 | 1/s |
| Max.Storage = | 3428 | m3 |
| —. | | - |

| One Hundred Y | ear |
|---------------|----------|
| 1 | |
| a= | 2824.505 |
| b= | 13.74 |
| c= | 0.880 |

| | | • |
|---------------|-----|-----|
| Rooftop 1 | 0.0 | l/s |
| Rooftop 2 | 0.0 | l/s |
| External Area | 0.0 | 1/s |
| | | l/s |

| Time | Rainfall | Storm | Runoff | Released | Storage |
|-------|-----------|---------|--------|----------|---------|
| | Intensity | Runoff | Volume | Volume | Volume |
| (min) | (mm/hr) | (l/s) | (m3) | (m3) | (m3) |
| 20.3 | 126.7 | 1829.17 | 2227.9 | 0.3 | 2227.6 |
| 22.3 | 120.5 | 1739.54 | 2327.5 | 0.4 | 2327.1 |
| 24.3 | 114.9 | 1658.80 | 2418.5 | 0.4 | 2418.1 |
| 26.3 | 109.8 | 1585.66 | 2502.2 | 0.4 | 2501.7 |
| 28.3 | 105.2 | 1519.09 | 2579.4 | 0.5 | 2578.9 |
| 30.3 | 101.0 | 1458.21 | 2651.0 | 0.5 | 2650.5 |
| 32.3 | 97.1 | 1402.32 | 2717.7 | 0.5 | 2717.2 |
| 34.3 | 93.6 | 1350.81 | 2780.0 | 0.6 | 2779.4 |
| 36.3 | 90.3 | 1303.19 | 2838.3 | 0.6 | 2837.7 |
| 38.3 | 87.2 | 1259.01 | 2893.2 | 0.6 | 2892.6 |
| 40.3 | 84.4 | 1217.91 | 2944.9 | 0.7 | 2944.3 |
| 42.3 | 81.7 | 1179.58 | 2993.8 | 0.7 | 2993.1 |
| 44.3 | 79.2 | 1143.73 | 3040.0 | 0.7 | 3039.3 |
| 46.3 | 76.9 | 1110.14 | 3084.0 | 0.8 | 3083.2 |
| 48.3 | 74.7 | 1078.58 | 3125.7 | 0.8 | 3125.0 |
| 50.3 | 72.7 | 1048.89 | 3165.5 | 0.8 | 3164.7 |
| 52.3 | 70.7 | 1020.88 | 3203.5 | 0.8 | 3202.7 |
| 54.3 | 68.9 | 994.43 | 3239.8 | 0.9 | 3239.0 |
| 56.3 | 67.1 | 969.40 | 3274.6 | 0.9 | 3273.7 |
| 58.3 | 65.5 | 945.67 | 3308.0 | 0.9 | 3307.0 |
| 60.3 | 63.9 | 923.16 | 3340.0 | 1.0 | 3339.0 |
| 62.3 | 62.5 | 901.75 | 3370.8 | 1.0 | 3369.7 |
| 64.3 | 61.1 | 881.39 | 3400.4 | 1.0 | 3399.3 |
| 66.3 | 59.7 | 861.98 | 3428.9 | 1.1 | 3427.9 |

Project Name: Detroit River International Crossing

November 16, 2006

9:48 AM

Stormwater Management Study Alternative 2B

Project No.: 33015384

| | | - |
|------------------|-------|-----|
| | 106 | |
| Area = | 9.32 | ha |
| "C" = | 0.9 | |
| AC= | 8.388 | |
| Tc = | 16.4 | min |
| Time Increment = | 2.0 | min |
| Release Rate = | 0.5 | 1/s |
| Max.Storage = | 5444 | m3 |
| | | - |

| One Hundred Ye | ear |
|----------------|----------|
| a= | 2824.505 |
| b= | 13.74 |
| c= | 0.880 |

| Rooftop 1 | 0.0 | l/s |
|---------------|-----|-----|
| Rooftop 2 | 0.0 | l/s |
| External Area | 0.0 | 1/s |
| | | l/s |

| Time | Rainfall | Storm | Runoff | Released | Storage |
|-------|-----------|---------|--------|----------|---------|
| | Intensity | Runoff | Volume | Volume | Volume |
| (min) | (mm/hr) | (l/s) | (m3) | (m3) | (m3) |
| 16.4 | 141.2 | 3291.72 | 3232.5 | 0.5 | 3232.0 |
| 18.4 | 133.4 | 3110.58 | 3427.9 | 0.5 | 3427.3 |
| 20.4 | 126.5 | 2949.49 | 3604.3 | 0.6 | 3603.7 |
| 22.4 | 120.3 | 2805.23 | 3764.6 | 0.7 | 3764.0 |
| 24.4 | 114.7 | 2675.25 | 3911.2 | 0.7 | 3910.5 |
| 26.4 | 109.7 | 2557.50 | 4046.0 | 0.8 | 4045.2 |
| 28.4 | 105.1 | 2450.29 | 4170.4 | 0.8 | 4169.6 |
| 30.4 | 100.9 | 2352.24 | 4285.8 | 0.9 | 4284.9 |
| 32.4 | 97.0 | 2262.21 | 4393.2 | 1.0 | 4392.3 |
| 34.4 | 93.5 | 2179.24 | 4493.6 | 0.1 | 4492.6 |
| 36.4 | 90.2 | 2102.51 | 4587.7 | t.1 | 4586.6 |
| 38.4 | 87.1 | 2031.33 | 4676.1 | 1.1 | 4675.0 |
| 40.4 | 84.3 | 1965.10 | 4759.5 | 1.2 | 4758.3 |
| 42.4 | 81.6 | 1903.32 | 4838.3 | 1.2 | 4837.0 |
| 44.4 | 79.1 | 1845.55 | 4912,9 | 1.3 | 4911.6 |
| 46.4 | 76.8 | 1791.40 | 4983.7 | 1.4 | 4982.3 |
| 48.4 | 74.6 | 1740.54 | 5051.0 | 1.4 | 5049.6 |
| 50.4 | 72.6 | 1692.66 | 5115.2 | 1.5 | 5113.7 |
| 52.4 | 70.7 | 1647.52 | 5176.5 | 1.5 | 5175.0 |
| 54.4 | 68.8 | 1604.87 | 5235.1 | 1.6 | 5233.5 |
| 56.4 | 67.1 | 1564.51 | 5291.2 | 1.7 | 5289.5 |
| 58.4 | 65.5 | 1526.26 | 5344.9 | 1.7 | 5343.2 |
| 60.4 | 63.9 | 1489.95 | 5396.6 | 1.8 | 5394.8 |
| 62.4 | 62.4 | 1455.44 | 5446.2 | 1.8 | 5444.4 |

Stormwater Management Pond Area Requirement Calculation Sheet Alternative 2B

| Stormwater Management Facility No. | 2B-P1 | 2B-P2 | 2B-P3 | 2B-P4 | 2B-P5 | 2B-P6 | 2B-P7 |
|--|---------|--------|---------|---------|--------|---------|---------|
| Drainage ID | 100 | 101 | 102 | 103 | 104 | 105 | 106 |
| Drainage Area (ha) | 6.4 | 2.1 | 6.5 | 7.2 | 2.3 | 5.8 | 9.3 |
| Imperviousness of Drainage Area | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 |
| Runoff Volume ¹ (25mm Storm) (mm) | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 |
| Permanent Pool Volume Required ² (m ³) | 1,336 | 447 | 1,373 | 1,514 | 491 | 1,212 | 1,957 |
| Extended Detention Volume ³ (m ³) | 254 | 85 | 292 | 288 | 94 | 231 | 373 |
| Erosion Control Volume ⁴ , 25mm Storm (m³) | 1,590 | 533 | 1,635 | 1,803 | 585 | 1,443 | 2,330 |
| Total Extended Detention Vol. Req't ⁵ (m ³) | 1,590 | 533 | 1,635 | 1,803 | 585 | 1,443 | 2,330 |
| Assumed Permanent Pool Depth | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 |
| Assumed Quantity Storage Depth | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 | 1.80 |
| Designed Slope V:1 H: | 5.00 | 5.00 | 2.00 | 5.00 | 5.00 | 5.00 | 5.00 |
| | | | | | | | |
| Trial and Error Method Assuming square lot | | | | | | | |
| Assumed Bottom width | 25.00 | 10.00 | 25.00 | 29.00 | 12.00 | 23.00 | 32.00 |
| Volume | 1668.75 | 543.75 | 1668.75 | 2082.75 | 654.75 | 1479.75 | 2424.75 |
| Pond Bottom Area Requirement (m²) | 625 | 100 | 979 | 841 | 144 | 529 | 1,024 |
| | | | | | | | |
| Pond Bottom width requirement assuming a square lot | 25.00 | 10.00 | 25.00 | 29.00 | 12.00 | 23.00 | 32.00 |
| Pond Area at Normal Water Level | 1,600 | 625 | 1,600 | 1,936 | 729 | 1,444 | 2,209 |
| Pond Area Requirement (m²) | 3,364 | 1,849 | 3,364 | 3,844 | 2,025 | 3,136 | 4,225 |
| Pond Area Requirement with 10 m buffer (m²) | 6,084 | 3,969 | 6,084 | 6,724 | 4,225 | 5,776 | 7,225 |
| Total Quantity Control Volume @ 1.80m depth from NWL = | 4,468 | 2,227 | 4,468 | 5,202 | 2,479 | 4,122 | 5,791 |
| Total Quality and Quantity Control Volume = | 6,136 | 2,770 | 6,136 | 7,285 | 3,133 | 5,602 | 8,215 |
| Approximate Volume of Excavation = | 17,779 | 10,783 | 17,779 | 20,047 | 11,578 | 16,708 | 21,860 |

Notes:

O:\DRICM9_WaterResources\U3\piltology\\Pom\ Area Reqt\Cale_Option 28.xls\Option 28

939 AM 16/11/2006

¹ Based on Imperviousness for the site (25mm * Imperviousness) ² Calculated using Table 3.2 Of the MOE 2003 SWM Planning and Design Manual, 85% Imperviousness (250m ³/ha - 40m³/ha)

³ Based on 40m³/ha
⁴ Area x Runoff Volume
⁵ Greater of Extended Detention or Erosion Control
⁶ Average release over 24 hours.

Appendix C.5

Alternative 2B - Revised

Project Name: Detroit River International Crossing

November 17, 2006

3:49 PM

<<<<

Stormwater Management Study Alternative 2B Revised Profile

Project No.: 33015384

| 110,0001100 | 2201220. | - |
|------------------|----------|-----|
| | 2BR - P1 | |
| Area = | 19.43 | ha |
| "C" = | 0.9 | |
| AC= | 17.487 | |
| Tc = | 30.9 | min |
| Time Increment = | 2.0 | min |
| Release Rate = | 0.6 | l/s |
| Max.Storage = | 12001 |]m3 |
| | | _ |

| One Hundred Y | еаг |
|---------------|----------|
| a= | 2824.505 |
| b= | 13.74 |
| c= | 0.880 |

| Time | Rainfall | Storm | Runoff | Released | Storage |
|-------|-----------|---------|---------|----------|---------|
| : | Intensity | Runoff | Volume | Volume | Volume |
| (min) | (mm/hr) | (l/s) | (m3) | (m3) | (m3) |
| 30.9 | 99.8 | 4853.23 | 8995.0 | 1.1 | 8993.9 |
| 32.9 | 96.1 | 4669.57 | 9214.9 | 1.1 | 9213.8 |
| 34.9 | 92.6 | 4500.15 | 9420.6 | 1.2 | 9419.4 |
| 36.9 | 89.3 | 4343.34 | 9613.5 | 1.3 | 9612.3 |
| 38.9 | 86.3 | 4197.76 | 9795.0 | 1.3 | 9793.7 |
| 40.9 | 83.6 | 4062.22 | 9966.2 | 1.4 | 9964.8 |
| 42.9 | 81.0 | 3935.70 | 10128.1 | 1.5 | 10126.7 |
| 44.9 | 78.5 | 3817.31 | 10281.5 | 1.5 | 10280.0 |
| 46.9 | 76.2 | 3706.27 | 10427.2 | 1.6 | 10425.6 |
| 48.9 | 74.1 | 3601.92 | 10565.9 | 1.7 | 10564.2 |
| 50.9 | 72.1 | 3503.65 | 10698.0 | 1.7 | 10696.3 |
| 52.9 | 70.2 | 3410.93 | 10824.3 | 1.8 | 10822.4 |
| 54.9 | 68.4 | 3323.30 | 10945.0 | 1.9 | 10943.1 |
| 56.9 | 66.7 | 3240.35 | 11060.6 | 1.9 | 11058.7 |
| 58.9 | 65.0 | 3161.70 | 11171.5 | 2.0 | 11169.5 |
| 60.9 | 63.5 | 3087.01 | 11278.1 | 2.1 | 11276.0 |
| 62.9 | 62.0 | 3016.00 | 11380.6 | 2.2 | 11378.4 |
| 64.9 | 60.6 | 2948.39 | 11479.3 | 2.2 | 11477.0 |
| 66.9 | 59.3 | 2883.93 | 11574.4 | 2.3 | 11572.1 |
| 68.9 | 58.1 | 2822.42 | 11666.2 | 2.4 | 11663.8 |
| 70.9 | 56.8 | 2763.64 | 11754.9 | 2.4 | 11752.4 |
| 72.9 | 55.7 | 2707.41 | 11840.6 | 2.5 | 11838.1 |
| 74.9 | 54.6 | 2653.58 | 11923.6 | 2.6 | 11921.0 |
| 76.9 | 53.5 | 2601.97 | 12004.0 | 2.6 | 12001.3 |

Project Name: Detroit River International Crossing

November 17, 2006

3:46 PM

Stormwater Management Study Alternative 2B Revised Profile

Project No. : 33015384

| v | 2BR - P2 | |
|------------------|----------|-----|
| Area = | 6.22 | ha |
| "C" = | 0.9 | |
| AC= | 5.598 | |
| Tc= | 15.2 | min |
| Time Increment = | 2.0 | min |
| Release Rate = | 0.3 | l/s |
| Max.Storage = | 3614 |]m3 |

| One Hundred Y | ear |
|---------------|----------|
| a= | 2824.505 |
| b= | 13.74 |
| c= | 0.880 |

| Constant Inflows | Rooftop 1 | 0.0 | 1/s | 1/s | | External Area | 0.0 | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s | 1/s

| Time | Rainfall | Storm | Runoff | Released | Storage |
|-------|-----------|---------|--------|----------|---------|
| | Intensity | Runoff | Volume | Volume | Volume |
| (min) | (mm/hr) | (1/s) | (m3) | (m3) | (m3) |
| 15.2 | 146.3 | 2276.66 | 2072.2 | 0.3 | 2071.9 |
| 17.2 | 137.9 | 2146.51 | 2211.3 | 0.3 | 2211.0 |
| 19.2 | 130.5 | 2031.29 | 2336.4 | 0.4 | 2336.0 |
| 21.2 | 123.9 | 1928.52 | 2449.6 | 0.4 | 2449.2 |
| 23.2 | 118.0 | 1836.26 | 2552.8 | 0.4 | 2552.3 |
| 25.2 | 112.6 | 1752.94 | 2647.3 | 0.5 | 2646.8 |
| 27.2 | 107.8 | 1677.30 | 2734.3 | 0.5 | 2733.8 |
| 29.2 | 103.3 | 1608.31 | 2814.9 | 0.6 | 2814.3 |
| 31.2 | 99.3 | 1545.11 | 2889.7 | 0.6 | 2889.1 |
| 33.2 | 95.5 | 1486.98 | 2959.4 | 0.6 | 2958.8 |
| 35.2 | 92.1 | 1433.34 | 3024.6 | 0.7 | 3024.0 |
| 37.2 | 88.9 | 1383.67 | 3085.9 | 0.7 | 3085.2 |
| 39.2 | 85.9 | 1337.54 | 3143.5 | 0.8 | 3142.7 |
| 41.2 | 83.2 | 1294.57 | 3197.9 | 0.8 | 3197.1 |
| 43.2 | 80.6 | 1254.45 | 3249.3 | 0.8 | 3248.5 |
| 45.2 | 78.2 | 1216.90 | 3298.0 | 0.9 | 3297.2 |
| 47.2 | 75.9 | 1181.66 | 3344.3 | 0.9 | 3343.4 |
| 49.2 | 73.8 | 1148.54 | 3388.4 | 0.9 | 3387.5 |
| 51.2 | 71.8 | 1117.34 | 3430.5 | 1.0 | 3429.5 |
| 53.2 | 69.9 | 1087.90 | 3470.6 | 1.0 | 3469.6 |
| 55.2 | 68.1 | 1060.06 | 3509.0 | 1.1 | 3508.0 |
| 57.2 | 66.4 | 1033.71 | 3545.8 | 1.1 | 3544.7 |
| 59.2 | 64.8 | 1008.71 | 3581.1 | 1.1 | 3580.0 |
| 61.2 | 63.3 | 984.97 | 3615.1 | 1.2 | 3613.9 |

Project Name: Detroit River International Crossing

November 17, 2006

3:47 PM

Stormwater Management Study Alternative 2B Revised Profile

Project No. : 33015384

| | | 1 |
|------------------|----------|-----|
| | 2BR - P3 | |
| Area = | 8.67 | ha |
| "C" = | 0.9 | |
| AC= | 7.803 | |
| Tc = | 16.2 | min |
| Time Increment = | 2.0 | min |
| Release Rate = | 0.4 | 1/s |
| Max.Storage = | 5060 | m3 |
| | | - |

| One Hundred Y | ear |
|---------------|----------|
| a= | 2824.505 |
| b≕ | 13.74 |
| c= | 0.880 |

| Constant Inflows | Rooftop 1 | 0.0 | 1/s | Rooftop 2 | 0.0 | 1/s | External Area | 0.0 | 1/s | 1/s |

| Time | Rainfall | Storm | Runoff | Released | Storage |
|-------|-----------|---------|--------|----------|---------|
| | Intensity | Runoff | Volume | Volume | Volume |
| (min) | (mm/hr) | (l/s) | (m3) | (m3) | (m3) |
| 16.2 | 142.0 | 3080.76 | 2987.1 | 0.4 | 2986.7 |
| 18.2 | 134.2 | 2910.13 | 3170.9 | 0.5 | 3170.4 |
| 20.2 | 127.2 | 2758.50 | 3336.7 | 0.5 | 3336.2 |
| 22.2 | 120.9 | 2622.80 | 3487.3 | 0.6 | 3486.7 |
| 24.2 | 115.3 | 2500.61 | 3624.9 | 0.6 | 3624.3 |
| 26.2 | 110.2 | 2389.97 | 3751.3 | 0.7 | 3750.6 |
| 28.2 | 105.5 | 2289.29 | 3868.0 | 0.7 | 3867.3 |
| 30.2 | 101.3 | 2197.25 | 3976.1 | 0.8 | 3975.4 |
| 32.2 | 97.4 | 2112.78 | 4076.8 | 0.8 | 4076.0 |
| 34.2 | 93.8 | 2034.95 | 4170.8 | 0.9 | 4170.0 |
| 36.2 | 90.5 | 1963.00 | 4258.9 | 0.9 | 4258.0 |
| 38.2 | 87.4 | 1896.28 | 4341.7 | 1.0 | 4340.8 |
| 40.2 | 84.6 | 1834.22 | 4419.7 | 1.0 | 4418.7 |
| 42.2 | 81.9 | 1776.34 | 4493.4 | 1.1 | 4492.4 |
| 44.2 | 79.4 | 1722.23 | 4563.2 | 1.1 | 4562.1 |
| 46.2 | 77.1 | 1671.53 | 4629.5 | 1.2 | 4628.3 |
| 48.2 | 74.9 | 1623.91 | 4692.4 | 1.2 | 4691.2 |
| 50.2 | 72.8 | 1579.09 | 4752.4 | 1.3 | 4751.2 |
| 52.2 | 70.8 | 1536.84 | 4809.7 | 1.3 | 4808.4 |
| 54.2 | 69.0 | 1496.94 | 4864.4 | 1.4 | 4863.1 |
| 56.2 | 67.3 | 1459.18 | 4916.9 | 1.4 | 4915.4 |
| 58.2 | 65.6 | 1423.40 | 4967.1 | 1.5 | 4965.6 |
| 60.2 | 64.1 | 1389.45 | 5015.3 | 1.5 | 5013.8 |
| 62.2 | 62.6 | 1357.18 | 5061.7 | 1.6 | 5060.2 |

Project Name: Detroit River International Crossing

November 17, 2006

4:09 PM

Stormwater Management Study Alternative 2B Revised Profile

Project No.: 33015384

| 2BR - P4 | |
|----------|--|
| 6.36 | ha |
| 0.9 | |
| 5.724 | |
| 12.9 | min |
| 2.0 | min |
| 0.4 | l/s |
| 3656 | m3 |
| | 6.36
0.9
5.724
12.9
2.0
0.4 |

| One Hundred Yea | Г |
|-----------------|----------|
| a= | 2824.505 |
| b= | 13.74 |
| c= | 0.880 |

| Constant Inflows | Rooftop 1 | 0.0 | 1/s | 1/s | External Area | 0.0 | 1/s | 1/s |

| Time | Rainfall | Storm | Runoff | Released | Storage | |
|-------|-----------|---------|--------|----------|----------|------|
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (I/s) | (m3) | (m3) | (m3) | |
| 12.9 | 157.1 | 2499.94 | 1938.0 | 0.3 | 1937.7 | |
| 14.9 | 147.4 | 2345.76 | 2099.9 | 0.3 | 2099.6 | |
| 16.9 | 138.9 | 2210.56 | 2244.2 | 0.4 | . 2243.8 | |
| 18.9 | 131.4 | 2090.99 | 2373.7 | 0.4 | 2373.3 | |
| 20.9 | 124.7 | 1984.44 | 2490.9 | 0.5 | . 2490.4 | |
| 22.9 | 118.7 | 1888.85 | 2597.5 | 0.5 | 2597.0 | |
| 24.9 | 113.3 | 1802.59 | 2695.2 | 0.6 | 2694.7 | |
| 26.9 | 108.4 | 1724.33 | 2785.1 | 0.6 | 2784.5 | |
| 28.9 | 103.9 | 1652.98 | 2868.3 | 0.6 | 2867.6 | |
| 30.9 | 99.8 | 1587.66 | 2945.4 | 0.7 | 2944.7 | |
| 32.9 | 96.0 | 1527.62 | 3017.4 | 0.7 | 3016.6 | |
| 34.9 | 92.5 | 1472.23 | 3084.6 | 0.8 | 3083.8 | |
| 36.9 | 89.3 | 1420.96 | 3147.7 | 0.8 | 3146.9 | |
| 38.9 | 86.3 | 1373.36 | 3207.1 | 0.9 | 3206.2 | |
| 40.9 | 83.5 | 1329.04 | 3263.1 | 0.9 | 3262.1 | |
| 42.9 | 80.9 | 1287.67 | 3316.0 | 1.0 | 3315.0 | |
| 44.9 | 78.5 | 1248.95 | 3366.2 | 1.0 | 3365.2 | |
| 46.9 | 76.2 | 1212.64 | 3413.8 | 1.0 | 3412.8 | |
| 48.9 | 74.1 | 1178.52 | 3459.2 | 1.1 | 3458.1 | |
| 50.9 | 72.0 | 1146.38 | 3502.4 | 1.1 | 3501.3 | |
| 52.9 | 70.1 | 1116.05 | 3543.7 | 1.2 | 3542.5 | |
| 54.9 | 68.3 | 1087.40 | 3583.2 | 1.2 | 3582.0 | |
| 56.9 | 66.6 | 1060.26 | 3621.0 | 1.3 | 3619.7 | |
| 58.9 | 65.0 | 1034.54 | 3657.3 | 1.3 | 3656.0 | <<<< |

Stormwater Management Pond Area Requirement Calculation Sheet Alternative 2B-Revised Profile

| Stormwater Management Facility No. | 2BR - P1 | 2BR - P2 | 2BR - P3 | 2BR - P4 |
|--|----------|----------|----------|----------|
| Drainage Area ID | 103 | 102 | 101 | 100 |
| Drainage Area (ha) | 19.4 | 6.2 | 8.7 | 6.4 |
| Imperviousness of Drainage Area | 1.00 | 1.00 | 1.00 | 1.00 |
| Runoff Volume 1 (25mm Storm) (mm) | 25.00 | 25.00 | 25.00 | 25.00 |
| Permanent Pool Volume Required ² (m ³) | 4,080 | 1,306 | 1,821 | 1,336 |
| Extended Detention Volume ³ (m ³) | 777 | 249 | 347 | 254 |
| Erosion Control Volume ⁴ , 25mm Storm (m ³) | 4,858 | 1,555 | 2,168 | 1,590 |
| Total Extended Detention Vol. Reg't ⁵ (m ³) | 4,858 | 1,555 | 2,168 | 1,590 |
| Assumed Permanent Pool Depth | 1.50 | 1.50 | 1.50 | 1.50 |
| Assumed Quantity Storage Depth | 1.80 | 1.80 | 1.80 | 1.80 |
| Designed Slope | 5.00 | 5.00 | 5.00 | 5.00 |
| | | | | |
| Trial and Error Method Assuming square lot | | | | |
| Assumed Bottom width | 49.00 | 24.00 | 30.00 | 29.00 |
| Volume | 4872.75 | 1572.75 | 2193.75 | 2082.75 |
| Pond Bottom Area Requirement (m²) | 2,401 | 576 | 006 | 841 |
| | | | | |
| Pond Bottom width requirement assuming a square lot | 49.00 | 24.00 | 30.00 | 29.00 |
| Pond Area at Normal Water Level | 4,096 | 1,521 | 2,025 | 1,936 |
| Pond Area Requirement (m²) | 6,724 | 3,249 | 3,969 | 3,844 |
| Pond Area Requirement with 10 m buffer (m ²) | 10,404 | 5,929 | 6,889 | 6,724 |
| Total Quantity Control Volume @ 1.80m depth from NWL = | 9,738 | 4,293 | 5,395 | 5,202 |
| Total Quality and Quantity Control Volume = | 14,611 | 5,866 | 7,588 | 7,285 |
| Approximate Volume of Excavation - | 33 933 | 17.238 | 20,641 | 20,047 |

Notes:

O/UDRICM9_WaterResources/Hydrology/Pond Area Reqt Cale_Option 2B-Revised Profile_xt_3Option 2B-Revised Profile 3.25 PM 170.172006

 $^{^{\}rm 1}$ Based on Imperviousness for the site (25mm $^{\rm 2}$ Imperviousness) $^{\rm 2}$ Calculated using Table 3.2 Of the MOE 2003 SWM Flanning and Design Manual, 85% Imperviousness (250 calculated using Table 3.2 Of the MOE 2003 SWM Flanning and Design Manual, 85% Imperviousness (250 calculated using Table 3.2 Of the MOE 2003 SWM Flanning and Design Manual, 85% Imperviousness (250 calculated using Table 3.2 Of the MOE 2003 SWM Flanning and Design Manual, 85% Imperviousness (250 calculated using Table 3.2 Of the MOE 2003 SWM Flanning and Design Manual, 85% Imperviousness (250 calculated using Table 3.2 Of the MOE 2003 SWM Flanning and Design Manual, 85% Imperviousness (250 calculated using Table 3.2 Of the MOE 2003 SWM Flanning and Design Manual, 85% Imperviousness (250 calculated using Table 3.2 Of the MOE 2003 SWM Flanning and Design Manual, 85% Imperviousness (250 calculated using Table 3.2 Of the MOE 2003 SWM Flanning and Design Manual, 85% Imperviousness (250 calculated using Table 3.2 Of the MOE 2003 SWM Flanning and Design Manual, 85% Imperviousness (250 calculated using Table 3.2 Of the MOE 2003 SWM Flanning and Design Manual, 85% Imperviousness (250 calculated using Table 3.2 Of the MOE 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning using Table 3.2 Of the MOE 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning using Table 3.2 Of the Moe 2003 SWM Flanning usin

³ Based on 40m³/ha
⁴ Area x Runoff Volume
⁵ Greater of Extended Detention or Erosion Control
⁶ Average release over 24 hours.

Appendix C.6

Alternative 3 – Tunnel

Project Name: Detroit River International Crossing
Stormwater Management Study
Alternative 3

November 14, 2006

11:19 AM

100 6.36 Area = ha "C" = 0.9 AC= 5.724 Tc= 14.4 min Time Increment = 10.0 min Release Rate = 367.0 1/s m³ Max.Storage = 2376

Controlled Condition
100 Year - Post Dev't.

a= 2825 b= 13.74 c= 0.880

| C | onstant Inflow | 's |
|---|----------------|-----|
| | | l/s |
| | | |
| ŀ | | |


| . | | | | | r | , |
|---------------|-----------|-------------|--------|-------------------|-------------------|------|
| Time | Rainfall | 00
Storm | Runoff | Released | Storage | |
| 111110 | Intensity | Runoff | Volume | Volume | Volume | |
| (i) | 1 | 1 | | (m ³) | (m ³) | |
| (min) | (mm/hr) | (l/s) | (m3) | | 1 | |
| 14.4 | 149.6 | 2380.56 | 2063.1 | 318.1 | 1745.0 | |
| 24.4 | 114.5 | 1822.33 | 2672.7 | 538.3 | 2134.4 | |
| 34.4 | 93.3 | 1485.01 | 3069.0 | 758.6 | 2310.5 | |
| 44.4 | 79.1 | 1257.93 | 3354.5 | 978.8 | 2375.7 | <<<< |
| 54.4 | 68.8 | 1094.07 | 3574.0 | 1199.0 | 2374.9 |] |
| 64.4 | 61.0 | 969.93 | 3750.4 | 1419.2 | 2331.2 | |
| 74.4 | 54.8 | 872.45 | 3897.0 | 1639.5 | 2257.5 | |
| 84.4 | 49.9 | 793.76 | 4021.7 | 1859.7 | 2162.0 | |
| 94.4 | 45.8 | 728.82 | 4130.0 | 2079.9 | 2050.1 | 1 |
| 104.4 | 42.4 | 674.27 | 4225.4 | 2300.1 | 1925.3 | |
| 114.4 | 39.5 | 627.76 | 4310.6 | 2520,4 | 1790.2 | |
| 124.4 | 36.9 | 587.60 | 4387.4 | 2740.6 | 1646.8 | |
| 134.4 | 34.7 | 552.56 | 4457.3 | 2960.8 | 1496.5 | |
| 144.4 | 32.8 | 521.70 | 4521.4 | 3181.0 | 1340.4 | |
| 154.4 | 31.1 | 494.31 | 4580.6 | 3401.3 | 1179.3 | |
| 164.4 | 29.5 | 469.81 | 4635.4 | 3621.5 | 1014.0 | |
| 174.4 | 28.1 | 447.77 | 4686.6 | 3841.7 | 844.9 | |
| 184.4 | 26.9 | 427.82 | 4734.6 | 4061.9 | 672.6 | |
| 194.4 | 25.7 | 409.69 | 4779.7 | 4282.2 | 497.5 | |
| 204.4 | 24.7 | 393.12 | 4822.2 | 4502.4 | 319.8 | |
| 214.4 | 23.7 | 377.92 | 4862.5 | 4722.6 | 139.9 | |
| 224.4 | 22.9 | 363.92 | 4900.8 | 4942.8 | -42.1 | |
| 234.4 | 22.1 | 350.98 | 4937.2 | 5163.1 | -225.9 | |
| 244.4 | 21.3 | 338.99 | 4971.9 | 5383.3 | -411.4 | 1 |

OADRIC\19_WaterResources\Hydrology\Quantity Reqt\[Alt3_Quan_Vol.xls]109

Project Name: Detroit River International Crossing
Stormwater Management Study
Alternative 3

November 14, 2006

11:19 AM



Controlled Condition

100 Year - Post Dev't. a= 2825 b= 13.74 c= 0.880

Constant Inflows

| | 10 | 01 | | | | 1 |
|-------|-----------|---------|--------|-------------------|-------------------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m ³) | (m ³) | |
| 13.9 | 152.4 | 1067.32 | 888.0 | 139.2 | 748.8 | 1 |
| 23.9 | 116.1 | 813.12 | 1164.4 | 239.6 | 924.8 | |
| 33.9 | 94.3 | 660.75 | 1342.7 | 340.0 | 1002.7 | |
| 43.9 | 79.7 | 558.69 | 1470.5 | 440.3 | 1030.1 | <<<< |
| 53.9 | 69.3 | 485.29 | 1568.4 | 540.7 | 1027.7 | |
| 63.9 | 61.4 | 429.81 | 1647.0 | 641.1 | 1005.9 | |
| 73.9 | 55.1 | 386.33 | 1712.2 | 741.5 | 970.7 | |
| 83.9 | 50.1 | 351.27 | 1767.6 | 841.9 | 925.8 | |
| 93.9 | 46.0 | 322.38 | 1815.6 | 942.2 | 873.4 | |
| 103.9 | 42.6 | 298.13 | 1858.0 | 1042.6 | 815.3 | |
| 113.9 | 39.6 | 277.47 | 1895.7 | 1143.0 | 752.7 | |
| 123.9 | 37.1 | 259.65 | 1929.7 | 1243.4 | 686.3 | |
| 133.9 | 34.8 | 244.10 | 1960.6 | 1343.8 | 616.9 | |
| 143.9 | 32.9 | 230.42 | 1989.0 | 1444.1 | 544.9 | |
| 153.9 | 31.2 | 218.28 | 2015.1 | 1544.5 | 470.6 | |
| 163.9 | 29.6 | 207.43 | 2039.4 | 1644.9 | 394.5 | |
| 173.9 | 28.2 | 197.66 | 2062.0 | 1745.3 | 316.8 | |
| 183.9 | 27.0 | 188.83 | 2083.2 | 1845.7 | 237.6 | |
| 193.9 | 25.8 | 180.81 | 2103.1 | 1946.0 | 157.1 | |
| 203.9 | 24.8 | 173.47 | 2121.9 | 2046.4 | 75.5 | |
| 213.9 | 23.8 | 166.75 | 2139.7 | 2146.8 | -7.1 | |
| 223.9 | 22.9 | 160.56 | 2156.6 | 2247.2 | -90.6 | |
| 233.9 | 22.1 | 154.84 | 2172.7 | 2347.6 | -174.9 | |
| 243.9 | 21.3 | 149.54 | 2188.0 | 2447,9 | -259.9 | |

O:\DRIC\19_WaterResources\Hydrology\Quantity Reqt\[Alt3_Quan_Vol.xls]109

Project Name: Detroit River International Crossing
Stormwater Management Study
Alternative 3

November 14, 2006

11:19 AM

108 Area = 2.16 ha "C" = 0.9 AC= 1.944 Tc= 13.6 min 10.0 min Time Increment = Release Rate = 130.6 l/s 790 Max.Storage =

Controlled Condition

100 Year - Post Dev't.

a= 2825
b= 13.74
c= 0.880

| Ç | Constant Inflow | s |
|---|-----------------|-----|
| | | l/s |
| | | |
| | | |
| 1 | | 1 |

| | 10 | 08 | | | | l |
|-------|-----------|--------|--------|----------|-------------------|------|
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m³) | (m ³) | |
| 13.6 | 153.7 | 830.43 | 677.6 | 106.6 | 571.0 | |
| 23.6 | 116.8 | 631,20 | 893.8 | 185.0 | 708.8 | |
| 33.6 | 94.8 | 512.25 | 1032.7 | 263.4 | 769.3 | |
| 43.6 | 80.1 | 432.75 | 1132.1 | 341.7 | 790.3 | <<<< |
| 53.6 | 69.5 | 375.67 | 1208.1 | 420.1 | 788.0 | |
| 63.6 | 61.5 | 332.57 | 1269.1 | 498.5 | 770.6 | |
| 73.6 | 55.3 | 298.82 | 1319.6 | 576.9 | 742.7 | |
| 83.6 | 50.3 | 271.64 | 1362.5 | 655.3 | 707.3 | |
| 93.6 | 46.1 | 249.24 | 1399.7 | 733.6 | 666.1 | |
| 103.6 | 42.6 | 230.45 | 1432.5 | 812.0 | 620.4 | |
| 113.6 | 39.7 | 214.44 | 1461.7 | 890.4 | 571.3 | |
| 123.6 | 37.1 | 200.64 | 1488.0 | 968.8 | 519.2 | |
| 133.6 | 34.9 | 188.61 | 1511.9 | 1047.1 | 464.7 | 1 |
| 143.6 | 32.9 | 178.02 | 1533.8 | 1125.5 | 408.3 | |
| 153.6 | 31,2 | 168.62 | 1554.0 | 1203.9 | 350.1 | |
| 163.6 | 29.6 | 160.23 | 1572.8 | 1282.3 | 290.5 | |
| 173.6 | 28.3 | 152.68 | 1590.3 | 1360.7 | 229.6 | ŀ |
| 183.6 | 27.0 | 145.85 | 1606.6 | 1439.0 | 167.6 | |
| 193.6 | 25.8 | 139.64 | 1622.0 | 1517.4 | 104.6 | l |
| 203.6 | 24.8 | 133.97 | 1636.6 | 1595.8 | 40.7 | |
| 213.6 | 23.8 | 128.77 | 1650.3 | 1674.2 | -23.9 | |
| 223.6 | 22.9 | 123.98 | 1663.3 | 1752.6 | -89.2 | |
| 233.6 | 22.1 | 119.56 | 1675.7 | 1830.9 | -155.2 | |
| 243.6 | 21.4 | 115.46 | 1687.6 | 1909.3 | -221.7 | l |

O:\DRIC\19_WaterResources\Hydrology\Quantity Reqt\[Alt3_Quan_Vol.xls]109

Project Name: Detroit River International Crossins Stormwater Management Study

Alternative 3

Max.Storage =

November 14, 2006 11:19 AM

109 6.56 Area = ha "C" = 0.9 5.904 AC= Tc= 24.3 min 10.0 min Time Increment = 268.7 1/s Release Rate

Controlled Condition 100 Year - Post Dev't.

> 2825 13.74 0.880

Constant Inflows 1/s

2829

 $||m^3|$

| | | | | 1 | | |
|-------|-----------|---------|--------|-------------------|-------------------|------|
| | | 09 | - 20 | | | |
| Time | Rainfall | Storm | Runoff | Released | Storage | |
| | Intensity | Runoff | Volume | Volume | Volume | |
| (min) | (mm/hr) | (l/s) | (m3) | (m ³) | (m ³) | |
| 24.3 | 114.9 | 1885.91 | 2749.7 | 391.8 | 2357.9 | |
| 34.3 | 93.6 | 1535.76 | 3160.6 | 553.0 | 2607.6 | |
| 44.3 | 79.2 | 1300.33 | 3456.3 | 714.3 | 2742.0 | |
| 54.3 | 68.9 | 1130.58 | 3683.4 | 875.5 | 2807.9 | |
| 64.3 | 61.1 | 1002.06 | 3866.0 | 1036.7 | 2829.2 | <<<< |
| 74.3 | 54.9 | 901.19 | 4017.5 | 1197.9 | 2819.6 | |
| 84.3 | 49.9 | 819.78 | 4146.5 | 1359.2 | 2787.3 | |
| 94.3 | 45.9 | 752.63 | 4258.4 | 1520.4 | 2738.0 | |
| 104.3 | 42.4 | 696.22 | 4357.0 | 1681.6 | 2675.3 | |
| 114.3 | 39.5 | 648.14 | 4444.9 | 1842.9 | 2602.1 | ' |
| 124.3 | 37.0 | 606.64 | 4524.3 | 2004.1 | 2520.2 | |
| 134.3 | 34.8 | 570.43 | 4596.5 | 2165.3 | 2431.2 | |
| 144.3 | 32.8 | 538.54 | 4662.7 | 2326.6 | 2336.1 | |
| 154.3 | 31.1 | 510.24 | 4723.8 | 2487.8 | 2236.0 | ļ |
| 164.3 | 29.5 | 484.93 | 4780.4 | 2649.0 | 2131.4 | |
| 174.3 | 28.2 | 462.16 | 4833.3 | 2810.2 | 2023.0 | |
| 184.3 | 26.9 | 441.56 | 4882.8 | 2971.5 | 1911.3 | 1 |
| 194.3 | 25.8 | 422.83 | 4929.3 | 3132.7 | 1796.6 | |
| 204.3 | 24.7 | 405.72 | 4973.3 | 3293.9 | 1679.3 | Į. |
| 214.3 | 23.8 | 390.02 | 5014.8 | 3455.2 | 1559.7 | |
| 224.3 | 22.9 | 375.56 | 5054.3 | 3616.4 | 1437.9 | l |
| 234.3 | 22,1 | 362.20 | 5091.9 | 3777.6 | 1314.3 | l |
| 244.3 | 21.3 | 349.82 | 5127.7 | 3938.9 | 1188.9 | |
| 254.3 | 20.6 | 338.31 | 5162.0 | 4100.1 | 1061.9 | I |

OADRIC\19_WaterResources\Hydrology\Quantity Reqt\[Alt3_Quan_Vol.xls]109

Stormwater Management Pond Area Requirement Calculation Sheet OPTION 3

| Stormwater Management Facility No. | 3-P1 | 3-P2 | N/A | N/A | N/A | N/A | N/A | N/A | 3-P3 | 3-P3 |
|--|---------|--------|-------|-------|-------|-------|-------|-------|--------|---------|
| Drainage ID | 100 | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 | 109 |
| Drainage ID | 6.4 | 2.8 | 0.3 | 0.3 | 0.1 | 0.2 | 0.2 | 0.2 | 2.2 | 6.6 |
| Imperviousness of Drainage Area | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 |
| Rinoff Volume ¹ (25mm Storm) | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 |
| Permanent Pool Volume Required ² (m ³) | 1,336 | 588 | 71 | 71 | 29 | 40 | 36 | 40 | 454 | 1,378 |
| Extended Detention Volume ³ (m ³) | 254 | 112 | 41 | 14 | 9 | 8 | 7 | 8 | 86 | 262 |
| Frosion Control Volume ⁴ , 25mm Storm (m ³) | 1,590 | 700 | 85 | 85 | 35 | 48 | 43 | 48 | 540 | 1,640 |
| Total Extended Detention Vol. Reg't ⁵ (m ³) | 1.590 | 700 | 85 | 85 | 35 | 48 | 43 | 48 | 540 | 1,640 |
| Assumed Permanent Pool Denth | 1.50 | 1.50 | A/N | A/A | N/A | V/V | N/A | N/A | 1.50 | 1.50 |
| Assumed Ottantify Storage Denth | 1.80 | 1.80 | A/N | N/A | N/A | V/N | N/A | N/A | 1.80 | 1.80 |
| Designed Stope V:1 H: | | 5.00 | N/A | N/A | N/A | N/A | N/A | N/A | 5.00 | 5.00 |
| | | | | | | | | | | |
| Trial and Error Method Assuming square lot | | | | | | | | | | |
| Assumed Bottom width | 25.00 | 14.00 | A/N | N/A | N/A | N/A | N/A | N/A | 11.00 | 25.00 |
| Volume | 1668.75 | 777.75 | A/N | N/A | N/A | N/A | N/A | N/A | 597.75 | 1668.75 |
| Pond Bottom Area Requirement (m²) | 625 | 196 | N/A | N/A | N/A | A/N | N/A | N/A | 121 | 625 |
| | | | | | | | | | | |
| Pond Bottom width requirement assuming a square lot | 25.00 | 14.00 | N/A | N/A | N/A | A/N | N/A | N/A | 11.00 | 25.00 |
| Pond Area at Normal Water Level | 1,600 | 841 | N/A | N/A | N/A | A/A | N/A | N/A | 929 | 1,600 |
| Pond Area Requirement (m²) | 3,364 | 2,209 | N/A | N/A | N/A | A/N | N/A | N/A | 1,936 | 3,364 |
| Pond Area Requirement with 10 m buffer (m²) | 6.084 | 4,489 | N/A | N/A | N/A | A/N | N/A | N/A | 4,096 | 6,084 |
| Total Organity Control Volume @ 1.80m depth from NWL = | 4,468 | 2,745 | A/N | N/A | N/A | N/A | N/A | N/A | 2,351 | 4,468 |
| Total Onality and Quantity Control Volume = | 6.136 | 3,523 | N/A | N/A | N/A | N/A | N/A | N/A | 2,949 | 6,136 |
| Approximante Volume of Excavation = | 17,779 | 12,415 | A/N | N/A | N/A | N/A | N/A | N/A | 11,175 | 17,779 |
| | | | | | | | | | | |

Notes:

1 Based on Imperviousness for the site (25mm * Imperviousness)

OSDRICA9_WaterResources By drology [Pond Area Reqs Cale_Option 03.x4s]Option 3

H30 AM H-14/2006

 $^{^2}$ Calculated using Table 3.2 Of the MOE 2003 SWM Planning and Design Manual, 85% Imperviousness (250m 3 /ha - $40m^3$ /ha)

³ Based on 40m³/ha

⁴ Area x Runoff Volume

⁵ Greater of Extended Detention or Erosion Control

⁶ Average release over 24 hours.

Drainage Area 108 and 109 Drain to same pond 3-P3